

Chapter 7

Development and Structure of Skin

David H. Chu

REFERENCES

1. Freedberg IM et al: Keratins and the keratinocyte activation cycle. *J Invest Dermatol* **116**(5):633-640, 2001
2. Fuchs E: Keratins and the skin. *Annu Rev Cell Dev Biol* **11**:123-153, 1995
3. Schweizer J et al: New consensus nomenclature for mammalian keratins. *J Cell Biol* **174**(2):169-174, 2006
4. Haass NK, Herlyn M: Normal human melanocyte homeostasis as a paradigm for understanding melanoma. *J Invest Dermatol Symp Proc* **10**(2):153-163, 2005
5. Grimes P et al: Increasing our understanding of pigmentary disorders. *J Am Acad Dermatol* **54**(5 Suppl. 2):S255-S261, 2006
6. Barrandon Y, Green H: Three clonal types of keratinocyte with different capacities for multiplication. *Proc Natl Acad Sci USA* **84**(8):2302-2306, 1987
7. Blanpain C, Fuchs E: Epidermal stem cells of the skin. *Annu Rev Cell Dev Biol*. **22**:339-373, 2006
8. Gallico GG, 3rd et al: Permanent coverage of large burn wounds with autologous cultured human epithelium. *N Engl J Med* **311**(7):448-451, 1984
9. Pellegrini G et al: The control of epidermal stem cells (holoclones) in the treatment of massive full-thickness burns with autologous keratinocytes cultured on fibrin. *Transplantation* **68**(6):868-879, 1999
10. Potten CS: The epidermal proliferative unit: The possible role of the central basal cell. *Cell Tissue Kinet* **7**(1):77-88, 1974
11. Cotsarelis G, Sun TT, Lavker RM: Label-retaining cells reside in the bulge area of pilosebaceous unit: Implications for follicular stem cells, hair cycle, and skin carcinogenesis. *Cell* **61**(7):1329-1337, 1990
12. Ito M et al: Stem cells in the hair follicle bulge contribute to wound repair but not to homeostasis of the epidermis. *Nat Med* **11**(12):1351-1354, 2005
13. Waters JM, Richardson GD, Jahoda CA: Hair follicle stem cells. *Semin Cell Dev Biol* **18**(2):245-254, 2007
14. Lechler T, Fuchs E: Asymmetric cell divisions promote stratification and differentiation of mammalian skin. *Nature* **437**(7056):275-280, 2005
15. Yin T, Green KJ: Regulation of desmosome assembly and adhesion. *Semin Cell Dev Biol* **15**(6):665-677, 2004
16. Payne AS et al: Desmosomes and disease: Pemphigus and bullous impetigo. *Curr Opin Cell Biol* **16**(5):536-543, 2004
17. Lai-Cheong JE et al: Genetic diseases of junctions. *J Invest Dermatol* **127**(12):2713-2725, 2007
18. Szigeti R, Kellermayer R: Autosomal-dominant calcium ATPase disorders. *J Invest Dermatol* **126**(11):2370-2376, 2006
19. Fernandes NF, Janniger CK, Schwartz RA: X-linked ichthyosis: An oculocutaneous genodermatosis. *J Am Acad Dermatol* **62**(3):480-485, 2010
20. Candi E, Schmidt R, Melino G: The cornified envelope: A model of cell death in the skin. *Nat Rev Mol Cell Biol* **6**(4):328-340, 2005
21. Segre JA: Epidermal barrier formation and recovery in skin disorders. *J Clin Invest* **116**(5):1150-1158, 2006
22. Huber M et al: Mutations of keratinocyte transglutaminase in lamellar ichthyosis. *Science* **267**(5197):525-528, 1995
23. Russell LJ et al: Mutations in the gene for transglutaminase 1 in autosomal recessive lamellar ichthyosis. *Nat Genet* **9**(3):279-283, 1995
24. Sandilands A et al: Prevalent and rare mutations in the gene encoding filaggrin cause ichthyosis vulgaris and predispose individuals to atopic dermatitis. *J Invest Dermatol* **126**(8):1770-1775, 2006
25. Smith FJ et al: Loss-of-function mutations in the gene encoding filaggrin cause ichthyosis vulgaris. *Nat Genet* **38**(3):337-342, 2006
26. Maestrini E et al: A molecular defect in loricrin, the major component of the cornified cell envelope, underlies Vohwinkel's syndrome. *Nat Genet* **13**(1):70-77, 1996

27. Korge BP et al: Loricrin mutation in Vohwinkel's keratoderma is unique to the variant with ichthyosis. *J Invest Dermatol* **109**(4):604-610, 1997
28. Ishida-Yamamoto A, Takahashi H, Iizuka H: Loricrin and human skin diseases: Molecular basis of loricrin keratodermas. *Histol Histopathol* **13**(3):819-826, 1998
29. Elias PM: Stratum corneum defensive functions: An integrated view. *J Invest Dermatol* **125**(2):183-200, 2005
30. Passeron T, Mantoux F, Ortonne JP: Genetic disorders of pigmentation. *Clin Dermatol* **23**(1):56-67, 2005
31. Grimes PE: New insights and new therapies in vitiligo. *Jama* **293**(6):730-735, 2005
32. Palmieri G et al: Main roads to melanoma. *J Transl Med* **7**:86, 2009
33. Halata Z, Grim M, Bauman KI: Friedrich Sigmund Merkel and his "Merkel cell", morphology, development, and physiology: Review and new results. *Anat Rec A Discov Mol Cell Evol Biol* **271**(1):225-239, 2003
34. Mutyambizi K, Berger CL, Edelson RL: The balance between immunity and tolerance: The role of Langerhans cells. *Cell Mol Life Sci* **66**(5):831-840, 2009
35. Ko MS, Marinkovich MP: Role of dermal-epidermal basement membrane zone in skin, cancer, and developmental disorders. *Dermatol Clin* **28**(1):1-16, 2010
36. Tamai K, Kaneda Y, Uitto J: Molecular therapies for heritable blistering diseases. *Trends Mol Med* **15**(7):285-292, 2009
37. Burgeson RE, Nimni ME: Collagen types. Molecular structure and tissue distribution. *Clin Orthop Relat Res* **282**:250-272, 1992
38. Christiano AM, Uitto J: Molecular pathology of the elastic fibers. *J Invest Dermatol* **103**(Suppl. 5):53S-57S, 1994
39. Kielty CM, Shuttleworth CA: Microfibrillar elements of the dermal matrix. *Microsc Res Tech* **38**(4):413-427, 1997
40. Bergen AA et al: Mutations in ABCC6 cause pseudoxanthoma elasticum. *Nat Genet* **25**(2):228-231, 2000
41. Le Saux O et al: Mutations in a gene encoding an ABC transporter cause pseudoxanthoma elasticum. *Nat Genet* **25**(2):223-227, 2000
42. Ringpfeil F et al: Pseudoxanthoma elasticum: Mutations in the MRP6 gene encoding a transmembrane ATP-binding cassette (ABC) transporter. *Proc Natl Acad Sci U S A* **97**(11):6001-6006, 2000
43. Uitto J, Bernstein EF: Molecular mechanisms of cutaneous aging: Connective tissue alterations in the dermis. *J Invest Dermatol Symp Proc* **3**(1):41-44, 1998
44. Scott JE: Supramolecular organization of extracellular matrix glycosaminoglycans, in vitro and in the tissues. *FASEB J* **6**(9):2639-2645, 1992
45. Iozzo RV: Matrix proteoglycans: From molecular design to cellular function. *Annu Rev Biochem* **67**:609-652, 1998
46. Iozzo RV: Heparan sulfate proteoglycans: Intricate molecules with intriguing functions. *J Clin Invest* **108**(2):165-167, 2001
47. Chang HY et al: Diversity, topographic differentiation, and positional memory in human fibroblasts. *Proc Natl Acad Sci U S A* **99**(20):12877-12882, 2002
48. Rinn JL et al: Anatomic demarcation by positional variation in fibroblast gene expression programs. *PLoS Genet* **2**(7):e119, 2006
49. Braverman IM: The cutaneous microcirculation. *J Invest Dermatol Symp Proc* **5**(1):3-9, 2000
50. Detmar M: Molecular regulation of angiogenesis in the skin. *J Invest Dermatol* **106**(2):207-208, 1996
51. Rinderknecht M, Detmar M: Tumor lymphangiogenesis and melanoma metastasis. *J Cell Physiol* **216**(2):347-354, 2008
52. Hong YK, Shin JW, Detmar M: Development of the lymphatic vascular system: A mystery unravels. *Dev Dyn* **231**(3):462-473, 2004
53. Cueni LN, Detmar M: The lymphatic system in health and disease. *Lymphatics Res Biol* **6**(3-4):109-122, 2008
54. Tammela T, Alitalo K: Lymphangiogenesis: Molecular mechanisms and future promise. *Cell* **140**(4):460-476, 2010
55. Johansson O: The innervation of the human epidermis. *J Neurol Sci* **130**(2):228, 1995
56. Avram AS, Avram MM, James WD: Subcutaneous fat in normal and diseased states: 2. Anatomy and physiology of white and brown adipose tissue. *J Am Acad Dermatol* **53**(4):671-683, 2005
57. Avram MM, Avram AS, James WD: Subcutaneous fat in normal and diseased states 3. Adipogenesis: From stem cell to fat cell. *J Am Acad Dermatol* **56**(3):472-492, 2007
58. Oral EA et al: Leptin-replacement therapy for lipodystrophy. *N Engl J Med*. **346**(8):570-578, 2002
59. Holbrook K: Structure and function of the developing human skin. In: *Physiology, Biochemistry, and Molecular Biology of the Skin*, edited by L Goldsmith. New York, Oxford Press, 1991, p. 63

60. Loomis CA: Development and morphogenesis of the skin. *Adv Dermatol* 17:183-210, 2001
61. Loomis CA et al: The mouse Engrailed-1 gene and ventral limb patterning. *Nature* 382(6589):360-363, 1996
62. Ahn K et al: BMPR-IA signaling is required for the formation of the apical ectodermal ridge and dorsal-ventral patterning of the limb. *Development* 128(22):4449-4461, 2001
63. Luscher B et al: Regulation of transcription factor AP-2 by the morphogen retinoic acid and by second messengers. *Genes Dev* 3(10):1507-1517, 1989
64. Priolo M, Lagana C: Ectodermal dysplasias: A new clinical-genetic classification. *J Med Genet* 38(9):579-585, 2001
65. Morasso MI, Radoja N: Dlx genes, p63, and ectodermal dysplasias. *Birth Defects Res C Embryo Today* 75(3):163-171, 2005
66. Koster MI: p63 in skin development and ectodermal dysplasias. *J Invest Dermatol* 130(10):2352-2358, 2010
67. Bologna JL, Orlow SJ, Glick SA: Lines of Blaschko. *J Am Acad Dermatol* 31(2 Pt 1):157-190; quiz 190-152, 1994
68. Happle R: X-chromosome inactivation: Role in skin disease expression. *Acta Paediatr Suppl* 95(451):16-23, 2006
69. Sugarman JL: Epidermal nevus syndromes. *Semin Cutan Med Surg* 26(4):221-230, 2007
70. Paller AS et al: Genetic and clinical mosaicism in a type of epidermal nevus. *N Engl J Med* 331(21):1408-1415, 1994
71. Nishimura EK et al: Dominant role of the niche in melanocyte stem-cell fate determination. *Nature* 416(6883):854-860, 2002
72. Robinson KC, Fisher DE: Specification and loss of melanocyte stem cells. *Semin Cell Dev Biol* 20(1):111-116, 2009
73. Lang D et al: Pax3 functions at a nodal point in melanocyte stem cell differentiation. *Nature* 433(7028):884-887, 2005
74. Osawa M et al: Molecular characterization of melanocyte stem cells in their niche. *Development* 132(24):5589-5599, 2005
75. Liu K, Nussenzweig MC: Origin and development of dendritic cells. *Immunol Rev* 234(1):45-54, 2010
76. Moll I et al: Intraepidermal formation of Merkel cells in xenografts of human fetal skin. *J Invest Dermatol* 94(3):359-364, 1990
77. Christ B, Jacob HJ, Jacob M: Differentiating abilities of avian somatopleural mesoderm. *Experientia* 35(10):1376-1378, 1979
78. Noden DM: Vertebrate craniofacial development: Novel approaches and new dilemmas. *Curr Opin Genet Dev* 2(4):576-581, 1992
79. Cygan JA, Johnson RL, McMahon AP: Novel regulatory interactions revealed by studies of murine limb pattern in Wnt-7a and En-1 mutants. *Development* 124(24):5021-5032, 1997
80. Loomis CA et al: Analysis of the genetic pathway leading to formation of ectopic apical ectodermal ridges in mouse Engrailed-1 mutant limbs. *Development* 125(6):1137-1148, 1998
81. Parr BA, McMahon AP: Dorsalizing signal Wnt-7a required for normal polarity of D-V and A-P axes of mouse limb. *Nature* 374(6520):350-353, 1995
- 81a. Lindhurst MJ et al: A mosaic activating mutation in AKT1 associated with the Proteus syndrome. *N. Eng J. Med* 365:611-619, 2011
82. Mikkola ML: Genetic basis of skin appendage development. *Semin Cell Dev Biol* 18(2):225-236, 2007
83. Millar SE: Molecular mechanisms regulating hair follicle development. *J Invest Dermatol* 118(2):216-225, 2002
84. Dreyer SD et al: Mutations in LMX1B cause abnormal skeletal patterning and renal dysplasia in nail patella syndrome. *Nat Genet* 19(1):47-50, 1998
85. Vollrath D et al: Loss-of-function mutations in the LIM-homeodomain gene, LMX1B, in nail-patella syndrome. *Hum Mol Genet* 7(7):1091-1098, 1998
86. Jumlongras D et al: A nonsense mutation in MSX1 causes Witkop syndrome. *Am J Hum Genet* 69(1):67-74, 2001
87. Godwin AR, Capecchi MR: Hoxc13 mutant mice lack external hair. *Genes Dev* 12(1):11-20, 1998