

Chapter 9

Racial Considerations: Skin of Color

Kavitha K. Reddy, Yolanda M. Lenzy,
Katherine L. Brown, & Barbara A. Gilchrest

REFERENCES

1. US Interim Projections by Age, Sex, Race and Hispanic Origin, 2000–2050. *US Census Bureau*, <http://www.census.gov/population/www/projections/usinterimproj/natprojtab01a.pdf>, accessed Mar 30, 2010
2. Bureau UC: *Race and Hispanic Origin in 2005*, <http://www.census.gov/population/pop-profile/dynamic/RACEHO.pdf>
3. Williams HC: Have you ever seen an Asian/Pacific Islander? *Arch Dermatol* **138**(5):673-674, 2002
4. Carter EL: Race vs ethnicity in dermatology. *Arch Dermatol* **139**(4):539-540, 2003; author reply 540
5. Fullwiley D: Race and genetics: Attempts to define the relationship. *BioSocieties* **2**:221-237, 2007
6. Editors' ICoMJ: *Uniform Requirements for Manuscripts Submitted to Biomedical Journals*, accessed Mar 30, 2010
7. Bigby M, Bernhard JD: Proposed policy on identification of race, ethnicity, or skin color in case reports and studies submitted to the *Journal of the American Academy of Dermatology*. *J Am Acad Dermatol* **54**(6):1077, 2006
8. Fitzpatrick T: *Soleil et peau*. *J Med Esthet* **2**:33-34, 1975
9. Dadzie OE: Skin of colour: An emerging subspeciality of dermatology. *Br J Dermatol* **160**(1):209-210, 2009
10. Taylor SC: Skin of color: Biology, structure, function, and implications for dermatologic disease. *J Am Acad Dermatol* **46**(2 Suppl. Understanding):S41-S62, 2002
11. Leenutaphong V: Relationship between skin color and cutaneous response to ultraviolet radiation in Thai. *Photodermatol Photoimmunol* **11**:198-203, 1995
12. Chan JL et al: Assessing the role of race in quantitative measures of skin pigmentation and clinical assessments of photosensitivity. *J Am Acad Dermatol* **52**(4):609-615, 2005
13. Taylor S et al: Noninvasive techniques for the evaluation of skin color. *J Am Acad Dermatol* **54**(5 Suppl. 2):S282-S290, 2006
14. Konishi N et al: New approach to the evaluation of skin color of pigmentary lesions using Skin Tone Color Scale. *J Dermatol* **34**(7):441-446, 2007
15. Nordlund JJ et al: Confusions about color: Formulating a more precise lexicon for pigmentation, pigmentary disorders, and abnormalities of "chromatics". *J Am Acad Dermatol* **54**(5 Suppl. 2):S291-S297, 2006
16. Thong HY et al: The patterns of melanosome distribution in keratinocytes of human skin as one determining factor of skin colour. *Br J Dermatol* **149**(3):498-505, 2003
17. Grimes PE: Management of hyperpigmentation in darker racial ethnic groups. *Semin Cutan Med Surg* **28**(2):77-85, 2009
18. Grimes PE, Hunt SG: Considerations for cosmetic surgery in the black population. *Clin Plast Surg* **20**(1):27-34, 1993
19. Kaidbey KH et al: Photoprotection by melanin—A comparison of black and Caucasian skin. *J Am Acad Dermatol* **1**(3):249-260, 1979
20. Taylor SC: Enhancing the care and treatment of skin of color, part 1: The broad scope of pigmentary disorders. *Cutis; Cutan Med Pract* **76**(4):249-255, 2005
21. Sturm RA: Molecular genetics of human pigmentation diversity. *Hum Mol Genet* **18**(R1):R9-R17, 2009
22. Brown MD et al: mtDNA haplogroup X: An ancient link between Europe/Western Asia and North America? *Am J Hum Genet* **63**(6):1852-1861, 1998
23. Underhill PA et al: The phylogeography of Y chromosome binary haplotypes and the origins of modern human populations. *Ann Hum Genet* **65**(Pt 1):43-62, 2001
24. Lamason RL et al: SLC24A5, a putative cation exchanger, affects pigmentation in zebrafish and humans. *Science (New York, N.Y.)* **310**(5755):1782-1786, 2005

25. Edwards M et al: Association of the OCA2 polymorphism His615Arg with melanin content in east Asian populations: Further evidence of convergent evolution of skin pigmentation. *PLoS Genet* 6(3):e1000867
26. Rees JL. Genetics of hair and skin color. *Ann Rev Genet* 37:67-90, 2003
27. Stokowski RP et al: A genomewide association study of skin pigmentation in a South Asian population. *Am J Hum Genet* 81(6):1119-1132, 2007
28. Franbourg A et al: Current research on ethnic hair. *J Am Acad Dermatol* 48(Suppl. 6):S115-S119, 2003
29. De la Mettrie R et al: Shape variability and classification of human hair: A worldwide approach. *Hum Biol; Int Rec Res* 79(3):265-281, 2007
30. Wolfram LJ: Human hair: A unique physicochemical composite. *J Am Acad Dermatol* 48(Suppl. 6):S106-S114, 2003
31. McMichael AJ: Hair breakage in normal and weathered hair: Focus on the Black patient. *J Invest Dermatol Symp Proc/Soc Invest Dermatol, Inc.* 12(2):6-9, 2007
32. Gold RJ, Scriver CG: The amino acid composition of hair from different racial origins. *Clin Chim Acta; Int J Clin Chem* 33(2):465-466, 1971
33. Dekio S, Jidoi J: Amounts of fibrous proteins and matrix substances in hairs of different races. *J Dermatol* 17(1):62-64, 1990
34. Hardy D: Quantitative hair form variation in seven populations. *Am J Phys Anthropol* 39(1):7-17, 1973
35. Khumalo NP et al: What is normal black African hair? A light and scanning electron-microscopic study. *J Am Acad Dermatol* 43(5 Pt 1):814-820, 2000
36. Lindelof B et al: Human hair form. Morphology revealed by light and scanning electron microscopy and computer aided three-dimensional reconstruction. *Arch Dermatol* 124(9):1359-1363, 1988
37. Syed AN et al: African-American Hair: Its physical properties and differences relative to Caucasian hair. *Cosm Toil* 110:39-48, 1995
38. Lee HJ et al: Hair counts from scalp biopsy specimens in Asians. *J Am Acad Dermatol* 46(2):218-221, 2002
39. Sperling LC: Hair density in African Americans. *Arch Dermatol* 135(6):656-658, 1999
40. Darber RM: *Hair Follicle Structure, Keratinization and the Physical Properties of Hair*, vol. 49. Malden (MA), Blackwell Science, 1997
41. Bernard BA: Hair shape of curly hair. *J Am Acad Dermatol* 48(Suppl. 6):S120-S126, 2003
42. Thibaut S et al: Human hair shape is programmed from the bulb. *Br J Dermatol* 152(4):632-638, 2005
43. Fujimoto A et al: A scan for genetic determinants of human hair morphology: EDAR is associated with Asian hair thickness. *Hum Mol Genet* 17(6):835-843, 2008
44. Fujimoto A et al: FGFR2 is associated with hair thickness in Asian populations. *J Hum Genet* 54(8):461-465, 2009
45. Medland SE et al: Common variants in the trichohyalin gene are associated with straight hair in Europeans. *Am J Hum Genet* 85(5):750-755, 2009
46. Leon N: Structural aspects of keratin fibers. *J Soc Cosm Chem* 23:45, 1972
47. Kim BJ et al: Hair cuticle differences between Asian and Caucasian females. *Int J Dermatol* 45(12):1435-1437, 2006
48. Gummer CL: Hair shaft effects from cosmetics and styling. *Exp Dermatol* 8(4):317, 1999
49. Loussouarn G: African hair growth parameters. *Br J Dermatol* 145(2):294-297, 2001
50. Khumalo NP: African hair length: The picture is clearer. *J Am Acad Dermatol* 54(5):886-888, 2006
51. Nonhlanhla P: African hair morphology: Macrostructure to ultrastructure. 44(s1):10-12, 2005
52. Khumalo NP, Dawber RP, Ferguson DJ: Apparent fragility of African hair is unrelated to the cystine-rich protein distribution: A cytochemical electron microscopic study. *Exp Dermatol* 14(4):311-314, 2005
53. Porter CE, Diridollou S, Holloway Barbosa V: The influence of African-American hair's curl pattern on its mechanical properties. *Int J Dermatol* 44(Suppl. 1):4-5, 2005
54. Khumalo NP, Ngwanya RM: Traction alopecia: 2% topical minoxidil shows promise. Report of two cases. *J Eur Acad Dermatol Venereol* 21(3):433-434, 2007
55. Earles RM: Surgical correction of traumatic alopecia marginalis or traction alopecia in black women. *J Dermatol Surg Oncol* 12(1):78-82, 1986
56. Cosman B, Wolff M: Acne keloidalis. *Plast Reconstr Surg* 50(1):25-30, 1972
57. Kelly AP: Pseudofolliculitis barbae and acne keloidalis nuchae. *Dermatol Clin* 21(4):645-653, 2003

58. Olsen EA et al: Summary of North American Hair Research Society (NAHRS)-sponsored Workshop on Cicatricial Alopecia, Duke University Medical Center, February 10 and 11, 2001. *J Am Acad Dermatol* **48**(1):103-110, 2003
59. LoPresti P, Papa CM, Kligman AM: Hot comb alopecia. *Arch Dermatol* **98**(3):234-238, 1968
60. Sperling LC, Sau P: The follicular degeneration syndrome in black patients. 'Hot comb alopecia' revisited and revised. *Arch Dermatol* **128**(1):68-74, 1992
61. Ackerman AB, Walton NW III, Jones RE et al: Hot comb alopecia/follicular degeneration syndrome in African American women is traction alopecia. *Dermatopathol Pract Concept* pp. 6-21, 2000
62. Gathers RC et al: Hair grooming practices and central centrifugal cicatricial alopecia. *J Am Acad Dermatol* **60**(4):574-578, 2009
63. Scott DA: Disorders of the hair and scalp in blacks. *Dermatol Clin* **6**(3):387-395, 1988
64. Price VH: The medical treatment of cicatricial alopecia. *Semin Cutan Med Surg* **25**(1):56-59, 2006
65. Taylor S: Practical tips for managing hair disorders in African-American females. *Pract Dermatol* **3**(7):25-27, 2006
66. Callender VD, McMichael AJ, Cohen GF: Medical and surgical therapies for alopecias in black women. *Dermatol Ther* **17**(2):164-176, 2004
67. Brown MD, Johnson T, Swanson NA: Extensive keloids following hair transplantation. *J Dermatol Surg Oncol* **16**(9):867-869, 1990
68. Urbina F, Sudy E, Barrios M: [Traction folliculitis: 6 cases caused by different types of hairstyle that pull on the hair]. [Article in Spanish.] *Actas Dermosifiliogr* **100**(6):503-506, 2009
69. Fox GN, Stausmire JM, Mehregan DR: Traction folliculitis: an underreported entity. *Cutis; Cutan Med Pract* **79**(1):26-30, 2007
70. Ozcelik D: Extensive traction alopecia attributable to ponytail hairstyle and its treatment with hair transplantation. *Aesthetic Plast Surg* **29**(4):325-327, 2005
71. Hantash BM, Schwartz RA: Traction alopecia in children. *Cutis; Cutan Med Pract* **71**(1):18-20, 2003
72. Rudolph RI, Klein AW, Decherd JW: Corn-row alopecia. *Arch Dermatol* **108**(1):134, 1973
73. Savill A: The nylon brush. *Br J Dermatol* **70**(8-9):296-299, 1958
74. Holder WR, Duncan WC: The broken ponytail. *Arch Dermatol* **103**(1):101-102, 1971
75. Ayres S, Jr., Ayres S, 3rd, Mirovich JI: Traumatic marginal alopecia in white women. *Arch Dermatol Syphilol* **60**(6):1116-1119, 1949, illust.
76. Lipnik M: Traumatic alopecia from brush rollers. *Arch Dermatol* **108**(1):134, 1961
77. Singh G: Letter: Traction alopecia in Sikh boys. *Br J Dermatol* **92**(2):232-233, 1975
78. Kanwar AJ et al: Traction alopecia in Sikh males. *Arch Dermatol* **125**(11):1587, 1989
79. Khumalo NP et al: Hairdressing and the prevalence of scalp disease in African adults. *Br J Dermatol* **157**(5):981-988, 2007
80. Kligman AM, Strauss JS: Pseudofolliculitis of the beard. *AMA* **74**(5):533-542, 1956
81. Smith JD, Odom RB: Pseudofolliculitis capitis. *Arch Dermatol* **113**(3):328-329, 1977
82. Herzberg AJ et al: Acne keloidalis. Transverse microscopy, immunohistochemistry, and electron microscopy. *Am J Dermatopathol* **12**(2):109-121, 1990
83. Sperling LC et al: Acne keloidalis is a form of primary scarring alopecia. *Arch Dermatol* **136**(4):479-484, 2000
84. James WD, Carter JM, Rodman OG: Pigmentary demarcation lines: A population survey. *J Am Acad Dermatol* **16**(3 Pt 1):584-590, 1987
85. Datubo-Brown DD: Keloids: A review of the literature. *Br J Plast Surg* **43**(1):70-77, 1990
86. Bayles MA: Coiffure keloids. *Br J Dermatol* **86**(4):415-416, 1972
87. Meads SB et al: Lichen planus actinicus. *Cutis; Cutan Med Pract* **72**(5):377-381, 2003
88. Kanwar AJ et al: A study of 124 Indian patients with lichen planus pigmentosus. *Clin Exp Dermatol* **28**(5):481-485, 2003
89. Bridges K: Lichen nitidus. In: *Dermatology for Skin of Color*, edited by AP Kelly, SC Taylor. New York, McGraw Hill, 2009, p. 158
90. Patrizi A et al: Lichen striatus: Clinical and laboratory features of 115 children. *Pediatr Dermatol* **21**(3):197-204, 2004
91. Taylor SC: Epidemiology of skin diseases in people of color. *Cutis; Cutan Med Pract* **71**(4):271-275, 2003
92. Grimes PE: Melasma. Etiologic and therapeutic considerations. *Arch Dermatol* **131**(12):1453-1457, 1995
93. Halder RM et al: Incidence of common dermatoses in a predominantly black dermatologic practice. *Cutis; Cutan Med Pract* **32**(4):388, 390, 1983

94. Halder RM, Nootheti PK: Ethnic skin disorders overview. *J Am Acad Dermatol* **48**(Suppl. 6):S143-S148, 2003
95. Grimes O: Vitiligo. In: *Dermatology for Skin of Color*, edited by AP Kelly, SC Taylor. New York, McGraw Hill, 2009, pp. 317-322
96. Chen JJ et al: A novel linkage to generalized vitiligo on 4q13-q21 identified in a genomewide linkage analysis of Chinese families. *Am J Hum Genet* **76**(6):1057-1065, 2005
97. Witkop CJ: Albinism: hematologic-storage disease, susceptibility to skin cancer, and optic neuronal defects shared in all types of oculocutaneous and ocular albinism. *Ala J Med Sci* **16**(4):327-330, 1979
98. Keeler C: Cuna Moon-child albinism, 1950-1970. *J Hered* **61**(6):273-278, 1970
99. King RA et al: Albinism in Nigeria with delineation of new recessive oculocutaneous type. *Clin Genet* **17**(4):259-270, 1980
100. Okoro AN: Albinism in Nigeria. A clinical and social study. *Br J Dermatol* **92**(5):485-492, 1975
101. Hermansky F, Pudlak P: Albinism associated with hemorrhagic diathesis and unusual pigmented reticular cells in the bone marrow: Report of two cases with histochemical studies. *Blood* **14**(2):162-169, 1959
102. Okoro A: Albinism. In: *Dermatology for Skin of Color*, edited by AP Kelly, SC Taylor. New York, McGraw Hill, 2009, pp. 325-331
103. Whitmore SE, Simmons-O'Brien E, Rotter FS: Hypopigmented mycosis fungoides. *Arch Dermatol* **130**(4):476-480, 1994
104. Park JH, Hexsel D: Disorders of Hypopigmentation. In: *Dermatology for Skin of Color*, edited by AP Kelly, SC Taylor. New York, McGraw Hill, 2009, p.313
105. Jacyk WK: Cutaneous sarcoidosis in black South Africans. *Int J Dermatol* **38**(11):841-845, 1999
106. Johnson BJ: Sarcoidosis. In: *Ethnic Skin, Medical and Surgical*, edited by BL Joahnsen, MR, GM White. St. Louis, Mosby, 1998, p. 177
107. Iannuzzi MC et al: Sarcoidosis. *N Engl J Med* **357**(21):2153-2165, 2007
108. Kibbi AG et al: Primary localized cutaneous amyloidosis. *Int J Dermatol* **31**(2):95-98, 1992
109. Ollague W, Ollague J, Ferretti H: Epidemiology of primary cutaneous amyloidoses in South America. *Clin Dermatol* **8**(2):25-29, 1990
110. Looi LM: Primary localised cutaneous amyloidosis in Malaysians. *Australas J Dermatol* **32**(1):39-44, 1991
111. Mizuguchi R: Lichen amyloidosis. In: *Dermatology for Skin of Color*, edited by AP Kelly, SC Taylor. New York, McGraw Hill, 2009, p. 174
112. Grimes PE et al: Dermatosi papulosa nigra. *Cutis; Cutan Med Pract* **32**(4):385-386, 392, 1983
113. Sugimoto K et al: Syntheses of alpha-arbutin-alpha-glycosides and their inhibitory effects on human tyrosinase. *J Biosci Bioeng* **99**(3):272-276, 2005
114. Yokota T et al: The inhibitory effect of glabridin from licorice extracts on melanogenesis and inflammation. *Pigment Cell Res/sponsored by the European Society for Pigment Cell Research and the International Pigment Cell Society* **11**(6):355-361, 1998
115. Dong II J: Melanogenesis inhibitor from paper mulberry. *Cosmet Toilet* **112**:59-62, 1997
116. Bissett DL et al: Genomic expression changes induced by topical N-acetyl glucosamine in skin equivalent cultures in vitro. *J Cosmet Dermatol* **6**(4):232-238, 2007
117. Ni Z, Mu Y, Gulati O: Treatment of melasma with Pycnogenol. *Phytother Res* **16**(6):567-571, 2002
118. Fowler JF et al: Innovations in natural ingredients and their use in skin care. *J Drugs Dermatol* June(9):72-82, 2010
119. Armstrong BK, Krickler A: How much melanoma is caused by sun exposure? *Melanoma Res* **3**(6):395-401, 1993
120. Ries L, Eisner M, Kosary C: *SEER Cancer Statistics Review, 1975-2001*. Bethesda, MD, National Cancer Institute, 2004
121. Bergfelt L et al: Incidence and anatomic distribution of cutaneous melanoma among United States Hispanics. *J Surg Oncol* **40**(4):222-226, 1989
122. Slingluff CL, Jr., Vollmer R, Seigler HF: Acral melanoma: A review of 185 patients with identification of prognostic variables. *J Surg Oncol* **45**(2):91-98, 1990
123. Stevens NG, Liff JM, Weiss NS: Plantar melanoma: Is the incidence of melanoma of the sole of the foot really higher in blacks than whites? *Int J Cancer* **45**(4):691-693, 1990
124. O'Leary JA et al: Subungual melanoma. A review of 93 cases with identification of prognostic variables. *Clin Orthop Relat Res* **378**:206-212, 2000
125. Koh D et al: Basal cell carcinoma, squamous cell carcinoma and melanoma of the skin: Analysis of the Singapore Cancer Registry data 1968-1997. *Br J Dermatol* **148**(6):1161-1166, 2003

126. Criscione VD, Weinstock MA: Incidence of cutaneous T-cell lymphoma in the United States, 1973–2002. *Arch Dermatol* **143**(7):854-859, 2007
127. Weinstock MA, Horn JW: Mycosis fungoides in the United States. Increasing incidence and descriptive epidemiology. *JAMA* **260**(1):42-46, 1988
128. Weinstock MA, Gardstein B: Twenty-year trends in the reported incidence of mycosis fungoides and associated mortality. *Am J Public Health* **89**(8):1240-1244, 1999
129. Myles S et al: Identifying genes underlying skin pigmentation differences among human populations. *Hum Genet* **120**(5):613-621, 2007