

Chapter 23

Exfoliative Dermatitis

Jane Margaret Grant-Kels, Flavia Fedele, & Marti J. Rothe

REFERENCES

1. Hasan T, Jansen CT: Erythroderma: A follow-up of fifty cases. *J Am Acad Dermatol* **8**(6):836-840, 1983
2. Sehgal VN, Srivastava G: Exfoliative dermatitis. A prospective study of 80 patients. *Dermatologica* **173**(6):278-284, 1986
3. Sigurdsson V, Steegmans PH, van Vloten WA: The incidence of erythroderma: A survey among all dermatologists in The Netherlands. *J Am Acad Dermatol* **45**(5):675-678, 2001
4. Wong KS et al: Generalised exfoliative dermatitis—A clinical study of 108 patients. *Ann Acad Med Singapore* **17**(4):520-523, 1988
5. Sarkar R et al: Erythroderma in children: A clinico-etiological study. *J Dermatol* **26**(8):507-511, 1999
6. Morar N et al: Erythroderma: A comparison between HIV positive and negative patients. *Int J Dermatol* **38**(12):895-900, 1999
7. Jalal O et al: [Severe psoriasis: 160 cases]. [Article in French.] *Ann Dermatol Venereol* **132**(2):126-128, 2005
8. Abrahams I, Mc CJ, Sanders SL: 101 cases of exfoliative dermatitis. *Arch Dermatol* **87**:96-101, 1963
9. Akhyani M et al: Erythroderma: A clinical study of 97 cases. *BMC Dermatol* **5**:5, 2005
10. Botella-Estrada R et al: Erythroderma. A clinicopathological study of 56 cases. *Arch Dermatol* **130**(12):1503-1507, 1994
11. Eugster R, Kissling S, Brand CU: [Clinical aspects and etiology of erythroderma: An analysis of 64 cases]. [Article in German.] *Praxis (Bern 1994)* **90**(35):1449-1454, 2001
12. King LE Jr, et al: Erythroderma: Review of 82 cases. *South Med J* **79**(10):1210-1215, 1986
13. Leenutaphong V et al: Erythroderma in Thai patients. *J Med Assoc Thai* **82**(8):743-748, 1999
14. Nicolis GD, Helwig EB: Exfoliative dermatitis. A clinicopathologic study of 135 cases. *Arch Dermatol* **108**(6):788-797, 1973
15. Pal S, Haroon TS: Erythroderma: A clinico-etiologic study of 90 cases. *Int J Dermatol* **37**(2):104-107, 1998
16. Rym BM et al: Erythroderma in adults: A report of 80 cases. *Int J Dermatol* **44**(9):731-735, 2005
17. Sigurdsson V et al: Erythroderma. A clinical and follow-up study of 102 patients, with special emphasis on survival. *J Am Acad Dermatol* **35**(1):53-57, 1996
18. Thestrup-Pedersen K et al: The red man syndrome. Exfoliative dermatitis of unknown etiology: A description and follow-up of 38 patients. *J Am Acad Dermatol* **18**(6):1307-1312, 1988
19. Vasconcellos C et al: Erythroderma: Analysis of 247 cases. *Rev Saude Publica* **29**(3):177-182, 1995
20. Wilson HT: Exfoliative dermatitis; its etiology and prognosis. *AMA Arch Derm Syphilol* **69**(5):577-588, 1954
21. Gentele H, Londen A, Skog E: Dermatitis exfoliativa: Cases admitted in the decade 1948–1957 to the dermatology clinic, Karolinska Sjukhuset, Stockholm, Sweden. *Acta Derm Venereol.* **38**:296, 1958
22. Gaylor ML, Duvic M: Generalized pustular psoriasis following withdrawal of efalizumab. *J Drugs Dermatol* **3**(1):77-79, 2004
23. Kop EN et al: Erythroderma in two patients with psoriasis upon discontinuation of efalizumab treatment. *J Dermatolog Treat* **20**(1):67-69, 2009
24. Vonderheide EC: On the diagnosis of erythrodermic cutaneous T-cell lymphoma. *J Cutan Pathol* **33**(Suppl. 1):27-42, 2006
25. Choi CU et al: Extensive exfoliative dermatitis induced by non-ionic contrast medium Iodixanol (Visipaque) used during percutaneous coronary intervention. *Int J Cardiol* **124**(2):e25-e27, 2008
26. Sigurdsson V et al: Interleukin 4 and interferon-gamma expression of the dermal infiltrate in patients with erythroderma and mycosis fungoides. An immuno-histochemical study. *J Cutan Pathol* **27**(9):429-435, 2000
27. Fierro MT et al: Expression pattern of chemokine receptors and chemokine release in inflammatory erythroderma and Sezary syndrome. *Dermatology* **213**(4):284-292, 2006

28. Fierro MT et al: Heterogeneity of circulating CD4 +memory T-cell subsets in erythrodermic patients: CD27 analysis can help to distinguish cutaneous T-cell lymphomas from inflammatory erythroderma. *Dermatology* **216**(3):213-221, 2008
29. Groves RW et al: Detection of circulating adhesion molecules in erythrodermic skin disease. *J Am Acad Dermatol* **32**(1):32-36, 1995
30. Sigurdsson V et al: Expression of VCAM-1, ICAM-1, E-selectin, and P-selectin on endothelium in situ in patients with erythroderma, mycosis fungoides and atopic dermatitis. *J Cutan Pathol* **27**(9):436-440, 2000
31. Kanthraj GR et al: Quantitative estimation and recommendations for supplementation of protein lost through scaling in exfoliative dermatitis. *Int J Dermatol* **38**(2):91-95, 1999
32. Sigurdsson V et al: Idiopathic erythroderma: A follow-up study of 28 patients. *Dermatology* **194**(2):98-101, 1997
33. Van Haselen CW et al: Sezary syndrome in a young man with severe atopic dermatitis. *Br J Dermatol* **140**(4):704-707, 1999
34. Buechner SA, Winkelmann RK: Pre-Sezary erythroderma evolving to Sezary syndrome. A report of seven cases. *Arch Dermatol* **119**(4):285-291, 1983
35. Gniadecki R, Lukowsky A: Monoclonal T-cell dyscrasia of undetermined significance associated with recalcitrant erythroderma. *Arch Dermatol* **141**(3):361-367, 2005
36. Lange-Vejlsgaard G et al: Fatal cutaneous T cell lymphoma in a child with atopic dermatitis. *J Am Acad Dermatol* **20**(5 Pt 2):954-958, 1989
37. Rajka G, Winkelmann RK: Atopic dermatitis and Sezary syndrome. *Arch Dermatol* **120**(1):83-84, 1984
38. Li LF et al: Serum immunoglobulins in psoriatic erythroderma. *Clin Exp Dermatol* **30**(2):125-127, 2005
39. Ito R et al: Selective insufficiency of IFN-gamma secretion in patients with hyper-IgE syndrome. *Allergy* **58**(4):329-336, 2003
40. Jackow CM et al: Association of erythrodermic cutaneous T-cell lymphoma, superantigen-positive *Staphylococcus aureus*, and oligoclonal T-cell receptor V beta gene expansion. *Blood* **89**(1):32-40, 1997
41. Tomi NS, Kranke B, Aberer E: Staphylococcal toxins in patients with psoriasis, atopic dermatitis, and erythroderma, and in healthy control subjects. *J Am Acad Dermatol* **53**(1):67-72, 2005
42. Novick RP: Mobile genetic elements and bacterial toxinoses: The superantigen-encoding pathogenicity islands of *Staphylococcus aureus*. *Plasmid* **49**(2):93-105, 2003
43. Miyagawa S et al: Dermatomyositis presenting as erythroderma. *J Am Acad Dermatol* **26**(3 Pt 2):489-490, 1992
44. Nousari HC, Kimyai-Asadi A, Spegman DJ: Paraneoplastic dermatomyositis presenting as erythroderma. *J Am Acad Dermatol* **39**(4 Pt 1):653-654, 1998
45. Pierson JC, Taylor JS: Erythrodermic dermatomyositis. *J Am Acad Dermatol* **28**(1):136, 1993
46. Ramirez G et al: Adult-onset polymyositis-dermatomyositis: Description of 25 patients with emphasis on treatment. *Semin Arthritis Rheum* **20**(2):114-120, 1990
47. Chander R et al: Erythrodermic juvenile dermatomyositis. *Pediatr Dermatol* **26**(2):234-235, 2009
48. Liu ZH, Wang XD: Acute-onset adult dermatomyositis presenting with erythroderma and diplopia. *Clin Exp Dermatol* **32**(6):751-752, 2007
49. DeSpain J, Clark DP: Subacute cutaneous lupus erythematosus presenting as erythroderma. *J Am Acad Dermatol* **19**(2 Pt 2):388-392, 1988
50. Mutasim DF: Severe subacute cutaneous lupus erythematosus presenting with generalized erythroderma and bullae. *J Am Acad Dermatol* **48**(6):947-949, 2003
51. Kalavala M, Shah V, Blackford S: Subacute cutaneous lupus erythematosus presenting as erythroderma. *Clin Exp Dermatol* **32**(4):388-390, 2007
52. Chan YC, Yosipovitch G: Erythroderma: An unusual presentation of pulmonary tuberculosis. *Br J Dermatol.* **148**(2):346-348, 2003
53. Kokturk A et al: Seborrhoeic dermatitis-like manifestation of lung cancer evolving into erythroderma. *J Eur Acad Dermatol Venereol* **18**(3):381-382, 2004
54. Andriamanantena D et al: [An unusual paraneoplastic manifestation in lung cancer: eosinophilic erythroderma]. [Article in French.] *Rev Pneumol Clin* **65**(1):32-35, 2009
55. White WB et al: Erythroderma with spongiotic dermatitis. Association with common variable hypogammaglobulinemia. *Am J Med* **78**(3):523-528, 1985
56. Horn TD et al: Erythroderma after autologous bone marrow transplantation modified by administration of cyclosporine and interferon gamma for breast cancer. *J Am Acad Dermatol* **34**(3):413-417, 1996

57. Wood VD, Rana S: Congenital syphilis presenting as desquamative dermatitis. *J Fam Pract* 35(3):327-329, 1992
58. Momm F, Pflieger D, Lutterbach J: Paraneoplastic erythroderma in a prostate cancer patient. *Strahlenther Onkol* 178(7):393-395, 2002
59. Hisatomi K et al: Postoperative erythroderma after cardiac operations. The possible role of depressed cell-mediated immunity. *J Thorac Cardiovasc Surg* 104(3):648-653, 1992
60. Zemtsov A, Elks M, Shehata B: Thyrotoxicosis presenting as generalized pruritic exfoliative dermatitis and fever. *Dermatology* 184(2):157, 1992
61. Ota M et al: Papuloerythroderma associated with hepatitis C virus infection. *J Am Acad Dermatol* 52(2 Suppl. 1):61-62, 2005
62. Nishijima S: Papuloerythroderma associated with hepatocellular carcinoma. *Br J Dermatol* 139(6):1115-1116, 1998
63. Puzenat E et al: Omenn syndrome: A rare case of neonatal erythroderma. *Eur J Dermatol* 17(2):137-139, 2007
64. Feind-Koopmans AG, Lucke GP, van de Kerkhof PC: Acquired ichthyosiform erythroderma and sarcoidosis. *J Am Acad Dermatol* 35(5 Pt 2):826-828, 1996
65. Yoon CH, Lee CW: Case 6. Erythrodermic form of cutaneous sarcoidosis. *Clin Exp Dermatol* 28(5):575-576, 2003
66. Morrison JG: Sarcoidosis in a child, presenting as an erythroderma with keratotic spines and palmar pits. *Br J Dermatol* 95(1):93-97, 1976
67. Zhang H et al: Sarcoidosis characterized as acquired ichthyosiform erythroderma. *Eur J Dermatol* 19(5):516-517, 2009
68. Kameyama H et al: Gallbladder carcinoma presenting as exfoliative dermatitis (erythroderma). *Int J Gastrointest Cancer* 35(2):153-155, 2005
69. Miyakura T et al: Pemphigus foliaceus with prominent neutrophilic pustules initially presenting as erythroderma. *Clin Exp Dermatol* 34(5):e46-e49, 2009
70. Scrivener Y et al: [Erythroderma induced by hypercalcitoninemia: two cases]. *Ann Dermatol Venereol* 129(2):221-224, 2002
71. Sumiyoshi Y, Akashi K, Kikuchi M: Detection of human herpes virus 6 (HHV 6) in the skin of a patient with primary HHV 6 infection and erythroderma. *J Clin Pathol* 47(8):762-763, 1994
72. Thami GP et al: Exfoliative dermatitis and malignant melanoma: coincidence or association. *Int J Dermatol* 35(9):682, 1996
73. Rosenberg BE: Hyperimmunoglobulin E syndrome. *Dermatol Online J* 10(3):4, 2004
74. Fukumoto T et al: Paraneoplastic pemphigus presenting as erythrodermic lichenoid dermatitis with concomitant features of pemphigus foliaceus. *J Dermatol* 34(9):645-649, 2007
75. Launay D et al: A four-year history of pruriginous erythroderma leading to the diagnosis of idiopathic hypereosinophilic syndrome. *Acta Derm Venereol* 82(5):376-378, 2002
76. Fujimura T et al: Papuloerythroderma associated with monoclonal gammopathy of undetermined significance. *J Dermatol* 36(4):228-231, 2009
77. Marsch WC, Stuttgen G: Generalized Hailey-Hailey disease. *Br J Dermatol* 99(5):553-560, 1978
78. Gajinov Z et al: [Viral form of hemophagocytic syndrome with erythrodermal clinical picture—case report]. [Article in French.] *Med Pregl* 61(7-8):405-408, 2008
79. Lee WJ et al: Dermatopathic lymphadenitis with generalized erythroderma in a patient with Epstein-Barr virus-associated hemophagocytic lymphohistiocytosis. *Am J Dermatopathol* 32(4):357-361, 2010
80. Samowitz M, Dillon TK: Disseminated histoplasmosis presenting as exfoliative erythroderma. *Arch Dermatol* 101(2):216-219, 1970
81. Yungmann MP, Ford MJ: Histoplasmosis presenting as erythroderma in a patient with the acquired immunodeficiency syndrome. *Int J Dermatol* 42(8):636-639, 2003
82. K Ramdial P et al: Disseminated cutaneous histoplasmosis in patients infected with human immunodeficiency virus. *J Cutan Pathol* 29(4):215-225, 2002
83. Axelrod JH et al: Exfoliative dermatitis: Presenting sign of fallopian tube carcinoma. *Obstet Gynecol* 71(6 Pt 2):1045-1047, 1988
84. Glassman BD, Muglia JJ: Widespread erythroderma and desquamation in a neonate. Congenital cutaneous candidiasis (CCC). *Arch Dermatol* 129(7):899, 902, 1993
85. Deffer TA, Overton-Keary PP, Goette DK: Erythroderma secondary to esophageal carcinoma. *J Am Acad Dermatol* 13(2 Pt 1):311-313, 1985
86. Harper TG, Latuska RF, Sperling HV: An unusual association between erythroderma and an occult gastric carcinoma. *Am J Gastroenterol* 79(12):921-923, 1984
87. Xiao T et al: Juvenile generalized pustular psoriasis. *J Dermatol* 34(8):573-576, 2007

88. Mehta V et al: Images in clinical practice. Norwegian scabies presenting as erythroderma. *Indian J Dermatol Venereol Leprol* **75**(6):609-610, 2009
89. Lane TN, Spraker MK, Parker SS: Propionic acidemia manifesting with low isoleucine generalized exfoliative dermatosis. *Pediatr Dermatol* **24**(5):508-510, 2007
90. Fernandez DF, Wolff AH, Bagley MP: Acute cutaneous toxoplasmosis presenting as erythroderma. *Int J Dermatol* **33**(2):129-130, 1994
91. Chong VH, Lim CC: Erythroderma as the first manifestation of colon cancer. *South Med J* **102**(3):334-335, 2009
92. Arbuckle HA, Morelli J: Holocarboxylase synthetase deficiency presenting as ichthyosis. *Pediatr Dermatol* **23**(2):142-144, 2006
93. Arslanpence I et al: Impetigo herpetiformis unresponsive to therapy in a pregnant adolescent. *J Pediatr Adolesc Gynecol* **16**(3):129-132, 2003
94. Belda Mira A et al: [Erythroderma as presentation form of visceral leishmaniasis in a patient with human immunodeficiency virus infection]. [Article in Spanish.] *Rev Clin Esp* **191**(8):454, 1992
95. Nakagiri T et al: Thymoma-associated graft-versus-host disease-like erythroderma. *J Thorac Oncol* **2**(12):1130-1132, 2007
96. Antony FC et al: Giant condyloma of Buschke-Loewenstein in association with erythroderma. *Clin Exp Dermatol* **28**(1):46-49, 2003
97. Toonstra J et al: Actinic reticuloid. A clinical photobiologic, histopathologic, and follow-up study of 16 patients. *J Am Acad Dermatol* **21**(2 Pt 1):205-214, 1989
98. Shimomura Y et al: Netherton syndrome in two Japanese siblings with a novel mutation in the SPINK5 gene: Immunohistochemical studies of LEKTI and other epidermal molecules. *Br J Dermatol* **153**(5):1026-1030, 2005
99. Kalter DC, Atherton DJ, Clayton PT: X-linked dominant Conradi-Hunermann syndrome presenting as congenital erythroderma. *J Am Acad Dermatol* **21**(2 Pt 1):248-256, 1989
100. Arita K et al: Severely hyperkeratotic erythroderma associated with Hodgkin's disease: Does a high serum level of granulocyte-colony stimulating factor contribute to formation of skin lesions? *J Am Acad Dermatol* **49**(4):772-773, 2003
101. van Geel M et al: HID and KID syndromes are associated with the same connexin 26 mutation. *Br J Dermatol* **146**(6):938-942, 2002
102. Leong AS et al: Erythroderma, an unusual manifestation of B cell lymphoma. *Br J Dermatol* **99**(1):99-106, 1978
103. Ban M, Ichihashi N, Kitajima Y: Cutaneous plasma-cell pseudolymphoma with erythroderma. *Int J Dermatol* **37**(10):778-780, 1998
104. Denton K, Wilson CL, Venning VA: Primary cutaneous anaplastic large-cell lymphoma with a prolonged erythrodermic prodrome. *Br J Dermatol* **126**(3):297-300, 1992
105. Goyal S, Brinster NK, Goyal S: Ki-1(CD30) positive anaplastic large cell lymphoma: Primary nodal disease relapsing as erythroderma. *J Am Acad Dermatol* **47**(Suppl. 2):S201-S204, 2002
106. Dursun A et al: Neutral lipid storage disease co-existing with ichthyosiform dermatosis. *Eur J Pediatr* **153**(3):210-211, 1994
107. Skolnick M, Mainman ER: Erythema gyratum repens with metastatic adenocarcinoma. *Arch Dermatol* **111**(2):227-229, 1975
108. Huang CT, Chuang SS: Angioimmunoblastic T-cell lymphoma with cutaneous involvement: A case report with subtle histologic changes and clonal T-cell proliferation. *Arch Pathol Lab Med* **128**(10):e122-e124, 2004
109. Zachariae H, Sogaard H: Progressive generalized perforating folliculitis. *Dermatologica* **168**(3):131-137, 1984
110. Yalcin AD et al: Unusual case of multicentric mixed-type Castleman's disease presenting with exfoliative dermatitis. *Int J Dermatol* **43**(3):202-205, 2004
111. Kodym E et al: Frequency of radiation recall dermatitis in adult cancer patients. *Onkologie* **28**(1):18-21, 2005
112. Wong CL et al: Papuloerythroderma of Ofuji associated with acute myeloid leukaemia. *Clin Exp Dermatol* **28**(3):277-279, 2003
113. Berk DR, Crone K, Bayliss SJ: AEC syndrome caused by a novel p63 mutation and demonstrating erythroderma followed by extensive depigmentation. *Pediatr Dermatol* **26**(5):617-618, 2009
114. Yoo J et al: Ankyloblepharon-ectodermal dysplasia-clefting (AEC) syndrome with neonatal erythroderma: Report of two cases. *Int J Dermatol* **46**(11):1196-1197, 2007
115. Asai T, Horiuchi Y: Senile erythroderma with serum hyper IgE. *Int J Dermatol* **28**(4):255-258, 1989
116. De Coninck A, et al: Aleukemic leukemia cutis. An unusual presentation of acute myelomonocytic leukemia. *Dermatologica* **172**(5):272-275, 1986

- 117.** Hashizume H et al: Adult T-cell leukemia with regression of erythroderma and simultaneous emergence of leukemia. *J Am Acad Dermatol* **27**(5 Pt 2):846-849, 1992
- 118.** Jeong KH, Lew BL, Sim WY: Generalized leukemic cutis from a small cell variant of T-cell prolymphocytic leukaemia presenting with exfoliative dermatitis. *Acta Derm Venereol* **89**(5):509-512, 2009
- 119.** Kishimoto H et al: Leukemic erythroderma with elevated plasma IL-3 and hyperhistaminemia: in situ expression of IL-3 mRNA in leukemic cells. *J Dermatol Sci* **10**(3):224-228, 1995
- 120.** Granjo E et al: Chronic eosinophilic leukaemia presenting with erythroderma, mild eosinophilia and hyper-IgE: Clinical, immunological and cytogenetic features and therapeutic approach. A case report. *Acta Haematol* **107**(2):108-112, 2002
- 121.** Chu P, Aitchison R, Jones PA: Myelodysplasia presenting as erythroderma. *Postgrad Med J* **63**(740):481-482, 1987
- 122.** Takatsuka Y et al: Erythroderma associated with leukocytosis in premalignant myeloproliferative disorder. *Int J Dermatol* **48**(3):324-326, 2009
- 123.** Batinac T et al: Angioimmunoblastic lymphadenopathy with dysproteinemia following doxycycline administration. *Tumori* **89**(1):91-95, 2003
- 124.** Lee ML, Fischer G, Gow E: Hypereosinophilic syndrome presenting with erythroderma. *Australas J Dermatol* **29**(2):95-101, 1988
- 125.** May LP, Kelly J, Sanchez M: Hypereosinophilic syndrome with unusual cutaneous manifestations in two men with HIV infection. *J Am Acad Dermatol* **23**(2 Pt 1):202-204, 1990
- 126.** Khare KC, Joshi P, Bhavsar R: Hypereosinophilic syndrome. *Indian J Dermatol Venereol Leprol* **68**(5):298-300, 2002
- 127.** Olgun N et al: Diffuse erythrodermic cutaneous mastocytosis with bone marrow infiltration. *Dermatology* **187**(2):127-129, 1993
- 128.** Requena L: Erythrodermic mastocytosis. *Cutis* **49**(3):189-192, 1992
- 129.** Patrizi A et al: Malignant histiocytosis presenting as erythroderma. *Int J Dermatol* **29**(3):214-216, 1990
- 130.** Kannangara DW, Smith B, Cohen K: Exfoliative dermatitis during cefoxitin therapy. *Arch Intern Med* **142**(5):1031-1032, 1982
- 131.** Tietze KJ, Gaska JA: Cefoxitin-associated exfoliative dermatitis. *Clin Pharm* **2**(6):582-584, 1983
- 132.** Friedman B et al: Toxic epidermal necrolysis due to administration of celecoxib (Celebrex). *South Med J* **95**(10):1213-1214, 2002
- 133.** Boyd AS, Menter A: Erythrodermic psoriasis. Precipitating factors, course, and prognosis in 50 patients. *J Am Acad Dermatol* **21**(5 Pt 1):985-991, 1989
- 134.** Slagel GA, James WD: Plaquinil-induced erythroderma. *J Am Acad Dermatol* **12**(5 Pt 1):857-862, 1985
- 135.** Chan LK et al: Acute interstitial nephritis and erythroderma associated with diflunisal. *Br Med J* **280**(6207):84-85, 1980
- 136.** Guin JD, Phillips D: Erythroderma from systemic contact dermatitis: A complication of systemic gentamicin in a patient with contact allergy to neomycin. *Cutis* **43**(6):564-567, 1989
- 137.** Bernedo N et al: Metamizol as a cause of post-operative erythroderma. *Contact Dermatitis* **50**(5):317-318, 2004
- 138.** Bellet JS, Prose NS: Skin complications of Bacillus Calmette-Guerin immunization. *Curr Opin Infect Dis* **18**(2):97-100, 2005
- 139.** Fine JD, Breathnach SM: Distinctive eruption characterized by linear supravenous papules and erythroderma following broxuridine (bromo-deoxyuridine) therapy and radiotherapy. *Arch Dermatol* **122**(2):199-200, 1986
- 140.** Stern RS, Bigby M: An expanded profile of cutaneous reactions to nonsteroidal anti-inflammatory drugs. Reports to a specialty-based system for spontaneous reporting of adverse reactions to drugs. *JAMA* **252**(11):1433-1437, 1984
- 141.** Yantis PL, Bridges ME, Pittman FE: Cimetidine-induced exfoliative dermatitis. *Dig Dis Sci* **25**(1):73-74, 1980
- 142.** Pajus L et al: Erythroderma after clodronate treatment. *BMJ* **307**(6902):484, 1993
- 143.** Moots RJ, Banerjee A: Exfoliative dermatitis after amiodarone treatment. *Br Med J (Clin Res Ed)* **296**(6632):1332-1333, 1988
- 144.** Enomoto M et al: Codeine phosphate-induced hypersensitivity syndrome. *Ann Pharmacother* **38**(5):799-802, 2004
- 145.** Puig LL, Abadias M, Alomar A: Erythroderma due to ribostamycin. *Contact Dermatitis* **21**(2):79-82, 1989
- 146.** Solinger AM: Exfoliative dermatitis from captopril. *Cutis* **29**(5):473-474, 1982
- 147.** Hernandez Garcia I: Severe erythroderma in a patient under intermittent therapy with efalizumab. *J Drugs Dermatol* **7**(10):987-989, 2008

148. Gonzalo Garijo MA et al: Cutaneous reactions due to diltiazem and cross reactivity with other calcium channel blockers. *Allergol Immunopathol (Madr)* **33**(4):238-240, 2005
149. Wittal RA et al: Skin reactions to diltiazem. *Australas J Dermatol* **33**(1):11-18, 1992
150. Catlin DH, Sekera M, Adelman DC: Erythroderma associated with ingestion of an herbal product. *West J Med* **159**(4):491-493, 1993
151. Chen YC, Hsiao CH, Tsai TF: Interstitial granulomatous drug reaction presenting as erythroderma: Remission after discontinuation of enalapril maleate. *Br J Dermatol* **158**(5):1143-1145, 2008
152. Ahearn GS, Selim MA, Tapson VF: Severe erythroderma as a complication of continuous epoprostenol therapy. *Chest* **122**(1):378-380, 2002
153. Tohyama M et al: Severe hypersensitivity syndrome due to sulfasalazine associated with reactivation of human herpesvirus 6. *Arch Dermatol* **134**(9):1113-1117, 1998
154. Iemoli E et al: Erythroderma and toxic epidermal necrolysis caused by 5-aminosalicylic acid. *Inflamm Bowel Dis* **12**(10):1007-1008, 2006
155. Cuxart M et al: [Generalized exfoliative dermatitis caused by erythropoietin]. [Article in Spanish.] *Med Clin (Barc)* **115**(4):158, 2000
156. Wolf IH et al: Erythroderma with lichenoid granulomatous features induced by erythropoietin. *J Cutan Pathol* **32**(5):371-374, 2005
157. Bernstein JE, Lorincz AL: Ethylenediamine-induced exfoliative erythroderma. *Arch Dermatol* **115**(3):360-361, 1979
158. Paul C et al: [Erythroderma induced by teicoplanin]. [Article in French.] *Ann Dermatol Venereol* **119**(9):667-669, 1992
159. Reynolds NJ et al: Exfoliative dermatitis due to nifedipine. *Br J Dermatol* **121**(3):401-404, 1989
160. Sparsa A et al: [Drug hypersensitive syndrome caused by fluindione]. [Article in French.] *Ann Dermatol Venereol* **128**(10 Pt 1):1014-1018, 2001
161. Ryan FP: Erythroderma due to peritrate and glyceryl trinitrate. *Br J Dermatol* **87**(5):498-500, 1972
162. Sugita K et al: Papuloerythroderma of Ofuji induced by furosemide. *J Am Acad Dermatol* **58**(Suppl. 2):S54-S55, 2008
163. Karp S et al: Exfoliative dermatitis secondary to tobramycin sulfate. *Cutis* **47**(5):331-332, 1991
164. Esposito M et al: Trimethoprim-sulfamethoxazole induced erythrodermic psoriasis. *J Infect* **57**(1):90-92, 2008
165. Monk B: Severe cutaneous reactions to alternative remedies. *Br Med J (Clin Res Ed)* **293**(6548):665-666, 1986
166. Richards AL, Cleland H: Exfoliative dermatitis, fever and acute renal failure in a 60% burns patient. *Burns* **31**(8):1056-1060, 2005
167. Forrence EA, Goldman MP: Vancomycin-associated exfoliative dermatitis. *DCP* **24**(4):369-371, 1990
168. Stern R, Khalsa JH: Cutaneous adverse reactions associated with calcium channel blockers. *Arch Intern Med* **149**(4):829-832, 1989
169. Holme SA, Roberts DL: Erythroderma associated with St John's wort. *Br J Dermatol* **143**(5):1127-1128, 2000
170. Asnis LA, Gaspari AA: Cutaneous reactions to recombinant cytokine therapy. *J Am Acad Dermatol* **33**(3):393-410, quiz 410-392, 1995
171. Just M et al: Dideoxyinosine-associated Ofuji papuloerythroderma in an HIV-infected patient. *Dermatology* **195**(4):410-411, 1997
172. Cohen MH et al: FDA drug approval summary: Bevacizumab (Avastin) plus Carboplatin and Paclitaxel as first-line treatment of advanced/metastatic recurrent nonsquamous non-small cell lung cancer. *Oncologist* **12**(6):713-718, 2007
173. Rietsema WJ: Fever, erythroderma, abdominal pain, and renal failure following initiation of indinavir therapy. *Clin Infect Dis* **25**(5):1268-1269, 1997
174. Polyzos A et al: Hypersensitivity reactions to carboplatin administration are common but not always severe: A 10-year experience. *Oncology* **61**(2):129-133, 2001
175. Bandyopadhyay Di: Exfoliative dermatitis induced by leflunomide therapy. *J Dermatol* **30**(11):845-846, 2003
176. Gallelli L et al: Generalized exfoliative dermatitis induced by interferon alfa. *Ann Pharmacother* **38**(12):2173-2174, 2004
177. Lee TC, Hook CC, Long HJ: Severe exfoliative dermatitis associated with hand ischemia during cisplatin therapy. *Mayo Clin Proc* **69**(1):80-82, 1994
178. Duque S et al: Zidovudine-related erythroderma and successful desensitization: A case report. *J Allergy Clin Immunol* **98**(1):234-235, 1996
179. Kazin R, Bujanauskas P, Vonderheid EC: Durable complete remission of mycosis fungoides following erythroderma induced by denileukin diftitox. *J Am Acad Dermatol* **58**(Suppl. 2):S31-S32, 2008

- 180.** Borras-Blasco J et al: Erythrodermia induced by omeprazole. *Int J Clin Pharmacol Ther* **39**(5):219-223, 2001
- 181.** Rebuck JA et al: Omeprazole-induced exfoliative dermatitis. *Pharmacotherapy* **18**(4):877-879, 1998
- 182.** Huang JY et al: Complications mimicking lupus flare-up in a uremic patient undergoing pegylated liposomal doxorubicin therapy for cervical cancer. *Anticancer Drugs* **15**(3):239-241, 2004
- 183.** Pavithran K: Exfoliative dermatitis after clofazimine. *Int J Lepr Other Mycobact Dis* **53**(4):645-646, 1985
- 184.** Horiuchi Y: Propolis-induced erythroderma. *J Dermatol* **28**(10):580-581, 2001
- 185.** Alves-Rodrigues EN et al: Dapsone syndrome with acute renal failure during leprosy treatment: Case report. *Braz J Infect Dis* **9**(1):84-86, 2005
- 186.** Bucaretschi F et al: Dapsone hypersensitivity syndrome in an adolescent during treatment during of leprosy. *Rev Inst Med Trop Sao Paulo* **46**(6):331-334, 2004
- 187.** Itha S et al: Dapsone induced cholangitis as a part of dapsone syndrome: A case report. *BMC Gastroenterol* **3**:21, 2003
- 188.** Lee KB, Nashed TB: Dapsone-induced sulfone syndrome. *Ann Pharmacother* **37**(7-8):1044-1046, 2003
- 189.** Patki AH, Mehta JM: Dapsone-induced erythroderma with Beau's lines. *Lepr Rev* **60**(4):274-277, 1989
- 190.** Rao PN, Lakshmi TS: Increase in the incidence of dapsone hypersensitivity syndrome—An appraisal. *Lepr Rev* **72**(1):57-62, 2001
- 191.** Vano-Galvan S et al: Imatinib-induced erythroderma mediated by an unusual non-dose-dependent mechanism. *Eur J Dermatol* **17**(6):538-539, 2007
- 192.** Banka N, Aljurf M, Hamadah I: Imatinib (STI-571)-induced exfoliative dermatitis in a Saudi patient with deck chair sign. *Dermatology* **207**(3):329-330, 2003
- 193.** Tanvetyanon T, Nand S: Overcoming recurrent cutaneous reactions from imatinib using once-weekly dosing. *Ann Pharmacother* **37**(12):1818-1820, 2003
- 194.** Gonzalo-Garijo MA et al: Erythrodermia to pseudoephedrine in a patient with contact allergy to phenylephrine. *Allergol Immunopathol (Madr)* **30**(4):239-242, 2002
- 195.** Bencini PL et al: Exfoliative dermatitis following intravesical therapy with mitomycin C. *Int J Dermatol* **24**(7):472, 1985
- 196.** Fujii K: Ranitidine-induced drug eruption: Another case of papuloerythroderma? *J Dermatol* **34**(10):736, 2007
- 197.** Poszepczynska-Guigne E et al: [Acute generalized exanthematous pustulosis induced by drugs with low-digestive absorption: Acarbose and ny-statin]. [Article in French.] *Ann Dermatol Venereol* **130**(4):439-442, 2003
- 198.** Ghura HS et al: Fatal erythroderma associated with pentostatin. *BMJ* **319**(7209):549, 1999
- 199.** Wantzin GL, Thomsen K: A new cutaneous side effect of isotretinoin. *J Am Acad Dermatol* **13**(4):665, 1985
- 200.** Ahdout J, Mandel H, Chiu M: Erythroderma in a patient taking acitretin for plaque psoriasis. *J Drugs Dermatol* **7**(4):391-394, 2008
- 201.** Gupta AK et al: Cutaneous adverse effects associated with terbinafine therapy: 10 case reports and a review of the literature. *Br J Dermatol* **138**(3):529-532, 1998
- 202.** Matsumoto N et al: [A case of Hodgkin's disease exhibiting erythrodermia probably due to allergic reaction to vinca alkaloids]. [Article in Japanese.] *Gan To Kagaku Ryoho* **16**(6):2297-2300, 1989
- 203.** Oh SH, Haw CR, Lee MH: Clinical and immunologic features of systemic contact dermatitis from ingestion of Rhus (Toxicodendron). *Contact Dermatitis* **48**(5):251-254, 2003
- 204.** Park SD et al: Clinical features of 31 patients with systemic contact dermatitis due to the ingestion of Rhus (lacquer). *Br J Dermatol* **142**(5):937-942, 2000
- 205.** Rand R et al: Ketoconazole therapy and exfoliative erythroderma. *Arch Dermatol* **119**(2):97-98, 1983
- 206.** Igawa K et al: Erythrodermic drug eruption due to roxatidine acetate hydrochloride. *Clin Exp Dermatol* **30**(3):304-305, 2005
- 207.** Reaves LE III: Exfoliative dermatitis occurring in a patient treated with griseofulvin. *J Am Geriatr Soc* **12**:889-892, 1964
- 208.** Rigberg LA, Robinson MJ, Espiritu CR: Chlorpropamide-induced granulomas. A probable hypersensitivity reaction in liver and bone marrow. *JAMA* **235**(4):409-410, 1976
- 209.** Laad G, Miranda MF: Eosinophilic leukemoid reaction associated with carbamazepine hypersensitivity. *Indian J Dermatol Venereol Leprol* **71**(1):35-37, 2005
- 210.** Troost RJ et al: Exfoliative dermatitis due to immunologically confirmed carbamazepine hypersensitivity. *Pediatr Dermatol* **13**(4):316-320, 1996

211. Bielsa I et al: Erythroderma due to thalidomide: Report of two cases. *Dermatology* **189**(2):179-181, 1994
212. Hall VC et al: Dermatologic side effects of thalidomide in patients with multiple myeloma. *J Am Acad Dermatol* **48**(4):548-552, 2003
213. Patt YZ et al: Thalidomide in the treatment of patients with hepatocellular carcinoma: A phase II trial. *Cancer* **103**(4):749-755, 2005
214. Hurley SC: Lamotrigine update and its use in mood disorders. *Ann Pharmacother* **36**(5):860-873, 2002
215. Chopra S et al: Systemic corticosteroids in the phenytoin hypersensitivity syndrome. *Br J Dermatol* **134**(6):1109-1112, 1996
216. Kleier RS, Breneman DL, Boiko S: Generalized pustulation as a manifestation of the anticonvulsant hypersensitivity syndrome. *Arch Dermatol* **127**(9):1361-1364, 1991
217. Cox NH, Gordon PM, Dodd H: Generalized pustular and erythrodermic psoriasis associated with bupropion treatment. *Br J Dermatol* **146**(6):1061-1063, 2002
218. Shelley WB, Shelley ED: Chronic erythroderma induced by beta-blocker (timolol maleate) eyedrops. *J Am Acad Dermatol* **37**(5 Pt 1):799-800, 1997
219. Sakai C et al: Erythroderma and marked atypical lymphocytosis mimicking cutaneous T-cell lymphoma probably caused by phenobarbital. *Intern Med* **32**(2):182-184, 1993
220. Nakamura M, Tokura Y: Tocilizumab-induced erythroderma. *Eur J Dermatol* **19**(3):273-274, 2009
221. Powell WJ Jr, Koch-Weser J, Williams RA: Lethal hepatic necrosis after therapy with imipramine and desipramine. *JAMA* **206**(3):642-645, 1968
222. Ram-Wolf C, Mahe E, Saiag P: Escitalopram photo-induced erythroderma. *J Eur Acad Dermatol Venereol* **22**(8):1015-1017, 2008
223. Lakshmi C, Srinivas CR: Allergic contact dermatitis following aromatherapy with valiya narayana thailam—An ayurvedic oil presenting as exfoliative dermatitis. *Contact Dermatitis* **61**(5):297-298, 2009
224. Tamer E et al: Flare-up of pustular psoriasis with fluoxetine: possibility of a serotoninergic influence? *J Dermatolog Treat* **20**(3):1-3, 2009
225. Kuhnley EJ, Granoff AL: Exfoliative dermatitis during lithium treatment. *Am J Psychiatry* **136**(10):1340-1341, 1979
226. Weil AJ: Exfoliative dermatitis after medication with methylphenidate HC1 (ritalin). *Ann Allergy* **26**(8):402-404, 1968
227. Lok C et al: Post-transplant cutaneous T-cell lymphomas. *Crit Rev Oncol Hematol* **56**(1):137-145, 2005
228. Shelley WB, Shelley ED: Shoreline nails: Sign of drug-induced erythroderma. *Cutis* **35**(3):220-222, 224, 1985
229. Tegner E, Bjornberg A: Erythroderma with sparing around the nipples. *Acta Derm Venereol* **83**(3):236, 2003
230. Flugman SL, McClain SA, Clark RA: Transient eruptive seborrheic keratoses associated with erythrodermic psoriasis and erythrodermic drug eruption: Report of two cases. *J Am Acad Dermatol* **45**(Suppl. 6):S212-S214, 2001
231. Sahin MT et al: Transient eruptive seborrhoeic keratoses associated with erythrodermic pityriasis rubra pilaris. *Clin Exp Dermatol* **29**(5):554-555, 2004
232. Schwengle LE, Rampen FH: Eruptive seborrheic keratoses associated with erythrodermic pityriasis rubra pilaris. Possible role of retinoid therapy. *Acta Derm Venereol* **68**(5):443-445, 1988
233. Shuster S: High-output cardiac failure from skin disease. *Lancet* **1**(7295):1338-1340, 1963
234. D'Inca M et al: Hydantoin-induced cutaneous pseudolymphoma with clinical, pathologic, and immunologic aspects of Sezary syndrome. *Arch Dermatol* **128**(10):1371-1374, 1992
235. Duncan SC, Winkelmann RK: Circulating Sezary cells in hospitalized dermatology patients. *Br J Dermatol* **99**(2):171-178, 1978
236. Nebozhyn M et al: Quantitative PCR on 5 genes reliably identifies CTCL patients with 5% to 99% circulating tumor cells with 90% accuracy. *Blood* **107**(8):3189-3196, 2006
237. Ortonne N et al: CD158K/KIR3DL2 transcript detection in lesional skin of patients with erythroderma is a tool for the diagnosis of Sezary syndrome. *J Invest Dermatol* **128**(2):465-472, 2008
238. Preesman AH et al: The diagnostic value of morphometry on blood lymphocytes in erythrodermic actinic reticuloid. *Arch Dermatol* **131**(11):1298-1303, 1995
239. Lima M et al: Utility of flow cytometry immunophenotyping and DNA ploidy studies for diagnosis and characterization of blood involvement in CD4+ Sezary's syndrome. *Haematologica* **88**(8):874-887, 2003

- 240.** Zip C, Murray S, Walsh NM: The specificity of histopathology in erythroderma. *J Cutan Pathol* 20(5):393-398, 1993
- 241.** Walsh NM et al: Histopathology in erythroderma: Review of a series of cases by multiple observers. *J Cutan Pathol* 21(5):419-423, 1994
- 242.** Jha PK et al: Psoriasis-induced postoperative cardiac failure. *Ann Thorac Surg* 79(4):1390-1391, 2005
- 243.** Green MS et al: Infectious complications of erythrodermic psoriasis. *J Am Acad Dermatol* 34(5 Pt 2):911-914, 1996
- 244.** Shawcross DL, Mookerjee RP, Jalan R: Decompensation of chronic stable alcoholic liver disease by severe exfoliative dermatitis. *Eur J Gastroenterol Hepatol* 15(4):433-435, 2003
- 245.** Shuster S: Systemic effects of skin disease. *Lancet* 1(7496):907-912, 1967
- 246.** Shuster S, Wilkinson P: Protein metabolism in exfoliative dermatitis and erythroderma. *Br J Dermatol* 75:344-353, 1963
- 247.** Fox RH et al: Cardiovascular, metabolic, and thermoregulatory disturbances in patients with erythrodermic skin diseases. *Br Med J* 1(5435):619-622, 1965
- 248.** Jaffe D et al: Staphylococcal sepsis in HIV antibody seropositive psoriasis patients. *J Am Acad Dermatol* 24(6 Pt 1):970-972, 1991
- 249.** Kim YH et al: Prognostic factors in erythrodermic mycosis fungoides and the Sezary syndrome. *Arch Dermatol* 131(9):1003-1008, 1995
- 250.** Byer RL, Bachur RG: Clinical deterioration among patients with fever and erythroderma. *Pediatrics* 118(6):2450-2460, 2006
- 251.** Aalto-Korte K, Turpeinen M: Quantifying systemic absorption of topical hydrocortisone in erythroderma. *Br J Dermatol* 133(3):403-408, 1995
- 252.** Teshima D et al: Increased topical tacrolimus absorption in generalized leukemic erythroderma. *Ann Pharmacother* 37(10):1444-1447, 2003
- 253.** Hild DH: Folate losses from the skin in exfoliative dermatitis. *Arch Intern Med* 123(1):51-57, 1969
- 254.** Rosenbach M et al: Treatment of erythrodermic psoriasis: From the medical board of the National Psoriasis Foundation. *J Am Acad Dermatol* 62(4):655-662, 2010 [Epub Aug 8, 2009]
- 255.** O'Quinn RP, Miller JL: The effectiveness of tumor necrosis factor alpha antibody (infliximab) in treating recalcitrant psoriasis: A report of 2 cases. *Arch Dermatol* 138(5):644-648, 2002
- 256.** Rongioletti F et al: Erythrodermic, recalcitrant psoriasis: Clinical resolution with infliximab. *J Dermatolog Treat* 14(4):222-225, 2003
- 257.** Heikkila H et al: Infliximab combined with methotrexate as long-term treatment for erythrodermic psoriasis. *Arch Dermatol* 141(12):1607-1610, 2005
- 258.** Lisby S, Gniadecki R: Infliximab (Remicade) for acute, severe pustular and erythrodermic psoriasis. *Acta Derm Venereol* 84(3):247-248, 2004
- 259.** Takahashi MD, Castro LG, Romiti R: Infliximab, as sole or combined therapy, induces rapid clearing of erythrodermic psoriasis. *Br J Dermatol* 157(4):828-831, 2007
- 260.** Esposito M et al: Treatment of erythrodermic psoriasis with etanercept. *Br J Dermatol* 155(1):156-159, 2006
- 261.** Pique-Duran E, Perez-Cejudo JA: [Psoriatic erythroderma treated with etanercept]. [Article in Spanish.] *Actas Dermosifiliogr* 98(7):508-510, 2007
- 262.** Richetta AG et al: Treatment of erythrodermic psoriasis in HCV+ patient with adalimumab. *Dermatol Ther* 22(Suppl. 1):S16-S18, 2009
- 263.** Prossick TA, Belsito DV: Alefacept in the treatment of recalcitrant palmoplantar and erythrodermic psoriasis. *Cutis* 78(3):178-180, 2006
- 264.** Yip L, Harrison S, Foley P: From biologic to biologic to biologic: Lessons to learn for erythrodermic and recalcitrant chronic plaque psoriasis. *Australas J Dermatol* 49(3):152-155, 2008
- 265.** Querfeld C et al: Successful treatment of recalcitrant, erythroderma-associated pruritus with etanercept. *Arch Dermatol* 140(12):1539-1540, 2004
- 266.** Gautschi O et al: Successful treatment of chemotherapy-refractory Sezary syndrome with alemtuzumab (Campath-1H). *Eur J Haematol* 72(1):61-63, 2004
- 267.** Querfeld C et al: Alemtuzumab for relapsed and refractory erythrodermic cutaneous T-cell lymphoma: A single institution experience from the Robert H. Lurie Comprehensive Cancer Center. *Leuk Lymphoma* 50(12):1969-1976, 2009
- 268.** el-Azhary RA, Bouwhuis SA: Oral bexarotene in a therapy-resistant Sezary syndrome patient: Observations on Sezary cell compartmentalization. *Int J Dermatol* 44(1):25-28, 2005
- 269.** Talpur R et al: Optimizing bexarotene therapy for cutaneous T-cell lymphoma. *J Am Acad Dermatol* 47(5):672-684, 2002

270. Muller H et al: Infliximab monotherapy as first-line treatment for adult-onset pityriasis rubra pilaris: Case report and review of the literature on biologic therapy. *J Am Acad Dermatol* **59**(Suppl. 5):S65-S70, 2008
271. Garcovich S et al: Treatment of refractory adult-onset pityriasis rubra pilaris with TNF-alpha antagonists: A case series. *J Eur Acad Dermatol Venereol* **24**(8):881-884, 2010 [Epub Nov 30, 2009]
272. O'Kane D et al: Rapid and sustained remission of pityriasis rubra pilaris with adalimumab treatment. *Clin Exp Dermatol* **35**(4):e155-e156, 2010 [Epub Nov 19, 2009]
273. Walling HW, Swick BL: Pityriasis rubra pilaris responding rapidly to adalimumab. *Arch Dermatol* **145**(1):99-101, 2009
274. Barth D et al: Successful treatment of pityriasis rubra pilaris (type 1) under combination of infliximab and methotrexate. *J Dtsch Dermatol Ges* **7**(12):1071-1073, 2009
275. Manoharan S, White S, Gumparth K: Successful treatment of type I adult-onset pityriasis rubra pilaris with infliximab. *Australas J Dermatol* **47**(2):124-129, 2006
276. Seckin D, Tula E, Ergun T: Successful use of etanercept in type I pityriasis rubra pilaris. *Br J Dermatol* **158**(3):642-644, 2008
277. Davis KF et al: Clinical improvement of pityriasis rubra pilaris with combination etanercept and acitretin therapy. *Arch Dermatol* **143**(12):1597-1599, 2007
278. Cox V et al: Treatment of juvenile pityriasis rubra pilaris with etanercept. *J Am Acad Dermatol* **59**(Suppl. 5):S113-S114, 2008
279. Ruzzetti M et al: Type III juvenile pityriasis rubra pilaris: A successful treatment with infliximab. *J Eur Acad Dermatol Venereol* **22**(1):117-118, 2008
280. Mutluer S et al: Treatment of papuloerythroderma of Ofuji with Re-PUVA: A case report and review of the therapy. *J Eur Acad Dermatol Venereol* **18**(4):480-483, 2004
281. Connelly EA et al: Generalized erythrodermic pemphigus foliaceus in a child and its successful response to rituximab treatment. *Pediatr Dermatol* **24**(2):172-176, 2007