

Chapter 49

The Ichthyoses

Philip Fleckman & John J. DiGiovanna

REFERENCES

1. Willan R: *On Cutaneous Diseases*. London, J. Johnson, 1808
2. Siemens HW: Die vererbung in der atologie der hautkrankheiten. In: *Handbuch der Haut- und Geschlechtskrankheiten*, edited by J Jadassohn. Berlin, Springer, 1929, p. 1
3. Wells RS, Kerr CB: Genetic classification of ichthyosis. *Arch Dermatol* **92**:1, 1965
4. Wells RS, Kerr CB: Clinical features of autosomal dominant and sex-linked ichthyosis in an English population. *Br Med J* **1**:947, 1966
5. Traupe H: *The Ichthyoses: A Guide to Clinical Diagnosis, Genetic Counseling, and Therapy*. Berlin, Springer-Verlag, 1989
6. Frost P, Van Scott EJ: Ichthyosiform dermatoses. Classification based on anatomic and biometric observations. *Arch Dermatol* **94**:113, 1966
7. Williams ML, Elias PM: Genticly transmitted, generalized disorders of cornification. The ichthyoses. In: *Dermatologic Clinics. The Genodermatoses*, edited by JC Alper. Philadelphia, W.B. Saunders, p. 155, 1987
8. Arin MJ, Hohl D, Roop DR: Disorders of keratinization. In: *Connective Tissue and Its Heritable Disorders*, 2nd edition. edited by PM Royce, B Steinmann. Wiley, 2002, p. 1025
9. Oji V et al: Revised nomenclature and classification of inherited ichthyoses: Results of the First Ichthyosis Consensus Conference in Soreze 2009. *J Am Acad Dermatol* **63**(4):607-641, 2010
10. Online Mendelian Inheritance in Man, <http://www3.ncbi.nlm.nih.gov/sites/entrez?db=OMIM>
11. DiGiovanna JJ, Bale SJ: Epidermolytic hyperkeratosis: Applied molecular genetics. *Prog Dermatol* **27**:1, 1993
12. Huber M et al: Mutations of keratinocyte transglutaminase in lamellar ichthyosis. *Science* **267**:525, 1995
13. Russell LJ et al: Mutations in the gene for transglutaminase 1 in autosomal recessive lamellar ichthyosis. *Nat Genet* **9**:279, 1995
14. Nemes Z et al: A novel function for transglutaminase 1: Attachment of long-chain omega-hydroxyceramides to involucrin by ester bond formation. *Proc Natl Acad Sci USA* **96**:8402, 1999
15. Farasat S et al: Novel transglutaminase-1 mutations and genotype-phenotype investigations of 104 patients with autosomal recessive congenital ichthyosis in the USA. *J Med Genet* **46**:103, 2009
16. Shapiro LJ et al: X-linked ichthyosis due to steroid-sulphatase deficiency. *Lancet* **1**:70, 1978
17. Koppe G et al: X-linked ichthyosis. A sulphatase deficiency. *Arch Dis Child* **53**:803, 1978
18. Lefevre C et al: Mutations in a new cytochrome P450 gene in lamellar ichthyosis type 3. *Hum Mol Genet* **15**:767, 2006
19. Chavanas S et al: Mutations in SPINK5, encoding a serine protease inhibitor, cause Netherton syndrome. *Nat Genet* **25**:141, 2000
20. Richard G et al: The spectrum of mutations in erythrokeratodermias—Novel and de novo mutations in GJB3. *Hum Genet* **106**:321, 2000
21. Richard G et al: Missense mutations in GJB2 encoding connexin-26 cause the ectodermal dysplasia keratitis-ichthyosis-deafness syndrome. *Am J Hum Genet* **70**:1341, 2002
22. Smith FJ et al: Loss-of-function mutations in the gene encoding filaggrin cause ichthyosis vulgaris. *Nat Genet* **38**:337, 2006
23. Liao H et al: Filaggrin mutations are genetic modifying factors exacerbating X-linked ichthyosis. *J Invest Dermatol* **127**(12):2795-2798, 2007
24. Gruber R et al: Increased pachyonychia congenita severity in patients with concurrent keratin and filaggrin mutations. *Br J Dermatol* **161**:1391, 2009
25. Schmuth M, Elias PM, Williams ML: Pathogenesis of the barrier abnormalities in disorders of cornification. In: *Skin Barrier*, edited by PM Elias, KR Feingold. New York, Taylor & Francis, 2006, pp. 469
26. Mevorah B et al: Autosomal dominant ichthyosis and X-linked ichthyosis. *Acta Derm Venereol Stockh* **71**:431, 1991
27. Palmer CN et al: Common loss-of-function variants of the epidermal barrier protein filaggrin are a major predisposing factor for atopic dermatitis. *Nat Genet* **38**:441, 2006

28. Brown SJ et al: Filaggrin haploinsufficiency is highly penetrant and is associated with increased severity of eczema: Further delineation of the skin phenotype in a prospective epidemiological study of 792 school children. *Br J Dermatol* **161**:884, 2009
29. Cuevas-Covarrubias SA et al: Accuracy of the clinical diagnosis of recessive X-linked ichthyosis vs ichthyosis vulgaris. *J Dermatol* **23**:594, 1996
30. Dale BA, Holbrook KA, Steinert PM: Assembly of stratum corneum basic protein and keratin filaments in macrofibrils. *Arch Dermatol Res* **276**:729, 1978
31. Harding CR, Scott IR: Stratum corneum moisturizing factors. In: *Skin Moisturization*, edited by J Leyden, A Rawlings. New York, Marcel Dekker, 2002, p. 61,
32. Sybert VP, Dale BA, Holbrook KA: Ichthyosis vulgaris: Identification of a defect in synthesis of filaggrin correlated with an absence of keratohyaline granules. *J Invest Dermatol* **84**:191, 1985
33. Sandilands A et al: Filaggrin in the frontline: Role in skin barrier function and disease. *J Cell Sci* **122**:1285, 2009
34. van den Oord RA, Sheikh A: Filaggrin gene defects and risk of developing allergic sensitization and allergic disorders: Systematic review and meta-analysis. *BMJ* **339**:b2433, 2009
35. Rose FA: Review: The mammalian sulphatases and placental sulphatase deficiency in man. *J Inherit Metab Dis* **5**:145, 1982
36. Epstein EH Jr, Williams ML, Elias PM: Steroid sulfatase, X-linked ichthyosis, and stratum corneum cell cohesion. *Arch Dermatol* **117**:761, 1981
37. Lykkesfeldt G, Nielsen MD, Lykkesfeldt AE: Placental steroid sulfatase deficiency: Biochemical diagnosis and clinical review. *Obstet Gynecol* **64**:49, 1984
38. Merrett JD et al: Discriminant function analysis of phenotype variates in ichthyosis. *Am J Hum Genet* **19**:575, 1967
39. Jay B, Blach RK, Wells RS: Ocular manifestations of ichthyosis. *Br J Ophthalmol* **52**:217, 1968
40. Sever RJ, Frost P, Weinstein G: Eye changes in ichthyosis. *JAMA* **206**:2283, 1968
41. Lykkesfeldt G, Bennett P, Lykkesfeldt AE et al: Testis cancer. Ichthyosis constitutes a significant risk factor. *Cancer* **67**:730, 1991
42. Epstein EH Jr, Bonifas JM: Recessive X-linked ichthyosis: Lack of immunologically detectable steroid sulfatase enzyme protein. *Hum Genet* **71**:201, 1985
43. Ballabio A et al: Deletion of the distal short arm of the X chromosome (Xp) in a patient with short stature, chondrodysplasia punctata, and X-linked ichthyosis due to steroid sulfatase deficiency. *Am J Med Genet* **41**:184, 1991
44. Paige DG et al: A clinical and genetic study of X-linked recessive ichthyosis and contiguous gene defects. *Br J Dermatol* **131**:622, 1994
45. Robledo R, Melis P, Schillinger E et al: X-linked ichthyosis without STS deficiency: Clinical, genetical, and molecular studies. *Am J Med Genet* **59**:143, 1995
46. Simpson JR: Congenital Ichthyosiform Erythrodermia. *Trans St Johns Hosp Dermatol Soc* **50**:93, 1964
47. Williams ML, Elias PM: Heterogeneity in autosomal recessive ichthyosis. *Arch Dermatol* **121**:477, 1985
48. Bernhardt M, Baden HP: Report of a family with an unusual expression of recessive ichthyosis. Review of 42 cases. *Arch Dermatol* **122**:428, 1986
49. Fischer J: Autosomal recessive congenital ichthyosis. *J Invest Dermatol* **129**:1319, 2009
50. Hazell M, Marks R: Clinical, histologic, and cell kinetic discriminants between lamellar ichthyosis and nonbullous congenital ichthyosiform erythroderma. *Arch Dermatol* **121**:489, 1985
51. Jacyk WK: Bathing-suit ichthyosis. A peculiar phenotype of lamellar ichthyosis in South African blacks. *Eur J Dermatol* **15**:433, 2005
52. Oji V et al: Bathing suit ichthyosis is caused by transglutaminase-1 deficiency: Evidence for a temperature-sensitive phenotype. *Hum Mol Genet* **15**:3083, 2006
53. Choate KA et al: Corrective gene transfer in the human skin disorder lamellar ichthyosis. *Nat Med* **2**:1263, 1996
54. Matsumoto K et al: Loricerin keratoderma: A cause of congenital ichthyosiform erythroderma and collodion baby. *Br J Dermatol* **145**:657, 2001
55. Brash AR et al: The hepoxilin connection in the epidermis. *FEBS J* **274**:3494, 2007
56. Brocq L: Erythrodermie congénitale ichthyosiforme avec hyperépidermotrophie. *Ann Dermatol Syphiligr* **4**,3:1, 1902
57. Cheng J et al: The genetic basis of epidermolytic hyperkeratosis: A disorder of differentiation-specific epidermal keratin genes. *Cell* **70**:811, 1992
58. DiGiovanna JJ, Bale SJ: Clinical heterogeneity in epidermolytic hyperkeratosis. *Arch Dermatol* **130**:1026, 1994

59. Paller AS et al: Genetic and clinical mosaicism in a type of epidermal nevus. *N Engl J Med* **331**:1408, 1994
60. Nazzaro V et al: Epidermolytic hyperkeratosis: Generalized form in children from parents with systematized linear form. *Br J Dermatol* **122**:417, 1990
61. Schmuth M et al: Pathogenesis of the permeability barrier abnormality in epidermolytic hyperkeratosis. *J Invest Dermatol* **117**:837, 2001
62. Chipev CC et al: A leucine proline mutation in the H1 subdomain of keratin 1 causes epidermolytic hyperkeratosis. *Cell* **70**:821, 1992
63. Reis A et al: Keratin 9 gene mutations in epidermolytic papuloplanar keratoderma (EPPK). *Nat Genet* **6**:174, 1994
64. Rothnagel JA et al: Mutations in the rod domain of keratin 2e in patients with ichthyosis bullosa of Siemens. *Nat Genet* **7**:485, 1994
65. Sprecher E et al: Evidence for novel functions of the keratin tail emerging from a mutation causing ichthyosis hystrix. *J Invest Dermatol* **116**:511, 2001
66. Sahn EE, Weimer CE Jr., Garen PD: Annular epidermolytic ichthyosis: A unique phenotype. *J Am Acad Dermatol* **27**:348, 1992
67. Sybert VP et al: Cyclic ichthyosis with epidermolytic hyperkeratosis: A phenotype conferred by mutations in the 2B domain of keratin K1. *Am J Hum Genet* **64**:732, 1999
68. Joh GY et al: A novel dinucleotide mutation in keratin 10 in the annular epidermolytic ichthyosis variant of bullous congenital ichthyosiform erythroderma. *J Invest Dermatol* **108**:357, 1997
69. Ozturk A et al: A retrospective study on 16 collodion babies. *Turk J Pediatr* **39**:55, 1997
70. Cunningham BB: *Management of Ichthyosis in the Neonate*, <http://courses.epharmalearning.com/first/cunningham/player.html>
71. Frenk E, de Techtermann F: Self-healing collodion baby: Evidence for autosomal recessive inheritance. *Pediatr Dermatol* **9**:95, 1992
72. Vahlquist A et al: Genotypic and clinical spectrum of self-improving collodion ichthyosis: ALOX12B, ALOXE3, and TGM1 mutations in Scandinavian patients. *J Invest Dermatol* **130**:438, 2010
73. Waring JI: Early mention of a harlequin fetus in America. *Am J Dis Child* **43**:442, 1932
74. Roberts LJ: Long-term survival of a harlequin fetus. *J Am Acad Dermatol* **21**:335, 1989
75. Haftek M et al: A longitudinal study of a harlequin infant presenting clinically as non-bullous congenital ichthyosiform erythroderma. *Br J Dermatol* **135**:448, 1996
76. Milner ME et al: Abnormal lamellar granules in harlequin ichthyosis. *J Invest Dermatol* **99**:824, 1992
77. Kelsell DP et al: Mutations in ABCA12 underlie the severe congenital skin disease harlequin ichthyosis. *Am J Hum Genet* **76**:794, 2005
78. Akiyama M et al: Mutations in lipid transporter ABCA12 in harlequin ichthyosis and functional recovery by corrective gene transfer. *J Clin Invest* **115**:1777, 2005
79. Thomas AC et al: ABCA12 is the major harlequin ichthyosis gene. *J Invest Dermatol* **126**(11):2408-2413, 2006
80. Lefevre C et al: Mutations in the transporter ABCA12 are associated with lamellar ichthyosis type 2. *Hum Mol Genet* **12**:2369, 2003
81. Altman J, Stroud J: Netherton's syndrome and ichthyosis linearis circumflexa. *Arch Dermatol* **100**:550, 1969
82. Hurwitz S, Kirsch N, McGuire J: Reevaluation of ichthyosis and hair shaft abnormalities. *Arch Dermatol* **103**:266, 1971
83. Stoll C et al: Severe hypernatremic dehydration in an infant with Netherton syndrome. *Genet Couns* **12**:237, 2001
84. Powell J: Increasing the likelihood of early diagnosis of Netherton syndrome by simple examination of eyebrow hairs. *Arch Dermatol* **136**:423, 2000
85. Renner ED et al: Comel-Netherton syndrome defined as primary immunodeficiency. *J Allergy Clin Immunol* **124**:536, 2009
86. Walley AJ et al: Gene polymorphism in Netherton and common atopic disease. *Nat Genet* **29**:175, 2001
87. Sprecher E et al: The spectrum of pathogenic mutations in SPINK5 in 19 families with Netherton syndrome: Implications for mutation detection and first case of prenatal diagnosis. *J Invest Dermatol* **117**:179, 2001
88. Allen A et al: Significant absorption of topical tacrolimus in 3 patients with Netherton syndrome. *Arch Dermatol* **137**:747, 2001
89. Borzyskowski M, Grant DB, Wells RS: Cushing's syndrome induced by topical steroids used for the treatment of non-bullous ichthyosiform erythroderma. *Clin Exp Dermatol* **1**:337, 1976

90. Jang JY et al: Clinical characteristics and VPS33B mutations in patients with ARC syndrome. *J Pediatr Gastroenterol Nutr* **48**:348, 2009
91. Sprecher E et al: A mutation in SNAP29, coding for a SNARE protein involved in intracellular trafficking, causes a novel neurocutaneous syndrome characterized by cerebral dysgenesis, neuropathy, ichthyosis, and palmoplantar keratoderma. *Am J Hum Genet* **77**:242, 2005
92. Srebrnik A et al: Dorfman-Chanarin syndrome. *J Am Acad Dermatol* **17**:801, 1987
93. Lefevre C et al: Mutations in CGI-58, the gene encoding a new protein of the esterase/lipase/thioesterase subfamily, in Chanarin-Dorfman syndrome. *Am J Hum Genet* **69**:1002, 2001
94. Lass A et al: Adipose triglyceride lipase-mediated lipolysis of cellular fat stores is activated by CGI-58 and defective in Chanarin-Dorfman Syndrome. *Cell Metab* **3**:309, 2006
95. Herman GE: X-Linked dominant disorders of cholesterol biosynthesis in man and mouse. *Biochim Biophys Acta* **1529**:357, 2000
96. Grange DK et al: CHILD syndrome caused by deficiency of 3beta-hydroxysteroid-delta8, delta7-isomerase [letter] [see comments]. *Am J Med Genet* **90**:328, 2000
97. Konig A et al: Mutations in the NSDHL gene, encoding a 3beta-hydroxysteroid dehydrogenase, cause CHILD syndrome. *Am J Med Genet* **90**:339, 2000
98. Herman GE: Disorders of cholesterol biosynthesis: Prototypic metabolic malformation syndromes. *Hum Mol Genet* **12**(Spec No. 1):R75-R88, 2003
99. Happle R: X-linked dominant chondrodysplasia punctata. *Hum Genet* **53**:65, 1979
100. Curry CJ et al: Inherited chondrodysplasia punctata due to a deletion of the terminal short arm of an X chromosome. *N Engl J Med* **311**:1010, 1984
101. Hosenfeld D, Wiedemann HR: Chondrodysplasia punctata in an adult recognized as vitamin K antagonist embryopathy. *Clin Genet* **35**:376, 1989
102. Motley AM et al: Mutational spectrum in the PEX7 gene and functional analysis of mutant alleles in 78 patients with rhizomelic chondrodysplasia punctata type 1. *Am J Hum Genet* **70**:612, 2002
103. Franco B et al: A cluster of sulfatase genes on Xp22.3: Mutations in chondrodysplasia punctata (CDPX) and implications for warfarin embryopathy. *Cell* **81**:15, 1995
104. Kolde G, Happle R: Histologic and ultrastructural features of the ichthyotic skin in X-linked dominant chondrodysplasia punctata. *Acta Derm Venereol (Stockh)* **64**:389, 1984
105. Becker K et al: Identification of a novel mutation in 3beta-hydroxysteroid-Delta8-Delta7-isomerase in a case of Conradi-Hunermann-Happle syndrome. *Exp Dermatol* **10**:286, 2001
106. Kronic AL et al: Congenital reticular ichthyosiform erythroderma-ichthyosis variegata: A case report and review of the literature. *Acta Derm Venereol* **83**:36, 2003
107. Choate KA, Lu Y, Zhou J et al: Mitotic recombination in patients with ichthyosis causes reversion of dominant mutations in KRT10. *Science* **330**(6000):94-97, 2010
108. Rogers M: Erythrokeratodermas: A classification in a state of flux? *Australas J Dermatol* **46**:127, 2005
109. Richard G et al: Genetic heterogeneity in erythrokeratoderma variabilis: Novel mutations in the connexin gene GJB4 (Cx30.3) and genotype-phenotype correlations. *J Invest Dermatol* **120**:601, 2003
110. Degos R, Delzant O, Morival H: Erytheme desquamatif en plaques, congenital et familial (genodermatose nouvelle?). *Bull Soc Fr Dermatol Syphiligr* **54**:442, 1947
111. Landau M et al: Erythrokeratoderma variabilis with erythema gyratum repens-like lesions. *Pediatr Dermatol* **19**:285, 2002
112. Kelly LJ, Kocsard B, Kocsard E: Congenital ichthyosis with erythema anulare centrifugum. A new form of ichthyosis affecting 12 members of a family of 31 in 5 generations. *Dermatologica* **140**:75, 1970
113. Beare JM et al: Atypical erythrokeratoderma with deafness, physical retardation and peripheral neuropathy. *Br J Dermatol* **87**:308, 1972
114. Giroux JM, Barbeau A: Erythrokeratoderma with ataxia. *Arch Dermatol* **106**:183, 1972
115. Richard G et al: Linkage studies in erythrokeratodermias: Fine mapping, genetic heterogeneity and analysis of candidate genes. *J Invest Dermatol* **109**:666, 1997
116. Richard G et al: Mutations in the human connexin gene GJB3 cause erythrokeratoderma variabilis [see comments]. *Nat Genet* **20**:366, 1998
117. Macari F et al: Mutation in the gene for connexin 30.3 in a family with erythrokeratoderma variabilis. *Am J Hum Genet* **67**:1296, 2000

118. Darier MJ: Erythro-kératodermie verruqueuse en nappes, symétrique et progressive. *Bull Soc Fr Dermatol Syphiligr* 22:252, 1911
119. Ruiz-Maldonado R et al: Erythrokeratoderma progressiva symmetrica: Report of 10 cases. *Dermatologica* 164:133, 1982
120. Ishida-Yamamoto A et al: The molecular pathology of progressive symmetric erythrokeratoderma: A frameshift mutation in the loricrin gene and perturbations in the cornified cell envelope. *Am J Hum Genet* 61:581, 1997
121. van Steensel M: Does progressive symmetric erythrokeratoderma exist? *Br J Dermatol* 150:1043, 2004
122. van Steensel MA et al: The missense mutation G12D in connexin30.3 can cause both erythrokeratoderma variabilis of Mendes da Costa and progressive symmetric erythrokeratoderma of Gottron. *Am J Med Genet A* 149A:657, 2009
123. Eramo LR et al: Ichthyosis follicularis with alopecia and photophobia. *Arch Dermatol* 121:1167, 1985
124. Megarbane H et al: Ichthyosis follicularis, alopecia, and photophobia (IFAP) syndrome: Report of a new family with additional features and review. *Am J Med Genet A* 124:323, 2004
125. Happle R: What is IFAP syndrome? *Am J Med Genet A* 124:328, 2004
126. Oeffner F et al: IFAP syndrome is caused by deficiency in MBTPS2, an intramembrane zinc metalloprotease essential for cholesterol homeostasis and ER stress response. *Am J Hum Genet* 84:459, 2009
127. Bygum A, Westermark P, Brandrup F: Ichthyosis prematurity syndrome: A well-defined congenital ichthyosis subtype. *J Am Acad Dermatol* 59:S71-S74, 2008
128. Klar J et al: Mutations in the fatty acid transport protein 4 gene cause the ichthyosis prematurity syndrome. *Am J Hum Genet* 85:248, 2009
129. Caceres-Rios H et al: Keratitis, ichthyosis, and deafness (KID syndrome): Review of the literature and proposal of a new terminology. *Pediatr Dermatol* 13:105, 1996
130. Maestrini E et al: A missense mutation in connexin26, D66H, causes mutilating keratoderma with sensorineural deafness (Vohwinkel's syndrome) in three unrelated families. *Hum Mol Genet* 8:1237, 1999
131. Jan AY et al: Genetic heterogeneity of KID syndrome: Identification of a Cx30 gene (GJB6) mutation in a patient with KID syndrome and congenital atrichia. *J Invest Dermatol* 122:1108, 2004
132. Dahlqvist J et al: A single-nucleotide deletion in the POMP 5' UTR causes a transcriptional switch and altered epidermal proteasome distribution in KLICK genodermatosis. *Am J Hum Genet* 86:596, 2010
133. Montpetit A et al: Disruption of AP1S1, causing a novel neurocutaneous syndrome, perturbs development of the skin and spinal cord. *PLoS Genet* 4:e1000296, 2008
134. Soong BW et al: Multiple sulfatase deficiency. *Neurology* 38:1273, 1988
135. Schmidt B et al: A novel amino acid modification in sulfatases that is defective in multiple sulfatase deficiency. *Cell* 82:271, 1995
136. Dierks T et al: Multiple sulfatase deficiency is caused by mutations in the gene encoding the human C(alpha)-formylglycine generating enzyme. *Cell* 113:435, 2003
137. Cosma MP et al: The multiple sulfatase deficiency gene encodes an essential and limiting factor for the activity of sulfatases. *Cell* 113:445, 2003
138. Baala L et al: Homozygosity mapping of a locus for a novel syndromic ichthyosis to chromosome 3q27-q28. *J Invest Dermatol* 119:70, 2002
139. Hadj-Rabia S et al: Claudin-1 gene mutations in neonatal sclerosing cholangitis associated with ichthyosis: A tight junction disease. *Gastroenterology* 127:1386, 2004
140. Aras N et al: Peeling skin syndrome. *J Am Acad Dermatol* 30:135, 1994
141. Silverman AK et al: Continual skin peeling syndrome. An electron microscopic study. *Arch Dermatol* 122:71, 1986
142. Hashimoto K et al: Acral peeling skin syndrome. *J Am Acad Dermatol* 43:1112, 2000
143. Cassidy AJ et al: A homozygous missense mutation in TGM5 abolishes epidermal transglutaminase 5 activity and causes acral peeling skin syndrome. *Am J Hum Genet* 77:909, 2005
144. Mevorah B et al: Peeling skin syndrome with hair changes. *Dermatology* 197:373, 1998
145. Komatsu N et al: Elevated human tissue kallikrein levels in the stratum corneum and serum of peeling skin syndrome-type B patients suggests an over-desquamation of corneocytes. *J Invest Dermatol* 126(10):2338-2342, 2006

146. Davies MG et al: Epidermal abnormalities in Refsum's disease. *Br J Dermatol* **97**:401, 1977
147. Kitareewan S et al: Phytol metabolites are circulating dietary factors that activate the nuclear receptor RXR. *Mol Biol Cell* **7**:1153, 1996
148. Jansen GA et al: Refsum disease is caused by mutations in the phytanoyl-CoA hydroxylase gene. *Nat Genet* **17**:190, 1997
149. Wanders RJ, Jansen GA, Skjeldal OH: Refsum disease, peroxisomes and phytanic acid oxidation: A review. *J Neuropathol Exp Neurol* **60**:1021, 2001
150. Jansen GA, Waterham HR, Wanders RJ: Molecular basis of Refsum disease: Sequence variations in phytanoyl-CoA hydroxylase (PHYH) and the PTS2 receptor (PEX7). *Hum Mutat* **23**:209, 2004
151. Jagell S, Liden S: Ichthyosis in the Sjogren-Larsson syndrome. *Clin Genet* **21**:243, 1982
152. Rizzo WB, Lin Z, Carney G: Fatty aldehyde dehydrogenase: Genomic structure, expression and mutation analysis in Sjogren-Larsson syndrome. *Chem Biol Interact* **130-132**:297, 2001
153. DeLaurenzi V et al: Sjögren-Larsson syndrome is caused by mutations in the fatty aldehyde dehydrogenase gene. *Nat Genet* **12**:52, 1996
154. Rizzo WB, Carney G: Sjogren-Larsson syndrome: Diversity of mutations and polymorphisms in the fatty aldehyde dehydrogenase gene (ALDH3A2). *Hum Mutat* **26**:1, 2005
155. Nigro JF, Rizzo WB, Esterly NB: Redefining the Sjogren-Larsson syndrome: Atypical findings in three siblings and implications regarding diagnosis. *J Am Acad Dermatol* **35**:678, 1996
156. Price VH et al: Trichothiodystrophy: Sulfur-deficient brittle hair as a marker for a neuroectodermal symptom complex. *Arch Dermatol* **116**:1375, 1980
157. Liang C et al: Characterization of tiger-tail banding and hair shaft abnormalities in trichothiodystrophy. *J Am Acad Dermatol* **52**:224, 2005
158. Liang C et al: Structural and molecular hair abnormalities in trichothiodystrophy. *J Invest Dermatol* **126**:2210, 2006
159. Faghri S et al: Trichothiodystrophy: A systematic review of 112 published cases characterises a wide spectrum of clinical manifestations. *J Med Genet* **45**:609, 2008
160. Happel R et al: The Tay syndrome (congenital ichthyosis with trichothiodystrophy). *Eur J Pediatr* **141**:147, 1984
161. Jorizzo JL et al: Ichthyosis, brittle hair, impaired intelligence, decreased fertility and short stature (IBIDS syndrome). *Br J Dermatol* **106**:705, 1982
162. Rebora A, Crovato F: PIBI(D)S syndrome – Trichothiodystrophy with xeroderma pigmentosum (group D) mutation. *J Am Acad Dermatol* **16**:940, 1987
163. Nakabayashi K et al: Identification of C7orf11 (TTDN1) gene mutations and genetic heterogeneity in nonphotosensitive trichothiodystrophy. *Am J Hum Genet* **76**:510, 2005
164. Okulicz JF, Schwartz RA: Hereditary and acquired ichthyosis vulgaris. *Int J Dermatol* **42**:95, 2003
165. Patel N et al: Acquired ichthyosis. *J Am Acad Dermatol* **55**:647, 2006
166. Schwartz RA, Williams ML: Acquired ichthyosis: A marker for internal disease. *Am Fam Physician* **29**:181, 1984
167. Hodak E et al: Ichthyosiform mycosis fungoides: An atypical variant of cutaneous T-cell lymphoma. *J Am Acad Dermatol* **50**:368, 2004
168. Goodman DS et al: Prevalence of cutaneous disease in patients with acquired immunodeficiency syndrome (AIDS) or AIDS-related complex. *J Am Acad Dermatol* **17**:210, 1987
169. Kaplan MH et al: Acquired ichthyosis in concomitant HIV-1 and HTLV-II infection: A new association with intravenous drug abuse. *J Am Acad Dermatol* **29**:701, 1993
170. Feind-Koopmans AG, Lucker GP, van de Kerkhof PC: Acquired ichthyosiform erythroderma and sarcoidosis. *J Am Acad Dermatol* **35**:826, 1996
171. Humbert P, Agache P: Acquired ichthyosis: A new cutaneous marker of autoimmunity. *Arch Dermatol* **127**:263, 1991
172. Cruz-Alvarez J, Allegue F, Oliver J: Acquired ichthyosis associated with eosinophilic fasciitis. *J Am Acad Dermatol* **34**:1079, 1996
173. Spelman LJ et al: Acquired ichthyosis in bone marrow transplant recipients. *J Am Acad Dermatol* **35**:17, 1996
174. Greist MC, Epinette WW: Cimetidine-induced xerosis and asteatotic dermatitis. *Arch Dermatol* **118**:253, 1982
175. Caver CV: Clofazimine-induced ichthyosis and its treatment. *Cutis* **29**:341, 1982
176. Kumar B, Saraswat A, Kaur I: Mucocutaneous adverse effects of hydroxyurea: A prospective study of 30 psoriasis patients. *Clin Exp Dermatol* **27**:8, 2002
177. Williams ML et al: Ichthyosis induced by cholesterol-lowering drugs. Implications for epidermal cholesterol homeostasis. *Arch Dermatol* **123**:1535, 1987

178. Baykal C, Kormkalmaz Y, Kavak A: Lovastatin-induced, acquired ichthyosis. *Eur J Dermatol* 6:581, 1996
179. Norton SA, Ruze P: Kava dermopathy. *J Am Acad Dermatol* 31:89, 1994
180. Grimalt R et al: Pityriasis rotunda: Report of a familial occurrence and review of the literature. *J Am Acad Dermatol* 31:866, 1994
181. Montemarano AD et al: Confluent and reticulated papillomatosis: Response to minocycline. *J Am Acad Dermatol* 34:253, 1996
182. Davis MD, Weenig RH, Camilleri MJ: Confluent and reticulate papillomatosis (Gougerot-Carteaud syndrome): A minocycline-responsive dermatosis without evidence for yeast in pathogenesis. A study of 39 patients and a proposal of diagnostic criteria. *Br J Dermatol* 154:287, 2006
183. Fleckman P: Management of the ichthyoses. *Skin Therapy Lett* 8:3, 2003
184. DiGiovanna JJ, Robinson-Bostom L: Ichthyosis: Etiology, diagnosis, and management. *Am J Clin Dermatol* 4:81, 2003
185. Germann R et al: [Life threatening salicylate poisoning caused by percutaneous absorption in severe ichthyosis vulgaris]. *Hautarzt* 47:624, 1996
186. Nguyen V et al: Treatment of ichthyosiform diseases with topically applied tazarotene: Risk of systemic absorption. *J Am Acad Dermatol* 57:S123-S125, 2007
187. Moskowitz DG et al: Pathophysiologic basis for growth failure in children with ichthyosis: An evaluation of cutaneous ultrastructure, epidermal permeability barrier function, and energy expenditure. *J Pediatr* 145:82, 2004
188. Verfaillie CJ et al: Oral liarozole vs. acitretin in the treatment of ichthyosis: A phase II/III multicentre, double-blind, randomized, active-controlled study. *Br J Dermatol* 156:965, 2007
189. Fassih H, McGrath JA: Prenatal diagnosis of epidermolysis bullosa. *Dermatol Clin* 28:231, viii, 2010
190. Tabor A, Alfirevic Z: Update on procedure-related risks for prenatal diagnosis techniques. *Fetal Diagn Ther* 27:1, 2010
191. Lebo RV et al: Prenatal in situ hybridization test for deleted steroid sulfatase gene. *Am J Med Genet* 46:652, 1993
192. Sarasin A et al: Prenatal diagnosis in a subset of trichothiodystrophy patients defective in DNA repair. *Br J Dermatol* 127:485, 1992