

# Chapter 50

## Inherited Palmoplantar Keratodermas

Mozheh Zamiri, Maurice A. M. van Steensel,  
& Colin S. Munro

### REFERENCES

1. Irvine AD, McLean WH: Human keratin diseases: The increasing spectrum of disease and subtlety of the phenotype-genotype correlation. *Br J Dermatol* **140**:815, 1999
2. Itin PH, Fistarol SK: Palmoplantar keratodermas. *Clin Dermatol* **23**:15, 2005
3. Lane EB, McLean WH: Keratins and skin disorders. *J Pathol* **204**:355, 2004
4. Richard G: Connexin disorders of the skin. *Clin Dermatol* **23**:23, 2005
5. Laird DW: Life cycle of connexins in health and disease. *Biochem J* **394**:527, 2006
6. Lai-Cheong JE, Arita K, McGrath JA: Genetic diseases of junctions. *J Invest Dermatol* **127**:2713, 2007
7. Moll R, Divo M, Langbein L: The human keratins: Biology and pathology. *Histochem Cell Biol* **129**:705, 2008
8. Leachman SA et al: First-in-human mutation-targeted siRNA phase Ib trial of an inherited skin disorder. *Mol Ther* **18**:442, 2009
9. Covello SP et al: Mutations in keratin K9 in kindreds with epidermolytic palmoplantar keratoderma and epidemiology in Northern Ireland. *J Invest Dermatol* **111**:1207, 1998
10. Swensson O, Eady RA: Morphology of the keratin filament network in palm and sole skin: Evidence for site-dependent features based on stereological analysis. *Arch Dermatol Res* **288**:55, 1996
11. Swensson O et al: Specialized keratin expression pattern in human ridged skin as an adaptation to high physical stress. *Br J Dermatol* **139**:767, 1998
12. Takahashi K, Paladini RD, Coulombe PA: Cloning and characterization of multiple human genes and cDNAs encoding highly related type II keratin 6 isoforms. *J Biol Chem* **270**:18581, 1995
13. Ogawa F et al: Olmsted syndrome with squamous cell carcinoma of extremities and adenocarcinoma of the lung: Failure to detect loricrin gene mutation. *Eur J Dermatol* **13**:524, 2003
14. Kellner JC, Coulombe PA: Keratins and protein synthesis: The plot thickens. *J Cell Biol* **187**:157, 2009
15. Gu LH, Coulombe PA: Keratin function in skin epithelia: A broadening palette with surprising shades. *Curr Opin Cell Biol* **19**:13, 2007
16. Russell D, Ross H, Lane EB: ERK involvement in resistance to apoptosis in keratinocytes with mutant keratin. *J Invest Dermatol* **130**:671, 2010
17. Bohnert A, Anton-Lamprecht I: Richner-Hanhart's syndrome: Ultrastructural abnormalities of epidermal keratinization indicating a causal relationship to high intracellular tyrosine levels. *J Invest Dermatol* **79**:68, 1982
18. Lamartine J et al: Mutations in GJB6 cause hidrotic ectodermal dysplasia. *Nat Genet* **26**:142, 2000
19. Nemoto-Hasebe I et al: Novel mutation p.Gly59Arg in GJB6 encoding connexin 30 underlies palmoplantar keratoderma with pseudoainhum, knuckle pads and hearing loss. *Br J Dermatol* **161**:452, 2009
20. Paznekas WA et al: Connexin 43 (GJA1) mutations cause the pleiotropic phenotype of oculodentodigital dysplasia. *Am J Hum Genet* **72**:408, 2003
21. Laird DW: Closing the gap on autosomal dominant connexin-26 and connexin-43 mutants linked to human disease. *J Biol Chem* **283**:2997, 2008
22. Tattersall D et al: EKV mutant connexin 31 associated cell death is mediated by ER stress. *Hum Mol Genet* **18**:4734, 2009
23. Schmuth M et al: Structural and functional consequences of loricrin mutations in human loricrin keratoderma (Vohwinkel syndrome with ichthyosis). *J Invest Dermatol* **122**:909, 2004
24. Korge BP et al: Loricrin mutation in Vohwinkel's keratoderma is unique to the variant with ichthyosis. *J Invest Dermatol* **109**:604, 1997
25. Ishida-Yamamoto A: Loricrin keratoderma: A novel disease entity characterized by nuclear accumulation of mutant loricrin. *J Dermatol Sci* **31**:3, 2003

26. Suga Y et al: Transgenic mice expressing a mutant form of lorycin reveal the molecular basis of the skin diseases, Vohwinkel syndrome and progressive symmetric erythrokeratoderma. *J Cell Biol* 151:401, 2000
27. Toomes C et al: Loss-of-function mutations in the cathepsin C gene result in periodontal disease and palmoplantar keratosis. *Nat Genet* 23:421, 1999
28. Rao NV, Rao GV, Hoidal JR: Human dipeptidyl-peptidase I. Gene characterization, localization, and expression. *J Biol Chem* 272:10260, 1997
29. Pham CT et al: Papillon-Lefevre syndrome: correlating the molecular, cellular, and clinical consequences of cathepsin C/dipeptidyl peptidase I deficiency in humans. *J Immunol* 173:7277, 2004
30. Ryu OH et al: Proteolysis of macrophage inflammatory protein-1alpha isoforms LD78beta and LD78alpha by neutrophil-derived serine proteases. *J Biol Chem* 280:17415, 2005
31. Chimienti F et al: Identification of SLURP-1 as an epidermal neuromodulator explains the clinical phenotype of Mal de Meleda. *Hum Mol Genet* 12:3017, 2003
32. Arredondo J et al: Biological effects of SLURP-1 on human keratinocytes. *J Invest Dermatol* 125:1236, 2005
33. Horiguchi K et al: Expression of SLURP-1, an endogenous alpha7 nicotinic acetylcholine allosteric ligand, in murine bronchial epithelial cells. *J Neurosci Res* 87:2740, 2009
34. Sprecher E et al: A mutation in SNAP29, coding for a SNARE protein involved in intracellular trafficking, causes a novel neurocutaneous syndrome characterized by cerebral dysgenesis, neuropathy, ichthyosis, and palmoplantar keratoderma. *Am J Hum Genet* 77:242, 2005
35. Montpetit A et al: Disruption of AP1S1, causing a novel neurocutaneous syndrome, perturbs development of the skin and spinal cord. *PLoS Genet* 4:e1000296, 2008
36. Dahlqvist J et al: A single-nucleotide deletion in the POMP 5' UTR causes a transcriptional switch and altered epidermal proteasome distribution in KLICK genodermatosis. *Am J Hum Genet* 86(4):596-603, 2010.
37. Emmert S et al: 47 patients in 14 families with the rare genodermatosis keratosis punctata palmoplantaris Buschke-Fischer-Brauer. *Eur J Dermatol* 13:16, 2003
38. Stevens HP et al: Punctate palmoplantar keratoderma and malignancy in a four-generation family. *Br J Dermatol* 134:720, 1996
39. Bennion SD, Patterson JW: Keratosis punctata palmaris et plantaris and adenocarcinoma of the colon. A possible familial association of punctate keratoderma and gastrointestinal malignancy. *J Am Acad Dermatol* 10:587, 1984
40. Gao M et al: Refined localization of a punctate palmoplantar keratoderma gene to a 5.06-cM region at 15q22.2-15q22.31. *Br J Dermatol* 152:874, 2005
41. Zhang XJ et al: Identification of a locus for punctate palmoplantar keratodermas at chromosome 8q24.13-8q24.21. *J Invest Dermatol* 122:1121, 2004
42. Reis A et al: Keratin 9 gene mutations in epidermolytic palmoplantar keratoderma (EPPK). *Nat Genet* 6:174, 1994
43. Terron-Kwiatkowski A et al: Mutation S233L in the 1B domain of keratin 1 causes epidermolytic palmoplantar keratoderma with "tonotubular" keratin. *J Invest Dermatol* 126:607, 2006
44. McGrath JA et al: Epidermolysis bullosa simplex (Dowling-Meara). A clinicopathological review. *Br J Dermatol* 126:421, 1992
45. Kuster W, Becker A: Indication for the identity of palmoplantar keratoderma type Unna-Thost with type Vorner. Thost's family revisited 110 years later. *Acta Derm Venereol* 72:120, 1992
46. Kimonis V et al: A mutation in the V1 end domain of keratin 1 in non-epidermolytic palmar-plantar keratoderma. *J Invest Dermatol* 103:764, 1994
47. Lind L et al: The gene for diffuse palmoplantar keratoderma of the type found in northern Sweden is localized to chromosome 12q11-q13. *Hum Mol Genet* 3:1789, 1994
48. Kelsell DP et al: Fine genetic mapping of diffuse non-epidermolytic palmoplantar keratoderma to chromosome 12q11-q13: Exclusion of the mapped type II keratins. *Exp Dermatol* 8:388, 1999
49. Wilson NJ et al: Keratin K6c mutations cause focal palmoplantar keratoderma. *J Invest Dermatol* 130:425, 2010
50. Shamsher MK et al: Novel mutations in keratin 16 gene underly focal non-epidermolytic palmoplantar keratoderma (NEPPK) in two families. *Hum Mol Genet* 4:1875, 1995
51. Wan H et al: Striate palmoplantar keratoderma arising from desmoplakin and desmoglein 1 mutations is associated with contrasting perturbations of desmosomes and the keratin filament network. *Br J Dermatol* 150:878, 2004

52. Bergman R et al: Disadhesion of epidermal keratinocytes: A histologic clue to palmoplantar keratodermas caused by DSG1 mutations. *J Am Acad Dermatol* **62**:107, 2009
53. Dua-Awereh MB et al: Mutations in the desmoglein 1 gene in five Pakistani families with palmoplantar keratoderma. *J Dermatol Sci* **53**:192, 2009
54. McGrath JA: Hereditary diseases of desmosomes. *J Dermatol Sci* **20**:85, 1999
55. Whittock NV et al: Frameshift mutation in the V2 domain of human keratin 1 results in striate palmoplantar keratoderma. *J Invest Dermatol* **118**:838, 2002
56. Camisa C: Keratoderma hereditaria mutilans or Vohwinkel's syndrome. *J Am Acad Dermatol* **14**:512, 1986
57. Matsumoto K et al: Loricrin keratoderma: A cause of congenital ichthyosiform erythroderma and collodion baby. *Br J Dermatol* **145**:657, 2001
58. Gedicke MM et al: Towards characterization of palmoplantar keratoderma caused by gain-of-function mutation in loricrin: Analysis of a family and review of the literature. *Br J Dermatol* **154**:167, 2006
59. Maestrini E et al: A molecular defect in loricrin, the major component of the cornified cell envelope, underlies Vohwinkel's syndrome. *Nat Genet* **13**:70, 1996
60. Armstrong DK, McKenna KE, Hughes AE: A novel insertional mutation in loricrin in Vohwinkel's Keratoderma. *J Invest Dermatol* **111**:702, 1998
61. Takahashi H et al: Loricrin gene mutation in a Japanese patient of Vohwinkel's syndrome. *J Dermatol Sci* **19**:44, 1999
62. O'Driscoll J et al: A recurrent mutation in the loricrin gene underlies the ichthyotic variant of Vohwinkel syndrome. *Clin Exp Dermatol* **27**:243, 2002
63. Song S et al: A novel c.545-546insG mutation in the loricrin gene correlates with a heterogeneous phenotype of loricrin keratoderma. *Br J Dermatol* **159**:714, 2008
64. Drera B et al: De novo occurrence of the 730insG recurrent mutation in an Italian family with the ichthyotic variant of Vohwinkel syndrome, loricrin keratoderma. *Clin Genet* **73**:85, 2008
65. Huriez C et al: Une genodysplasie non encore individualisee: la genodermatose sclero-atrophique et keratodermique des extremités frequemment degenerative. *Sem Hop Paris* **44**:481, 1968
66. Patrizi A, Di Lernia V, Patrone P: Palmoplantar keratoderma with sclerodactyly (Huriez syndrome). *J Am Acad Dermatol* **26**:855, 1992
67. Delaporte E et al: Keratoderma with scleroatrophy of the extremities or sclerolyosis (Huriez syndrome): A reappraisal. *Br J Dermatol* **133**:409, 1995
68. Hamm H et al: The scleroatrophic syndrome of Huriez: A cancer-prone genodermatosis. *Br J Dermatol* **134**:512, 1996
69. Lucker GP, Zeedijk N, Steijlen PM: The Huriez syndrome. Scleroatrophic palmoplantar keratoderma. *Eur J Dermatol* **7**:155, 1997
70. Kavanagh GM et al: The scleroatrophic syndrome of Huriez. *Br J Dermatol* **137**:114, 1997
71. Lee YA et al: A gene for an autosomal dominant scleroatrophic syndrome predisposing to skin cancer (Huriez syndrome) maps to chromosome 4q23. *Am J Hum Genet* **66**:326, 2000
72. Guerriero C et al: Huriez syndrome: Case report with a detailed analysis of skin dendritic cells. *Br J Dermatol* **143**:1091, 2000
73. Bouadjar B et al: Clinical and genetic studies of 3 large, consanguineous, Algerian families with Mal de Meleda. *Arch Dermatol* **136**:1247, 2000
74. Favre B et al: SLURP1 is a late marker of epidermal differentiation and is absent in Meleda. *J Invest Dermatol* **127**:301, 2007
75. Moriwaki Y et al: Primary sensory neuronal expression of SLURP-1, an endogenous nicotinic acetylcholine receptor ligand. *Neurosci Res* **64**:403, 2009
76. Kastl I, Anton-Lamprecht I, Gamborg Nielsen P: Hereditary palmoplantar keratosis of the Gamborg Nielsen type. Clinical and ultrastructural characteristics of a new type of autosomal recessive palmoplantar keratosis. *Arch Dermatol Res* **282**:363, 1990
77. Kabashima K et al: "Nagashima-type" keratosis as a novel entity in the palmoplantar keratoderma category. *Arch Dermatol* **144**:375, 2008
78. Nielsen PG: Hereditary palmoplantar keratoderma and dermatophytosis in the northernmost county of Sweden (Norrbotten). *Acta Derm Venereol Suppl (Stockh)* **188**:1, 1994
79. Lestringant GG et al: Genetic and clinical heterogeneity in transgressive palmoplantar keratoderma. *J Invest Dermatol* **116**:825, 2001
80. Charfeddine C et al: Further evidence of the clinical and genetic heterogeneity of recessive transgressive PPK in the Mediterranean region. *J Hum Genet* **51**:841, 2006

81. Pujol RM et al: Congenital ichthyosiform dermatosis with linear keratotic flexural papules and sclerosing palmoplantar keratoderma. *Arch Dermatol* **125**:103, 1989
82. Vahlquist A, Ponten F, Pettersson A: Keratosis linearis with ichthyosis congenita and sclerosing keratoderma (CLICK-syndrome): A rare, autosomal recessive disorder of keratohyaline formation? *Acta Derm Venereol* **77**:225, 1997
83. Greither A: Circumscribed hereditary keratosis. *Actas Dermosifiliogr* **44**:405, 1953
84. Fluckiger R, Itin PH: Keratosis extremitatum (Greither's disease): Clinical features, histology, ultrastructure. *Dermatology* **187**:309, 1993
85. Kansky A, Arzensek J: Is palmoplantar keratoderma of Greither's type a separate nosologic entity? *Dermatologica* **158**:244, 1979
86. Gach JE et al: Two families with Greither's syndrome caused by a keratin 1 mutation. *J Am Acad Dermatol* **53**:S225, 2005
87. Sybert VP, Dale BA, Holbrook KA: Palmar-plantar keratoderma. A clinical, ultrastructural, and biochemical study. *J Am Acad Dermatol* **18**:75, 1988
88. Feinstein A, Friedman J, Schewach-Millet M: Pachyonychia congenita. *J Am Acad Dermatol* **19**:705, 1988
89. Leachman SA et al: Clinical and pathological features of pachyonychia congenita. *J Investig Dermatol Symp Proc* **10**:3, 2005
90. Mawhinney H, Creswell S, Beare JM: Pachyonychia congenita with candidiasis. *Clin Exp Dermatol* **6**:145, 1981
91. Stieglitz JB, Centerwall WR: Pachyonychia Congenita (Jadassohn-Lewandowsky syndrome): A seventeen-member, four-generation pedigree with unusual respiratory and dental involvement. *Am J Med Genet* **14**:21, 1983
92. Todd P et al: Pachyonychia congenita complicated by hidradenitis suppurativa: A family study. *Br J Dermatol* **123**:663, 1990
93. Wilson NJ et al: A large mutational study in pachyonychia congenita. *J Invest Dermatol* **131**:1013, 2011
94. Fu T et al: Genotype-phenotype correlations among pachyonychia congenita patients with K16 mutation. *J Invest Dermatol* **131**:1025, 2011
95. McLean WHI et al: The phenotypic and molecular genetic features of pachyonychia congenita. *J Invest Dermatol* **131**:1015, 2011
96. Schopf E, Schulz HJ, Passarge E: Syndrome of cystic eyelids, palmo-plantar keratosis, hypodontia and hypotrichosis as a possible autosomal recessive trait. *Birth Defects Orig Artic Ser* **7**:219, 1971
97. Bohring A et al: WNT10A mutations are a frequent cause of a broad spectrum of ectodermal dysplasias with sex-biased manifestation pattern in heterozygotes. *Am J Hum Genet* **85**:97, 2009
98. Castori M et al: Schopf-Schulz-Passarge syndrome: Further delineation of the phenotype and genetic considerations. *Acta Derm Venereol* **88**:607, 2008
99. Nawaz S et al: WNT10A missense mutation associated with a complete odonto-onycho-dermal dysplasia syndrome. *Eur J Hum Genet* **17**:1600, 2009
100. Adaimy L et al: Mutation in WNT10A is associated with an autosomal recessive ectodermal dysplasia: The odonto-onycho-dermal dysplasia. *Am J Hum Genet* **81**:821, 2007
101. van Geel M et al: Phenotypic variability associated with WNT10A nonsense mutations. *Br J Dermatol* **162**(6):1403-1406, 2010
102. Poulin Y, Perry HO, Muller SA: Olmsted syndrome—Congenital palmoplantar and periorificial keratoderma. *J Am Acad Dermatol* **10**:600, 1984
103. Lucker GP, Steijlen PM: The Olmsted syndrome: Mutilating palmoplantar and periorificial keratoderma. *J Am Acad Dermatol* **31**:508, 1994
104. Mevorah B et al: Olmsted syndrome: Mutilating palmoplantar keratoderma with periorificial keratotic plaques. *J Am Acad Dermatol* **53**:S266, 2005
105. Tao J et al: Olmsted syndrome: A case report and review of literature. *Int J Dermatol* **47**:432, 2008
106. Lugassy J et al: Naegeli-Franceschetti-Jadassohn syndrome and dermatopathia pigmentosa reticularis: two allelic ectodermal dysplasias caused by dominant KRT14. *Am J Hum Genet* **79**:724, 2006
107. Siegel DH et al: Loss of kindlin-1, a human homolog of the *Caenorhabditis elegans* actin-extracellular-matrix linker protein UNC-112, causes Kindler syndrome. *Am J Hum Genet* **73**:174, 2003
108. van Steensel MA et al: Clouston syndrome can mimic pachyonychia congenita. *J Invest Dermatol* **121**:1035, 2003
109. Howel-Evans W et al: Carcinoma of the oesophagus with keratosis palmaris et plantaris (tylosis): A study of two families. *Q J Med* **27**:413, 1958
110. Stevens HP et al: Linkage of an American pedigree with palmoplantar keratoderma and malignancy (palmoplantar ectodermal dysplasia

- type III) to 17q24. Literature survey and proposed updated classification of the keratodermas. *Arch Dermatol* **132**:640, 1996
111. Risk JM et al: Characterization of a 500 kb region on 17q25 and the exclusion of candidate genes as the familial Tylosis Oesophageal Cancer (TOC) locus. *Oncogene* **21**:6395, 2002
  112. Etheridge S et al: RHBDF2 mutations in Tylosis with Oesophageal Cancer cause dysregulation of downstream EGF and EphrinB3 signalling. *J Invest Dermatol* **131**:S63, 2011
  113. Hart TC et al: Mutations of the cathepsin C gene are responsible for Papillon-Lefèvre syndrome. *J Med Genet* **36**:881, 1999
  114. Gorlin RJ, Sedano H, Anderson VE: The syndrome of palmar-plantar hyperkeratosis and premature periodontal destruction of the teeth. A clinical and genetic analysis of the Papillon-Lefèvre syndrome. *J Pediatr* **65**:895, 1964
  115. Ullbro C et al: Dermatologic and oral findings in a cohort of 47 patients with Papillon-Lefèvre syndrome. *J Am Acad Dermatol* **48**:345, 2003
  116. Almuneef M et al: Pyogenic liver abscess and Papillon-Lefevre syndrome: Not a rare association. *Pediatrics* **111**:e85, 2003
  117. Hart TC et al: Haim-Munk syndrome and Papillon-Lefevre syndrome are allelic mutations in cathepsin C. *J Med Genet* **37**:88, 2000
  118. Van Steensel MA, Van Geel M, Steijlen PM: New syndrome of hypotrichosis, striate palmoplantar keratoderma, acro-osteolysis and periodontitis not due to mutations in cathepsin C. *Br J Dermatol* **147**:575, 2002
  119. Brun AM, van Steensel MA: A third case of HOPP syndrome—confirmation of the phenotype. *Br J Dermatol* **150**:1032, 2004
  120. Protonotarios N et al: Cardiac abnormalities in familial palmoplantar keratosis. *Br Heart J* **56**:321, 1986
  121. McKoy G et al: Identification of a deletion in plakoglobin in arrhythmogenic right ventricular cardiomyopathy with palmoplantar keratoderma and woolly hair (Naxos disease). *Lancet* **355**:2119, 2000
  122. Protonotarios N et al: Genotype-phenotype assessment in autosomal recessive arrhythmogenic right ventricular cardiomyopathy (Naxos disease) caused by a deletion in plakoglobin. *J Am Coll Cardiol* **38**:1477, 2001
  123. Protonotarios N, Tsatsopoulou A: Naxos disease and Carvajal syndrome: Cardiocutaneous disorders that highlight the pathogenesis and broaden the spectrum of arrhythmogenic right ventricular cardiomyopathy. *Cardiovasc Pathol* **13**:185, 2004
  124. Thiene G, Corrado D, Basso C: Arrhythmogenic right ventricular cardiomyopathy/dysplasia. *Orphanet J Rare Dis* **2**:45, 2007
  125. Bolling MC, Jonkman MF: Skin and heart: une liaison dangereuse. *Exp Dermatol* **18**:658, 2009
  126. Asimaki A et al: A novel dominant mutation in plakoglobin causes arrhythmogenic right ventricular cardiomyopathy. *Am J Hum Genet* **81**:964, 2007
  127. Cabral RM et al: Homozygous mutations in the 5' region of the JUP gene result in cutaneous disease but normal heart development in children. *J Invest Dermatol* **130**(6):1543-1550, 2010
  128. Carvajal-Huerta L: Epidermolytic palmoplantar keratoderma with woolly hair and dilated cardiomyopathy. *J Am Acad Dermatol* **39**:418, 1998
  129. Norgett EE et al: Recessive mutation in desmoplakin disrupts desmoplakin-intermediate filament interactions and causes dilated cardiomyopathy, woolly hair and keratoderma. *Hum Mol Genet* **9**:2761, 2000
  130. Norgett EE et al: Early death from cardiomyopathy in a family with autosomal dominant striate palmoplantar keratoderma and woolly hair associated with a novel insertion mutation in desmoplakin. *J Invest Dermatol* **126**:1651, 2006
  131. Mahoney MY et al: Compound heterozygous desmoplakin mutations result in a phenotype with a combination of myocardial, skin, hair, and enamel abnormalities. *J Invest Dermatol* **130**(4):968-978, 2009
  132. Asimaki A et al: Unique epidermolytic bullous dermatosis with associated lethal cardiomyopathy related to novel desmoplakin mutations. *J Cutan Pathol* **36**:553, 2009
  133. Jonkman MF et al: Loss of desmoplakin tail causes lethal acantholytic epidermolysis bullosa. *Am J Hum Genet* **77**:653, 2005
  134. Simpson MA et al: Homozygous mutation of desmocollin-2 in arrhythmogenic right ventricular cardiomyopathy with mild palmoplantar keratoderma and woolly hair. *Cardiology* **113**:28, 2009
  135. Richard G et al: Functional defects of Cx26 resulting from a heterozygous missense mutation in a family with dominant deaf-mutism and palmoplantar keratoderma. *Hum Genet* **103**:393, 1998

136. Maestrini E et al: A missense mutation in connexin26, D66H, causes mutilating keratoderma with sensorineural deafness (Vohwinkel's syndrome) in three unrelated families. *Hum Mol Genet* **8**:1237, 1999
137. Richard G et al: Expanding the phenotypic spectrum of Cx26 disorders: Bart-Pumphrey syndrome is caused by a novel missense mutation in GJB2. *J Invest Dermatol* **123**:856, 2004
138. de Zwart-Storm EA et al: A novel missense mutation in the second extracellular domain of GJB2, p.Ser183Phe, causes a syndrome of focal palmoplantar keratoderma with. *Am J Pathol* **173**:1113, 2008
139. van Steensel MA: Gap junction diseases of the skin. *Am J Med Genet C Semin Med Genet* **131C**:12, 2004
140. De Zwart-Storm EA, Martin PE, van Steensel MAM: Gap junction diseases of the skin – Novel insights from new mutations. *Exp Rev Dermatol* **4**:455, 2009
141. Vohwinkel KH: Keratoma hereditarium mutilans. *Arch Derm Syphilol* **158**:354, 1929
142. Wigley JEM: A case of hyperkeratosis palmaris et plantaris associated with ainhum-like constrictions of the fingers. *Br J Dermatol* **11**:188, 1929
143. McGibbon DH, Watson RT: Vohwinkel's syndrome and deafness. *J Laryngol Otol* **91**:853, 1977
144. van Geel M et al: HID and KID syndromes are associated with the same connexin 26 mutation. *Br J Dermatol* **146**:938, 2002
145. Richard G et al: Missense mutations in GJB2 encoding connexin-26 cause the ectodermal dysplasia keratitis-ichthyosis-deafness syndrome. *Am J Hum Genet* **70**:1341, 2002
146. Sevier KB et al: Mitochondrial A7445G mutation in two pedigrees with palmoplantar keratoderma and deafness. *Am J Med Genet* **75**:179, 1998
147. Martin L et al: Inherited palmoplantar keratoderma and sensorineural deafness associated with A7445G point mutation in the mitochondrial genome. *Br J Dermatol* **143**:876, 2000
148. Caria H et al: A7445G mtDNA mutation present in a Portuguese family exhibiting hereditary deafness and palmoplantar keratoderma. *J Eur Acad Dermatol Venereol* **19**:455, 2005
149. Maasz A et al: Phenotypic variants of the deafness-associated mitochondrial DNA A7445G mutation. *Curr Med Chem* **15**:1257, 2008
150. Su Q et al: SNAP-29: A general SNARE protein that inhibits SNARE disassembly and is implicated in synaptic transmission. *Proc Natl Acad Sci U S A* **98**:14038, 2001
151. Rabbiosi G et al: Palmoplantar keratoderma and Charcot-Marie-Tooth disease. *Arch Dermatol* **116**:789, 1980
152. Powell FC et al: Keratoderma and spastic paralysis. *Br J Dermatol* **109**:589, 1983
153. Tolmie JL et al: Palmoplantar keratoderma, nail dystrophy, and hereditary motor and sensory neuropathy: An autosomal dominant trait. *J Med Genet* **25**:754, 1988
154. Richner H: Hornhautaffektion bei Keratoma palmare et plantare hereditarium. *Klin Mbl Augenheilk* **100**:580, 1938
155. Hanhart E: Neue Sonderformen von Keratosis palmo-plantaris, u.a. eine regelmaessig-dominante mit systematisierten Lipomen, ferner 2 einfach-rezessive mit Schwachsinn und z.T. mit Hornhautveraenderungen des Auges (Ektodermatosyndrom). *Dermatologica* **94**:286, 1947
156. Goldsmith LA et al: Tyrosinemia with plantar and palmar keratosis and keratitis. *J Pediatr* **83**:798, 1973
157. Goldsmith LA, Reed J: Tyrosine-induced eye and skin lesions. A treatable genetic disease. *JAMA* **236**:382, 1976
158. Rabinowitz LG et al: Painful keratoderma and photophobia: Hallmarks of tyrosinemia type II. *J Pediatr* **126**:266, 1995
159. Scott CR: The genetic tyrosinemias. *Am J Med Genet C Semin Med Genet* **142C**:121, 2006
160. Navsaria HA et al: Ultrastructural changes resulting from keratin-9 gene mutations in two families with epidermolytic palmoplantar keratoderma. *J Invest Dermatol* **104**:425, 1995
161. Wevers A, Kuhn A, Mahrle G: Palmoplantar keratoderma with tonotubular keratin. *J Am Acad Dermatol* **24**:638, 1991
162. Whittock NV et al: Striate palmoplantar keratoderma resulting from desmoplakin haploinsufficiency. *J Invest Dermatol* **113**:940, 1999
163. Armstrong DK et al: Haploinsufficiency of desmoplakin causes a striate subtype of palmoplantar keratoderma. *Hum Mol Genet* **8**:143, 1999
164. Ishida-Yamamoto A et al: Mutant loricrin is not crosslinked into the cornified cell envelope but is translocated into the nucleus in loricrin keratoderma. *J Invest Dermatol* **115**:1088, 2000

165. Swartling C, Vahlquist A: Treatment of pachyonychia congenita with plantar injections of botulinum toxin. *Br J Dermatol* 154:763, 2006
166. Chang Sing Pang AF et al: Successful treatment of keratoderma hereditaria mutilans with an aromatic retinoid. *Arch Dermatol* 117:225, 1981
167. van de Kerkhof PC, van Dooren-Greebe RJ, Steijlen PM: Acitretin in the treatment of mal de Meleda. *Br J Dermatol* 127:191, 1992
168. Bergman R et al: Mal de Meleda keratoderma with pseudoainhum. *Br J Dermatol* 128:207, 1993
169. Osman Y, Daly TJ, Don PC: Spiny keratoderma of the palms and soles. *J Am Acad Dermatol* 26:879, 1992
170. Lienemann AO et al: Treatment of palmoplantar keratoderma with continuous infusion 5-fluorouracil. *Cutis* 73:303, 2004
171. Yancovitz M et al: Keratosis punctata palmaris et plantaris treated with topical fluorouracil. *Arch Dermatol* 142:1074, 2006
172. Farina R: Plastic surgery for the management of palmoplantar keratoderma (palmoplantoneoplasty). *Aesthetic Plast Surg* 11:249, 1987
173. Tropet Y et al: Surgical treatment of epidermolytic hereditary palmoplantar keratoderma. *J Hand Surg Am* 14:143, 1989
174. Atherton DJ, Sutton C, Jones BM: Mutilating palmoplantar keratoderma with periorificial keratotic plaques (Olmsted's syndrome). *Br J Dermatol* 122:245, 1990
175. Bedard MS et al: Palmoplantar keratoderma and skin grafting: postsurgical long-term two cases with Olmsted syndrome. *Pediatr Dermatol* 25:223, 2008
176. Nusbaum AG et al: Excision and grafting of palmoplantar keratoderma. *J Craniofac Surg* 20:2241, 2009
177. Sinha M, Watson SB: Keratoderma hereditarium mutilans (Vohwinkel syndrome). *J Hand Surg Eur Vol* 34:235, 2009
178. Bolling MC et al: Acquired palmoplantar keratoderma and immunobullous disease associated with antibodies to desmocollin 3. *Br J Dermatol* 157:168, 2007