

Chapter 59

Pemphigoid Gestationis (Herpes Gestationis)

Jeff K. Shornick

REFERENCES

1. Ambros-Rudolph C et al: The specific dermatoses of pregnancy revisited and reclassified: Results of a retrospective two-center study on 505 pregnant patients. *J Am Acad Dermatol* **54**:395, 2006 [PMID: 16488288]
2. Holmes RC et al: A comparative study of toxic erythema of pregnancy and herpes gestationis. *Br J Dermatol* **106**:499, 1982 [PMID: 7041949]
3. Shornick JK et al: Herpes gestationis: Clinical and histologic features of twenty-eight cases. *J Am Acad Dermatol* **8**:214, 1983 [PMID: 6338065]
4. Shornick JK et al: Herpes gestationis in blacks. *Arch Dermatol* **120**:511, 1984 [PMID: 6367670]
5. Sitaru C et al: Immunoblotting and enzyme-linked immunosorbent assay for the diagnosis of pemphigoid gestationis. *Obstet Gynecol* **103**:757, 2004 [PMID: 15051570]
6. Kelly SE, et al: The distribution of IgG subclasses in pemphigoid gestationis: PG factor is an IgG1 autoantibody. *J Invest Dermatol* **92**:695, 1989 [PMID: 2654296]
7. Hacker-Foegen M et al: T cell receptor gene usage of BP180-specific T lymphocytes from patients with bullous pemphigoid and pemphigoid gestationis. *Clin Immunol* **113**:179, 2004 [PMID: 15451475]
8. Guidice GJ, Emery DJ, Diaz LA: Cloning and primary structural analysis of the bullous pemphigoid autoantigen, BP-180. *J Invest Dermatol* **99**:234, 1992
9. Guidice GJ et al: Bullous pemphigoid and herpes gestationis autoantibodies recognize a common non-collagenous site on the BP180 ectodomain. *J Immunol* **151**:5742, 1993
10. Sitaru C et al: Autoantibodies to bullous pemphigoid antigen 180 induce dermal-epidermal separation in cryo-sections of human skin. *J Invest Dermatol* **118**:664, 2002 [PMID: 11918714]
11. Iwata H et al: IgG from patients with bullous pemphigoid depletes cultured keratinocytes of the BP180-kDa bullous pemphigoid antigen (type XVII collagen and weakens cell attachment. *J Invest Derm* **129**:919, 2009
12. Liu Z et al: A passive transfer model of the organ-specific auto-immune disease, bullous pemphigoid, using antibodies generated against the hemidesmosomal antigen, BP180. *J Clin Invest* **92**:2480, 1993 [PMID: 7693763]
13. Yamamoto K et al: Cloning of hamster type XVII collagen cDNA and pathogenesis of anti-type XVII collagen antibody and complement in hamster bullous pemphigoid. *J Invest Dermatol* **118**:485, 2002 [PMID: 11874488]
14. Diaz LA et al: Isolation of a human epidermal cDNA corresponding to the 180 kD autoantigen recognized by bullous pemphigoid and herpes gestationis sera. Immunolocalization of this protein to the hemidesmosome. *J Clin Invest* **86**:1088, 1990 [PMID: 1698819]
15. Morrison LH et al: Herpes gestationis autoantibodies recognize a 180-kD human epidermal antigen. *J Clin Invest* **81**:2023, 1988 [PMID: 3290259]
16. Sawamura D et al: Bullous pemphigoid antigen: cDNA cloning and mapping of the gene to the short arm of human chromosome 6. *Genomics* **8**:722, 1990 [PMID: 2276744]
17. Sawamura D et al: Human bullous pemphigoid antigen (BPAG1): Amino acid sequence deduced from cloned cDNAs predicts biologically important peptide segments and protein domains. *J Biol Chem* **266**:17784, 1991 [PMID: 1717441]
18. Mutasim DF et al: A pool of bullous pemphigoid antigen(s) is intracellular and associated with the basal cell cytoskeleton-hemidesmosome complex. *J Invest Dermatol* **84**:47, 1985 [PMID: 3880796]
19. Tanaka T et al: Comparison of molecularly cloned bullous pemphigoid antigen to desmoplakin I confirms that they define a new family of cell adhesion junction plaque protein. *J Cell Biol* **266**:1255, 1991
20. Li K et al: Genomic organization of collagenous domains and chromosomal assignment of human 180kD bullous pemphigoid antigen (BPAG2), a novel collagen of stratified squamous epithelium. *J Biol Chem* **266**:24064, 1991 [PMID: 1748679]

21. Giudice GJ et al: Identification of two collagen domains within the bullous pemphigoid auto-antigen, BP180. *J Clin Invest* **87**:734, 1991 [PMID: 1846881]
22. Shornick JK, Stastny P, Gilliam JN: High frequency of histocompatibility antigens HLA-DR3 and DR4 in herpes gestationis. *J Clin Invest* **68**:553, 1981 [PMID: 7021595]
23. Shornick JK et al: Complement polymorphisms in herpes gestationis (pemphigoid gestationis): Association with C4 null allele. *J Am Acad Dermatol* **29**:545, 1993 [PMID: 8408788]
24. Shornick JK, Stastny P, Gilliam JN: Paternal histocompatibility (HLA) antigens and maternal anti-HLA antibodies in herpes gestationis. *J Invest Dermatol* **81**:407, 1983 [PMID: 6355306]
25. Shornick JK et al: Anti-HLA antibodies in pemphigoid gestationis (herpes gestationis). *Br J Dermatol* **129**:257, 1993 [PMID: 8286221]
26. Ortonne JP et al: Herpes gestationis factor reacts with the amniotic epithelial basement membrane. *Br J Dermatol* **117**:147, 1987 [PMID: 3307892]
27. Kelly SE et al: Expression of a pemphigoid gestationis-related antigen by human placenta. *Br J Dermatol* **118**:605, 1988 [PMID: 3293646]
28. Borthwick GM et al: Abnormal expression of HLA-DR antigen in the placenta of a patient with pemphigoid gestationis. *J Reprod Immunol* **6**:393, 1984 [PMID: 6394752]
29. Kelly SE, Black MM, Fleming S: Antigen-presenting cells in the skin and placenta in pemphigoid gestationis. *Br J Dermatol* **122**:593, 1990 [PMID: 2191709]
30. Kelly SE, Black MM, Fleming S: Pemphigoid gestationis: A unique mechanism of initiation of an autoimmune response by MHC class II molecules? *J Pathol* **158**:81, 1989 [PMID: 2666624]
31. Tindall JG et al: Herpes gestationis in association with hydatidiform mole: Immunopathologic studies. *Arch Dermatol* **117**:510, 1981 [PMID: 7020607]
32. Slazinski L, Degefu S: Herpes gestationis associated with choriocarcinoma. *Arch Dermatol* **118**:425, 1982 [PMID: 7046639]
33. Shornick JK, Black MM: Fetal risks in herpes gestationis. *J Am Acad Dermatol* **26**:63, 1992 [PMID: 1732338]
34. Holmes RC, Black MM: The specific dermatosis of pregnancy: A reappraisal with special emphasis on a proposed simplified clinical classification. *Clin Exp Dermatol* **7**:65, 1982 [PMID: 7094407]
35. Shornick JK, Black MM: Secondary autoimmune diseases in herpes gestationis (pemphigoid gestationis). *J Am Acad Dermatol* **26**:563, 1992 [PMID: 1597542]
36. Holmes RC et al: Clues to the aetiology and pathogenesis of herpes gestationis. *Br J Dermatol* **109**:131, 1983 [PMID: 6347235]

Chapter 60

Epidermolysis Bullosa Acquisita

David T. Woodley & Mei Chen

REFERENCES

1. Gammon WR et al: Increased frequency of HLA DR2 in patients with autoantibodies to EBA antigen: Evidence that the expression of autoimmunity to type VII collagen is HLA class II allele associated. *J Invest Dermatol* **91**:228, 1988 [PMID: 3137269]
2. Yaoita H et al: Epidermolysis bullosa acquisita: Ultrastructural and immunological studies. *J Invest Dermatol* **76**:288, 1981 [PMID: 7009764]
3. Woodley DT et al: Identification of the skin basement membrane autoantigen in epidermolysis bullosa acquisita. *N Engl J Med* **310**:1007, 1984 [PMID: 6369131]
4. Woodley DT et al: The epidermolysis bullosa acquisita antigen is the globular carboxyl terminus of type VII procollagen. *J Clin Invest* **81**:683, 1988 [PMID: 3278005]
5. Christiano AM et al: A common insertion mutation in COLA1 in two Italian families with recessive dystrophic epidermolysis bullosa. *J Invest Dermatol* **106**:679, 1996 [PMID: 8618004]
6. Shimizu H: Molecular basis of recessive dystrophic epidermolysis bullosa: Genotype/phenotype correlation in a case of moderate clinical severity. *J Invest Dermatol* **106**:119, 1996 [PMID: 8592061]
7. Parente MG et al: Human type VII collagen: cDNA cloning and chromosomal mapping of the gene. *Proc Natl Acad Sci USA* **88**:6931, 1991 [PMID: 1871109]
8. Woodley DT et al: Burn wounds resurfaced by cultured epidermal autografts show abnormal reconstitution of anchoring fibrils. *JAMA* **259**:2566, 1988 [PMID: 3282083]
9. Christiano AM et al: Cloning of human type VII collagen: Complete primary sequence of the alpha 1(VII) chain and identification of intragenic polymorphisms. *J Biol Chem* **269**:20256, 1994 [PMID: 8051117]
10. Lapiere J-C et al: Epitope mapping of type VII collagen: Identification of discrete peptide sequences recognized by sera from patients with acquired epidermolysis bullosa. *J Clin Invest* **92**:1831, 1993 [PMID: 7691888]
11. Jones DA et al: Immunodominant autoepitopes of type VII collagen are short, paired peptide sequences within the fibronectin type III homology region of the non-collagenous (NC1) domain. *J Invest Dermatol* **104**:231, 1995 [PMID: 7530271]
12. Gammon WR et al: Evidence that antibasement membrane zone antibodies in bullous eruption of systemic lupus erythematosus recognize epidermolysis bullosa acquisita autoantigens. *J Invest Dermatol* **84**:472, 1985 [PMID: 3889170]
13. Woodley DT et al: Evidence that anti-type VII collagen antibodies are pathogenic and responsible for the clinical, histological, and immunological features of epidermolysis bullosa acquisita. *J Invest Dermatol* **124**:958, 2005 [PMID: 15854036]
14. Sitaru C et al: Induction of dermal-epidermal separation in mice by passive transfer of antibodies specific to type VII collagen. *J Clin Invest* **115**:870, 2005 [PMID: 15841176]
15. Woodley DT et al: Induction of epidermolysis bullosa acquisita in mice by passive transfer of autoantibodies from patients. *J Invest Dermatol* **126**:1324, 2006
16. Sitaru C et al: Induction of complement fixing autoantibodies against type VII collagen results in subepidermal blistering in mice. *J Immunol* **177**:3461-3468, 2006
17. Mihai S et al: The alternative pathway of complement activation is critical for blister induction in experimental epidermolysis bullosa acquisita. *J Immunol* **178**:6514-6521, 2007
18. Chiriac MT et al: NADPH oxidase is required for neutrophil-dependent autoantibody-induced tissue damage. *J Pathol* **212**: 56-65, 2007
19. Woodley DT: Epidermolysis bullosa acquisita. *Prog Dermatol* **22**:1, 1988
20. Gammon WR et al: Epidermolysis bullosa acquisita: A pemphigoid-like disease. *J Am Acad Dermatol* **11**:820, 1984 [PMID: 6392361]
21. Dahl MGC: Epidermolysis bullosa acquisita: A sign of cicatricial pemphigoid? *Br J Dermatol* **101**:475, 1979 [PMID: 389273]

22. Kurzhals G et al: Acquired epidermolysis bullosa with the clinical features of Brunsting-Perry cicatricial bullous pemphigoid. *Arch Dermatol* **127**:391, 1991 [PMID: 1998371]
23. Callot-Mellot C et al: Epidermolysis bullosa acquisita in childhood. *Arch Dermatol* **133**:1122, 1997 [PMID: 9301589]
24. Roenigk HH et al: Epidermolysis bullosa acquisita: Report of three cases and review of all published cases. *Arch Dermatol* **103**:10, 1971
25. Nieboer C et al: Epidermolysis bullosa acquisita: Immunofluorescence, electron microscopic and immunoelectron microscopic studies in four patients. *Br J Dermatol* **102**:383, 1980 [PMID: 6992836]
26. Chen M et al: Development of an ELISA for rapid detection of anti-type VII collagen autoantibodies in epidermolysis bullosa acquisita. *J Invest Dermatol* **108**:68, 1997 [PMID: 8980290]
27. Crow LL et al: Clearing of epidermolysis bullosa acquisita on cyclosporin A. *J Am Acad Dermatol* **19**:937, 1988 [PMID: 3057000]
28. Cunningham BB et al: Colchicine for epidermolysis bullosa (EBA). *J Am Acad Dermatol* **34**:781, 1996 [PMID: 8632074]
29. Gordon K et al: Treatment of refractory epidermolysis bullosa acquisita with extracorporeal photochemotherapy. *Br J Dermatol* **136**:415, 1997 [PMID: 9115929]
30. Meier F et al: Epidermolysis bullosa acquisita: Efficacy of high dose intravenous immunoglobulins. *J Am Acad Dermatol* **29**:334, 1993 [PMID: 8340508]