

# Chapter 64

## Morphea

Stephanie Saxton-Daniels & Heidi T. Jacobe

### REFERENCES

1. Peterson LS et al: The epidemiology of morphea (localized scleroderma) in Olmsted County 1960–1993. *J Rheumatol* **24**:73, 1997
2. Greenberg AS, Falanga V: Localized cutaneous sclerosis. In: *Cutaneous Manifestations of Rheumatic Diseases*, edited by RD Sontheimer, TT Provost. Baltimore, Williams & Wilkins, 1996
3. Sehgal VN et al: Localized scleroderma/morphea. *Int J Dermatol* **41**:467, 2002
4. Christen-Zaech S et al: Pediatric morphea (localized scleroderma): Review of 136 patients. *J Am Acad Dermatol* **59**:385, 2008
5. Leitenberger JJ et al: Distinct autoimmune syndromes in morphea: A review of 245 adult and pediatric cases. *Arch Dermatol* **145**:545, 2009
6. Vierra E, Cunningham BB: Morphea and localized scleroderma in children. *Semin Cutan Med Surg* **18**:210, 1999
7. Zulian F et al: Juvenile localized scleroderma: Clinical and epidemiological features in 750 children. An international study. *Rheumatology (Oxford)* **45**:614, 2006
8. Marzano AV et al: Localized scleroderma in adults and children. Clinical and laboratory investigations on 239 cases. *Eur J Dermatol* **13**:171, 2003
9. Wadud MA, Bose BK, Al NT: Familial localised scleroderma from Bangladesh: Two case reports. *Bangladesh Med Res Counc Bull* **15**:15, 1989
10. Rees RB, Bennett J: Localized scleroderma in father and daughter. *AMA Arch Derm Syphilol* **68**:360, 1953
11. Zulian F et al: Localized scleroderma in childhood is not just a skin disease 5. *Arthritis Rheum* **52**:2873, 2005
12. Saxton-Daniels S, Jacobe HT: An evaluation of long-term outcomes in adults with pediatric onset morphea. *Arch Dermatol* **146**(9):1044-1045, 2010
13. Torrelo A et al: Deep morphea after vaccination in two young children. *Pediatr Dermatol* **23**:484, 2006
14. Gabrielli A, Avvedimento E, Krieg T: Scleroderma. *N Engl J Med* **360**:1989-2003, 2009
15. Walker D: A clinical and histological correlation study in morphea. *Arch Dermatol* 2010
16. Takehara K et al: Antinuclear antibodies in localized scleroderma. *Arthritis Rheum* **26**:612, 1983
17. Gruschwitz MS et al: Correlation of soluble adhesion molecules in the peripheral blood of scleroderma patients with their in situ expression and with disease activity. *Arthritis Rheum* **38**:184, 1995
18. Ihn H et al: Demonstration of interleukin-2, interleukin-4 and interleukin-6 in sera from patients with localized scleroderma. *Arch Dermatol Res* **287**:193, 1995
19. McNallan KT et al: Immunophenotyping of chimeric cells in localized scleroderma. *Rheumatology (Oxford)* **46**:398, 2007
20. Laxer RM, Zulian F: Localized scleroderma. *Curr Opin Rheumatol* **18**:606, 2006
21. Patel A et al: The isomorphic response in morphealike chronic graft-vs-host disease. *Arch Dermatol* **144**:1229, 2008
22. Minato H et al: Symmetrical pigmented sclerosis enclosed by pruritic erythema: A new variant of morphea? *Br J Dermatol* **161**:703, 2009
23. Weibel L, Harper JL: Linear morphea follows Blaschko's lines. *Br J Dermatol* **159**:175, 2008
24. Muroi E et al: Case of localized scleroderma associated with osteomyelitis. *J Dermatol* **37**:81, 2010
25. Horger M et al: MRI findings in deep and generalized morphea (localized scleroderma). *AJR Am J Roentgenol* **190**:32, 2008
26. Falanga V, Medsger TA, Jr., Reichlin M: Antinuclear and anti-single-stranded DNA antibodies in morphea and generalized morphea. *Arch Dermatol* **123**:350, 1987
27. Zulian F: New developments in localized scleroderma. *Curr Opin Rheumatol* **20**:601, 2008
28. Tollefson MM, Witman PM: En coup de sabre morphea and Parry-Romberg syndrome: A retrospective review of 54 patients. *J Am Acad Dermatol* **56**:257, 2007

29. Rosenberg AM et al: Antinuclear antibodies in children with localized scleroderma. *J Rheumatol* **22**:2337, 1995
30. Sato S et al: Antinucleosome antibody is a major autoantibody in localized scleroderma. *Br J Dermatol* **151**:1182, 2004
31. Sato S et al: Antihistone antibodies in patients with localized scleroderma. *Arthritis Rheum* **36**:1137, 1993
32. Parodi A et al: Antihistone antibodies in scleroderma. *Dermatology* **191**:16, 1995
33. Tomimura S et al: Autoantibodies against matrix metalloproteinase-1 in patients with localized scleroderma. *J Dermatol Sci* **52**:47, 2008
34. Kroft EB, de Jong EM, Evers AW: Psychological distress in patients with morphea and eosinophilic fasciitis. *Arch Dermatol* **145**:1017, 2009
35. Li SC, Liebling MS, Haines KA: Ultrasonography is a sensitive tool for monitoring localized scleroderma. *Rheumatology (Oxford)* **2007**
36. Sartori S et al: Severe epilepsy preceding by four months the onset of scleroderma en coup de sabre. *Clin Exp Dermatol* **27**:64, 2009
37. Chiang KL et al: Linear scleroderma "en coup de sabre": Initial presentation as intractable partial seizures in a child. *Pediatr Neonatol* **50**:294, 2009
38. Gonzalez-Lopez MA et al: Generalized morphea and primary biliary cirrhosis coexisting in a male patient. *J Dermatol* **33**:709, 2006
39. Khalifa M et al: Autoimmune hepatitis and morphea: A rare association. *Gastroenterol Clin Biol* **30**:917, 2006
40. Dervis E et al: Association of vitiligo, morphea, and Hashimoto's thyroiditis. *Int J Dermatol* **43**:236, 2004
41. Harrington CI, Dunsmore IR: An investigation into the incidence of auto-immune disorders in patients with localized morphoea. *Br J Dermatol* **120**:645, 1989
42. Bonifati C et al: Simultaneous occurrence of linear scleroderma and homolateral segmental vitiligo. *J Eur Acad Dermatol Venereol* **20**:63, 2006
43. Majeed M et al: Coexistent linear scleroderma and juvenile systemic lupus erythematosus. *Pediatr Dermatol* **17**:456, 2000
44. Uziel Y et al: Methotrexate and corticosteroid therapy for pediatric localized scleroderma. *J Pediatr* **136**:91, 2000
45. El-Mofty M et al: Low-dose broad-band UVA in morphea using a new method for evaluation. *Photodermatol Photoimmunol Photomed* **16**:43, 2000
46. Kreuter A et al: A randomized controlled study of low-dose UVA1, medium-dose UVA1, and narrowband UVB phototherapy in the treatment of localized scleroderma. *J Am Acad Dermatol* **54**:440, 2006
47. de Rie MA et al: Evaluation of medium-dose UVA1 phototherapy in localized scleroderma with the cutometer and fast Fourier transform method. *Dermatology* **207**:298, 2003
48. Kerscher M et al: PUVA bath photochemotherapy for localized scleroderma. Evaluation of 17 consecutive patients. *Arch Dermatol* **132**:1280, 1996
49. Grundmann-Kollmann M et al: Chronic sclerodermic graft-versus-host disease refractory to immunosuppressive treatment responds to UVA1 phototherapy. *J Am Acad Dermatol* **42**:134, 2000
50. El-Mofty M et al: Suggested mechanisms of action of UVA phototherapy in morphea: A molecular study. *Photodermatol Photoimmunol Photomed* **20**:93, 2004
51. Hulshof MM et al: Double-blind, placebo-controlled study of oral calcitriol for the treatment of localized and systemic scleroderma. *J Am Acad Dermatol* **43**:1017, 2000
52. Cunningham BB et al: Topical calcipotriene for morphea/linear scleroderma. *J Am Acad Dermatol* **39**:211, 1998
53. Seyger MM et al: Low-dose methotrexate in the treatment of widespread morphea. *J Am Acad Dermatol* **39**:220, 1998
54. Kreuter A et al: Pulsed high-dose corticosteroids combined with low-dose methotrexate in severe localized scleroderma. *Arch Dermatol* **141**:847, 2005
55. Weibel L et al: Evaluation of methotrexate and corticosteroids for the treatment of localized scleroderma (morphoea) in children. *Br J Dermatol* **155**:1013, 2006
56. Mancuso G, Berdondini RM: Localized scleroderma: Response to occlusive treatment with tacrolimus ointment. *Br J Dermatol* **152**:180, 2005
57. Schlaak M et al: Successful therapy of a patient with therapy recalcitrant generalized bullous scleroderma by extracorporeal photopheresis and mycophenolate mofetil. *J Eur Acad Dermatol Venereol* **22**:631, 2008

58. Mohrenschlager M et al: Effect of penicillin G on corium thickness in linear morphea of childhood: An analysis using ultrasound technique. *Pediatr Dermatol* **16**:314, 1999
59. Maragh SH et al: Disabling pansclerotic morphea: Clinical presentation in two adults. *J Am Acad Dermatol* **53**:S115-S119, 2005
60. Hunzelmann N et al: Double-blind, placebo-controlled study of intralesional interferon gamma for the treatment of localized scleroderma. *J Am Acad Dermatol* **36**:433, 1997

