

Chapter 69

Acquired Perforating Disorders

Julia S. Minocha & Bethanee J. Schlosser

REFERENCES

1. Rapini RP, Herbert AA, Drucker CR: Acquired perforating dermatosis. Evidence for combined transepidermal elimination of both collagen and elastic fibers. *Arch Dermatol* **125**(8):1074-1078, 1989
2. Schamroth JM, Kellen P, Grieve TP: Elastosis perforans serpiginosa in a patient with renal disease. *Arch Dermatol* **122**(1):82-84, 1986
3. Poliak SC et al: Reactive perforating collagenosis associated with diabetes mellitus. *N Engl J Med* **306**(2):81-84, 1982
4. Mehregan AH, Coskey RJ: Perforating folliculitis. *Arch Dermatol* **97**(4):394-399, 1968
5. Kyrle J: Uber einen ungewohnlichen fall von universeller follicularer und parafollicularer hyperkeratose (hyperkeratosis follicularis et parafollicularis in cutem penetrans). *Arch Dermatol Syph* **123**:466-493, 1916
6. Saray Y, Seckin D, Bilezikci B: Acquired perforating dermatosis: Clinicopathological features in twenty-two cases. *J Eur Acad Dermatol Venereol* **20**(6):679-688, 2006
7. Lutz W: [Keratosis follicularis serpiginosa.]. *Dermatologica* **106**(3-5):318-319, 1953
8. Mehregan AH, Schwartz OD, Livingood CS: Reactive perforating collagenosis. *Arch Dermatol* **96**(3):277-282, 1967
9. Faver IR, Daoud MS, Su WP: Acquired reactive perforating collagenosis. Report of six cases and review of the literature. *J Am Acad Dermatol* **30**(4):575-580, 1994
10. Abele DC, Dobson RL: Hyperkeratosis penetrans (Kyrle's disease). Report of a case in a Negro with autopsy findings. *Arch Dermatol* **83**:277-283, 1961
11. Hood AF et al: Kyrle's disease in patients with chronic renal failure. *Arch Dermatol* **118**(2):85-88, 1982
12. Stone RA: Kyrle-like lesions in two patients with renal failure undergoing dialysis. *J Am Acad Dermatol* **5**(6):707-709, 1981
13. Lee SJ et al: Perforating disorder caused by salt-water application and its experimental induction. *Int J Dermatol* **44**(3):210-214, 2005
14. White CR Jr, Hessel NS, Pokorny DJ: Perforating folliculitis of hemodialysis. *Am J Dermatopathol* **4**(2):109-116, 1982
15. Cochran RJ, Tucker SB, Wilkin JK: Reactive perforating collagenosis of diabetes mellitus and renal failure. *Cutis* **31**(1):55-58, 1983
16. Garcia-Bravo B, Rodriguez-Pichardo A, Camacho F: Uraemic follicular hyperkeratosis. *Clin Exp Dermatol* **10**(5):448-454, 1985
17. Morton CA et al: Acquired perforating dermatosis in a British dialysis population. *Br J Dermatol* **135**(5):671-677, 1996
18. Kurban MS, Boueiz A, Kibbi AG: Cutaneous manifestations of chronic kidney disease. *Clin Dermatol* **26**(3):255-264, 2008
19. Hinrichs W et al: Acquired perforating dermatosis: a report on 4 cases associated with scabies infection. *J Am Acad Dermatol* **51**(4):665-667, 2004
20. Brinkmeier T, Herbst RA, Frosch PJ: Reactive perforating collagenosis associated with scabies in a diabetic. *J Eur Acad Dermatol Venereol* **18**(5):588-590, 2004
21. Bank DE, Cohen PR, Kohn SR: Reactive perforating collagenosis in a setting of double disaster: acquired immunodeficiency syndrome and end-stage renal disease. *J Am Acad Dermatol* **21**(2 Pt 2):371-374, 1989
22. Rubio FA et al: Perforating folliculitis: report of a case in an HIV-infected man. *J Am Acad Dermatol* **40**(2 Pt 2):300-302, 1999
23. Kim EJ et al: Acquired reactive perforating collagenosis triggered by insect bite. *J Dermatol* **34**(9):677-679, 2007
24. Ghosh SK, Bandyopadhyay D, Chatterjee G: Acquired reactive perforating collagenosis following insect bite. *Indian J Dermatol Venereol Leprol* **75**(3):306-307, 2009
25. Tsuboi H, Katsuoka K: Characteristics of acquired reactive perforating collagenosis. *J Dermatol* **34**(9):640-644, 2007
26. Yamashita N et al: Reactive perforating collagenosis with cutaneous cytomegalovirus infection. *Eur J Dermatol* **16**(6):696-697, 2006

27. Chiu MW, Haley JC: Acquired perforating dermatosis associated with primary biliary cirrhosis and hashimoto thyroiditis. *Cutis* **79**(6):451-455, 2007
28. Zelger B et al: Acquired perforating dermatosis. Transepidermal elimination of DNA material and possible role of leukocytes in pathogenesis. *Arch Dermatol* **127**(5):695-700, 1991
29. Karpouzis A et al: Acquired reactive perforating collagenosis associated with myelodysplastic syndrome evolving to acute myelogenous leukaemia. *Australas J Dermatol* **45**(1):78-79, 2004
30. Eigentler TK et al: Acquired perforating collagenosis in Hodgkin's disease. *J Am Acad Dermatol* **52**(5):922, 2005
31. Pedragosa R et al: Reactive perforating collagenosis in Hodgkin's disease. *Am J Dermatopathol* **9**(1):41-44, 1987
32. Henry JC, Jorizzo JL, Apisarnthanarax P: Reactive perforating collagenosis in the setting of prurigo nodularis. *Int J Dermatol* **22**(6):386-387, 1983
33. Bong JL, Fleming CJ, Kemmett D: Reactive perforating collagenosis associated with underlying malignancy. *Br J Dermatol* **142**(2):390-391, 2000
34. Chae KS et al: Reactive perforating collagenosis associated with periampullary carcinoma. *Br J Dermatol* **139**(3):548-550, 1998
35. Boeck K et al: Acquired perforating collagenosis in a patient with carcinoma of the prostate. *Acta Derm Venereol* **77**(6):486-487, 1997
36. Kilic A et al: Acquired reactive perforating collagenosis as a presenting sign of hepatocellular carcinoma. *Eur J Dermatol* **16**(4):447, 2006
37. Yazdi S et al: Acquired reactive perforating collagenosis associated with papillary thyroid carcinoma: A paraneoplastic phenomenon? *Clin Exp Dermatol* **35**(2):152-155, 2010
38. Shiomi T et al: Acquired reactive perforating collagenosis with the histological features of IgG4-related sclerosing disease in a patient with Mikulicz's disease. *Pathol Int* **59**(5):326-331, 2009
39. Fistarol SK, Itin PH: Acquired perforating dermatosis in a patient with Poland syndrome. *Dermatology* **207**(4):390-394, 2003
40. Skiba G et al: Successful treatment of acquired perforating dermatosis with rifampicin in an Asian patient with sclerosing cholangitis. *Liver* **19**(2):160-163, 1999
41. Kim JH, Kang WH: Acquired reactive perforating collagenosis in a diabetic patient with pulmonary aspergillosis. *Cutis* **66**(6):425-430, 2000
42. Fatani MI et al: Acquired reactive perforating collagenosis associated with sick euthyroid syndrome. *Saudi Med J* **23**(11):1408-1410, 2002
43. Barr DJ, Riley RJ, Greco DJ: Bypass phrynoderma. Vitamin A deficiency associated with bowel-bypass surgery. *Arch Dermatol* **120**(7):919-921, 1984
44. Gilaberte Y et al: Perforating folliculitis associated with tumour necrosis factor-alpha inhibitors administered for rheumatoid arthritis. *Br J Dermatol* **156**(2):368-371, 2007
45. Calista D, Morri M: Acquired reactive perforating collagenosis induced by indinavir in 2 patients with HIV disease. *Eur J Dermatol* **18**(1):84-85, 2008
46. Wolber C et al: Perforating folliculitis, angioedema, hand-foot syndrome—multiple cutaneous side effects in a patient treated with sorafenib. *J Dtsch Dermatol Ges* **7**(5):449-452, 2009
47. Pass F et al: Elastosis perforans serpiginosa during penicillamine therapy for Wilson disease. *Arch Dermatol* **108**(5):713-715, 1973
48. Kawakami T, Saito R: Acquired reactive perforating collagenosis associated with diabetes mellitus: Eight cases that meet Faver's criteria. *Br J Dermatol* **140**(3):521-524, 1999
49. Patterson JW: Progress in the perforating dermatoses. *Arch Dermatol* **125**(8):1121-1123, 1989
50. Hong SB et al: Acquired perforating dermatosis in patients with chronic renal failure and diabetes mellitus. *J Korean Med Sci* **19**(2):283-288, 2004
51. Gambichler T et al: Up-regulation of transforming growth factor-beta3 and extracellular matrix proteins in acquired reactive perforating collagenosis. *J Am Acad Dermatol* **60**(3):463-469, 2009
52. Bilezikci B, Seckin D, Demirhan B: Acquired perforating dermatosis in patients with chronic renal failure: A possible pathogenetic role for fibronectin. *J Eur Acad Dermatol Venereol* **17**(2):230-232, 2003
53. Lewis BK, Chern PL, Stone MS: Penicillamine-induced elastosis of the mucosal lip. *J Am Acad Dermatol* **60**(4):700-703, 2009
54. Hashimoto K, McEvoy B, Belcher R: Ultrastructure of penicillamine-induced skin lesions. *J Am Acad Dermatol* **4**(3):300-315, 1981
55. Berger RS: Reactive perforating collagenosis of renal failure/diabetes responsive to topical retinoic acid. *Cutis* **43**(6):540-542, 1989
56. Petrozzi JW, Warthan TL: Kyrle disease. Treatment with topically applied tretinoin. *Arch Dermatol* **110**(5):762-765, 1974

57. Cullen SI: Successful treatment of reactive perforating collagenosis with tretinoin. *Cutis* 23(2):187-191, 193, 1979
58. Outland JD, Brown TS, Callen JP: Tazarotene is an effective therapy for elastosis perforans serpiginosa. *Arch Dermatol* 138(2):169-171, 2002
59. Kelly SC, Purcell SM: Imiquimod therapy for elastosis perforans serpiginosa. *Arch Dermatol* 142(7):829-830, 2006
60. Satchell AC, Crotty K, Lee S: Reactive perforating collagenosis: a condition that may be underdiagnosed. *Australas J Dermatol* 42(4):284-287, 2001
61. Ratnavel RC, Norris PG: Penicillamine-induced elastosis perforans serpiginosa treated successfully with isotretinoin. *Dermatology* 189(1):81-83, 1994
62. Jan V et al: [Elastosis perforans serpiginosa with vitamin A deficiency in a child with trisomy 21]. *Ann Dermatol Venereol* 123(3):188-190, 1996
63. Baumer FE, Wolter M, Marsch WC: [The Kyrle disease entity and its therapeutic modification by acitretin (etretin)]. *Z Hautkr* 64(4):286, 289-291, 1989
64. Iwamoto I, Baba S, Suzuki H: Acquired reactive perforating collagenosis with IgA nephropathy. *J Dermatol* 25(9):597-600, 1998
65. Hoque SR, Ameen M, Holden CA: Acquired reactive perforating collagenosis: four patients with a giant variant treated with allopurinol. *Br J Dermatol* 154(4):759-762, 2006
66. Gnanaraj P et al: A giant variant of acquired reactive perforating collagenosis associated with hydronephrosis: successful treatment with allopurinol. *Int J Dermatol* 48(2):204-206, 2009
67. Gonul M et al: Two cases of acquired perforating dermatosis treated with doxycycline therapy. *Int J Dermatol* 45(12):1461-1463, 2006
68. Brinkmeier T et al: Successful treatment of acquired reactive perforating collagenosis with doxycycline. *Acta Derm Venereol* 82(5):393-395, 2002
69. Khalifa M et al: Regression of skin lesions of Kyrle's disease with metronidazole in a diabetic patient. *J Infect* 55(6):e139-e140, 2007
70. Kasiakou SK et al: Regression of skin lesions of Kyrle's disease with clindamycin: implications for an infectious component in the etiology of the disease. *J Infect* 50(5):412-416, 2005
71. Lubbe J et al: Sirolimus-induced inflammatory papules with acquired reactive perforating collagenosis. *Dermatology* 216(3):239-242, 2008
72. Hurwitz RM: The evolution of perforating folliculitis in patients with chronic renal failure. *Am J Dermatopathol* 7(3):231-239, 1985
73. Ohe S et al: Treatment of acquired perforating dermatosis with narrowband ultraviolet B. *J Am Acad Dermatol* 50(6):892-894, 2004
74. Nebel R et al: Acquired reactive perforating collagenosis associated with diabetes mellitus and renal insufficiency requiring dialysis. *Dtsch Med Wochenschr* 132(49):2624-2626, 2007
75. Serrano G, Aliaga A, Lorente M: Reactive perforating collagenosis responsive to PUVA. *Int J Dermatol* 27(2):118-119, 1988
76. Tuyp EJ, McLeod WA: Elastosis perforans serpiginosa: treatment with liquid nitrogen. *Int J Dermatol* 29(9):655-656, 1990
77. Abdullah A et al: Localized idiopathic elastosis perforans serpiginosa effectively treated by the Coherent Ultrapulse 5000C aesthetic laser. *Int J Dermatol* 39(9):719-720, 2000
78. Chan LY, Tang WY, Lo KK: Treatment of pruritus of reactive perforating collagenosis using transcutaneous electrical nerve stimulation. *Eur J Dermatol* 10(1):59-61, 2000
79. Oziemski MA et al: A new treatment for acquired reactive perforating collagenosis. *Australas J Dermatol* 32(2):71-74, 1991
80. Saldanha LF et al: Silicon-related syndrome in dialysis patients. *Nephron* 77(1):48-56, 1997

