

# Chapter 72

## Biology of Melanocytes

Hee-Young Park & Mina Yaar

### REFERENCES

1. LaBonne C, Bronner-Fraser M: Molecular mechanisms of neural crest formation. *Annu Rev Cell Dev Biol* **15**:81-112, 1999
2. Holbrook KA et al: The appearance, density and distribution of melanocytes in human embryonic and fetal skin revealed by the anti-melanoma monoclonal antibody, HMB-45. *Anat Embryol (Berl)* **180**(5):443-455, 1989
3. Westerhof W: The discovery of the human melanocyte. *Pigment Cell Res* **19**(3):183-193, 2006
4. Christiansen JH, Coles EG, Wilkinson DG: Molecular control of neural crest formation, migration and differentiation. *Curr Opin Cell Biol* **12**(6):719-724, 2000
5. Kleber M et al: Neural crest stem cell maintenance by combinatorial Wnt and BMP signaling. *J Cell Biol* **169**(2):309-320, 2005
6. Dunn KJ et al: WNT1 and WNT3a promote expansion of melanocytes through distinct modes of action. *Pigment Cell Res* **18**(3):167-180, 2005
7. Lee HY et al: Instructive role of Wnt/beta-catenin in sensory fate specification in neural crest stem cells. *Science* **303**(5660):1020-1023, 2004
8. Jin EJ et al: Wnt and BMP signaling govern lineage segregation of melanocytes in the avian embryo. *Dev Biol* **233**(1):22-37, 2001
9. Dunn KJ et al: Neural crest-directed gene transfer demonstrates Wnt1 role in melanocyte expansion and differentiation during mouse development. *Proc Natl Acad Sci U S A* **97**(18):10050-10055, 2000
10. Grimes CA, Jope RS: The multifaceted roles of glycogen synthase kinase 3beta in cellular signaling. *Prog Neurobiol* **65**(4):391-426, 2001
11. Liu T et al: G protein signaling from activated rat frizzled-1 to the beta-catenin-Lef-Tcf pathway. *Science* **292**(5522):1718-1722, 2001
12. Goding CR: Mitf from neural crest to melanoma: Signal transduction and transcription in the melanocyte lineage. *Genes Dev* **14**(14):1712-1728, 2000
13. Kawabata M, Imamura T, Miyazono K: Signal transduction by bone morphogenetic proteins. *Cytokine Growth Factor Rev* **9**(1):49-61, 1998
14. Botchkarev VA: Bone morphogenetic proteins and their antagonists in skin and hair follicle biology. *J Invest Dermatol* **120**(1):36-47, 2003
15. Pla P, Larue L: Involvement of endothelin receptors in normal and pathological development of neural crest cells. *Int J Dev Biol* **47**(5):315-325, 2003
16. Jackson IJ: Homologous pigmentation mutations in human, mouse and other model organisms. *Hum Mol Genet* **6**(10):1613-1624, 1997
17. Nishikawa S et al: In utero manipulation of coat color formation by a monoclonal anti-c-kit antibody: Two distinct waves of c-kit-dependency during melanocyte development. *Embo J* **10**(8):2111-2118, 1991
18. Wehrle-Haller B: The role of Kit-ligand in melanocyte development and epidermal homeostasis. *Pigment Cell Res* **16**(3):287-296, 2003
19. Vliagoftis H, Worobec AS, Metcalfe DD: The proto-oncogene c-kit and c-kit ligand in human disease. *J Allergy Clin Immunol* **100**(4):435-440, 1997
20. Spritz RA: Piebaldism, Waardenburg syndrome, and related disorders of melanocyte development. *Semin Cutan Med Surg* **16**(1):15-23, 1997
21. Halaban R, Hebert, DN, Fisher, DE: Biology of Melanocytes. In: *Fitzpatrick's Dermatology in General Medicine*. 6th edition, edited by IM Freedberg, AZ Eisen, K Wolff, KF Austen, LA Goldsmith, SI Katz. New York, McGraw-Hill, 2003, pp. 127-148
22. Spritz RA: The molecular basis of human piebaldism. *Pigment Cell Res* **5**(5 Pt 2):340-343, 1992
23. Mizoguchi M: Melanocyte development: With a message of encouragement to young women scientists. *Pigment Cell Res* **17**(5):533-544, 2004
24. Kos L et al: Hepatocyte growth factor/scatter factor-MET signaling in neural crest-derived melanocyte development. *Pigment Cell Res* **12**(1):13-21, 1999
25. Vleminckx K, Kemler R: Cadherins and tissue formation: Integrating adhesion and signaling. *Bioessays* **21**(3):211-220, 1999

26. Nishimura EK et al: Regulation of E- and P-cadherin expression correlated with melanocyte migration and diversification. *Dev Biol* **215**(2):155-166, 1999
27. Jouneau A et al: Plasticity of cadherin-catenin expression in the melanocyte lineage. *Pigment Cell Res* **13**(4):260-272, 2000
28. Tolleson WH: Human melanocyte biology, toxicology, and pathology. *J Environ Sci Health* **23**(2):105-161, 2005
29. Sommer L: Checkpoints of melanocyte stem cell development. *Science's STKE* **298**:pe42, 2005
30. Steingrimsson E, Copeland NG, Jenkins NA: Melanocyte stem cell maintenance and hair graying. *Cell* **121**(1):9-12, 2005
31. Fitzpatrick TB, Breathnach AS: [The Epidermal Melanin Unit System]. [Article in German.] *Dermatol Wochenschr* **147**:481-489, 1963
32. Valyi-Nagy IT et al: Undifferentiated keratinocytes control growth, morphology, and antigen expression of normal melanocytes through cell-cell contact. *Lab Invest* **69**(2):152-159, 1993
33. Jimbow K et al: Biology of melanocytes. In: *Fitzpatrick's Dermatology in General Medicine*, edited by IM Freedberg, AZ Eisen, K Wolff, KF Austen, LA Goldsmith, SI Katz, TB Fitzpatrick. New York, McGraw-Hill, 1999, pp. 192-220.
34. Szabo G: The regional anatomy of the human integument with special reference to the distribution of hair follicles, sweat glands and melanocytes. *Phil Trans R Soc Lond* **252**:447-485, 1967
35. Quevedo WC, Holstein, TJ: General Biology of Mammalian Pigmentation. In: *The Pigmentary System Physiology and Pathophysiology*, edited by JJ Nordlund, RE Boissy, VJ Hearing, RA King, JP Ortonne. New York, Oxford University Press, 1998, pp. 43-56.
36. Minwalla L et al: Keratinocytes play a role in regulating distribution patterns of recipient melanosomes in vitro. *J Invest Dermatol* **117**(2):341-347, 2001
37. Tobin DJ, Paus R: Graying: Gerontobiology of the hair follicle pigmentary unit. *Exp Gerontol* **36**(1):29-54, 2001
38. Botchkareva NV et al: SCF/c-kit signaling is required for cyclic regeneration of the hair pigmentation unit. *Faseb J* **15**(3):645-658, 2001
39. Ito S: Biochemistry and physiology of melanin. In: *Pigmentation and Pigmentary Disorders*, edited by N Levine. Boca Raton, FL, CRC Press, 1993, pp. 34-59
40. Slominski A et al: Melanin pigmentation in mammalian skin and its hormonal regulation. *Physiol Rev* **84**(4):1155-1228, 2004
41. Boissy RE: Extracutaneous Melanocytes. In: *The Pigmentary System Physiology and Pathophysiology*, edited by JJ Nordlund, RE Boissy, VJ Hearing, RA King, JP Ortonne. New York, Oxford University Press, 1998, pp. 59-69
42. Silver J, Sapiro, J: Axonal guidance during development of the optic nerve. *J Comp Neurol* **202**:521-538, 1988
43. Strongin AC, Guillery RW: The distribution of melanin in the developing optic cup and stalk and its relation to cellular degeneration. *J Neurosci* **1**(11):1193-1204, 1981
44. Creel D, O'Donnell FE, Jr., Witkop CJ, Jr. Visual system anomalies in human ocular albinos. *Science* **201**(4359):931-933, 1978
45. Guillery RW: Visual pathways in albinos. *Sci Am* **230**(5):44-54, 1974
46. Wangemann P: K<sup>+</sup> cycling and the endocochlear potential. *Hear Res* **165**(1-2):1-9, 2002
47. Ando M, Takeuchi S: Immunological identification of an inward rectifier K<sup>+</sup> channel (Kir4.1) in the intermediate cell (melanocyte) of the cochlear stria vascularis of gerbils and rats. *Cell Tissue Res* **298**(1):179-183, 1999
48. Holme RH, Steel KP: Genes involved in deafness. *Curr Opin Genet Dev* **9**(3):309-314, 1999
49. Price ER, Fisher, DE: Sensorineural deafness and pigmentation genes: Melanocytes and the MITF transcriptional network. *Neuron* **30**:15, 2001
50. Watanabe K et al: Identification of a distal enhancer for the melanocyte-specific promoter of the MITF gene. *Pigment Cell Res* **15**(3):201-211, 2002
51. King RA: Albinism. In: *Genetic hypomelanoses: Disorders characterized by generalized hypomelanoses in The Pigmentary System Physiology and Pathophysiology*, edited by JJ Nordlund, RE Boissy, VJ Hearing, RA King, JP Ortonne. New York, Oxford University Press, 1998, pp. 553-575
52. Tachibana M: Sound needs sound melanocytes to be heard. *Pigment Cell Res* **12**(6):344-354, 1999
53. Goldgeier MH et al: The distribution of melanocytes in the leptomeninges of the human brain. *J Invest Dermatol* **82**(3):235-238, 1984
54. Rozanowska M et al: Free radical scavenging properties of melanin interaction of eu- and pheo-melanin models with reducing and oxidising radicals. *Free Radic Biol Med* **26**(5-6):518-525, 1999

55. Enochs WS et al: Paramagnetic metal scavenging by melanin: MR imaging. *Radiology* **204**(2):417-423, 1997
56. Raposo G, Marks MS: The dark side of lysosome-related organelles: Specialization of the endocytic pathway for melanosome biogenesis. *Traffic* **3**(4):237-248, 2002
57. Inazu M, Mishima Y: Detection of eumelanogenic and pheomelanogenic melanosomes in the same normal human melanocyte. *J Invest Dermatol* **100**(Suppl. 2):172S-175S, 1993
58. Oyeaug L et al: The regulatory basis of melanogenic switching. *J Theor Biol* **215**(4):449-468, 2002
59. Kushimoto T et al: A model for melanosome biogenesis based on the purification and analysis of early melanosomes. *Proc Natl Acad Sci USA* **98**(19):10698-10703, 2001
60. Hearing VJ: Biogenesis of pigment granules: A sensitive way to regulate melanocyte function. *J Dermatol Sci* **37**(1):3-14, 2005
61. Setaluri V: The melanosome: Dark pigment granule shines bright light on vesicle biogenesis and more. *J Invest Dermatol* **121**(4):650-660, 2003
62. van Gelder CW, Flurkey WH, Wichers HJ: Sequence and structural features of plant and fungal tyrosinases. *Phytochemistry* **45**(7):1309-1323, 1997
63. Ferguson CA, Kidson SH: The regulation of tyrosinase gene transcription. *Pigment Cell Res* **10**(3):127-138, 1997
64. Wang N, Hebert DN: Tyrosinase maturation through the mammalian secretory pathway: Bringing color to life. *Pigment Cell Res* **19**(1):3-18, 2006
65. Park HY, Gilchrest BA: Signaling pathways mediating melanogenesis. *Cell Mol Biol* **45**(7):919-930, 1999
66. Beermann F et al: Misrouting of tyrosinase with a truncated cytoplasmic tail as a result of the murine platinum (cp) mutation. *Exp Eye Res* **61**(5):599-607, 1995
67. Kobayashi T, Urabe K, Winder A: Oxidase activity of TRP-1 and interaction with other melanogenic enzymes. *Pigment Cell Res* **7**:227-234, 1991
68. Jackson IJ et al: A second tyrosinase-related protein, TRP-2, maps to and is mutated at the mouse slaty locus. *Embo J* **11**(2):527-535, 1992
69. Kobayashi T et al: Tyrosinase related protein 1 (TRP1) functions as a DHICA oxidase in melanin biosynthesis. *Embo J* **13**(24):5818-5825, 1994
70. del Marmol V, Beermann F: Tyrosinase and related proteins in mammalian pigmentation. *FEBS Lett* **381**(3):165-168, 1996
71. Sturm RA et al: Chromosomal structure of the human TYRP1 and TYRP2 loci and comparison of the tyrosinase-related protein gene family. *Genomics* **29**(1):24-34, 1995
72. Abbott C et al: The human homolog of the mouse brown gene maps to the short arm of chromosome 9 and extends the known region of homology with mouse chromosome 4. *Genomics* **11**(2):471-473, 1991
73. Winder AJ et al: The mouse brown (b) locus protein functions as a dopachrome tautomerase. *Pigment Cell Res* **7**(5):305-310, 1994
74. Zhao H et al: Human TRP-1 has tyrosine hydroxylase but no dopa oxidase activity. *Pigment Cell Res* **7**(3):131-140, 1994
75. Jimenez-Cervantes C et al: Tyrosinase isoenzymes in mammalian melanocytes. 1. Biochemical characterization of two melanosomal tyrosinases from B16 mouse melanoma. *Eur J Biochem* **217**(2):549-556, 1993
76. Halaban R, Moellmann G: Murine and human b locus pigmentation genes encode a glycoprotein (gp75) with catalase activity. *Proc Natl Acad Sci USA* **87**(12):4809-4813, 1990
77. Kobayashi T et al: The Pmel 17/silver locus protein. Characterization and investigation of its melanogenic function. *J Biol Chem* **269**(46):29198-29205, 1994
78. Boissy RE et al: Mutation in and lack of expression of tyrosinase-related protein-1 (TRP-1) in melanocytes from an individual with brown oculocutaneous albinism: A new subtype of albinism classified as "OCA3". *Am J Hum Genet* **58**(6):1145-1156, 1996
79. Kobayashi T et al: Tyrosinase stabilization by Tyrp1 (the brown locus protein). *J Biol Chem* **273**(48):31801-31805, 1998
80. Orlow SJ et al: High-molecular-weight forms of tyrosinase and the tyrosinase-related proteins: Evidence for a melanogenic complex. *J Invest Dermatol* **103**(2):196-201, 1994
81. Kuzumaki T et al: Eumelanin biosynthesis is regulated by coordinate expression of tyrosinase and tyrosinase-related protein-1 genes. *Exp Cell Res* **207**(1):33-40, 1993
82. del Marmol V et al: TRP-1 expression correlates with eumelanogenesis in human pigment cells in culture. *FEBS Lett* **327**(3):307-310, 1993

83. Yokoyama K et al: Molecular cloning and functional analysis of a cDNA coding for human DOPACHrome tautomerase/tyrosinase-related protein-2. *Biochim Biophys Acta* **1217**(3):317-321, 1994
84. Hornyak TJ, Hayes DJ, Ziff EB: Cell-density-dependent regulation of expression and glycosylation of dopachrome tautomerase/tyrosinase-related protein-2. *J Invest Dermatol* **115**(1):106-112, 2000
85. Solano F et al: Dopachrome tautomerase is a zinc-containing enzyme. *Biochem Biophys Res Commun* **204**(3):1243-1250, 1994
86. Battaini F, Pascale A: Protein kinase C signal transduction regulation in physiological and pathological aging. *Ann N Y Acad Sci* **1057**:177-192, 2005
87. Park HY et al: The beta isoform of protein kinase C stimulates human melanogenesis by activating tyrosinase in pigment cells. *J Biol Chem* **268**(16):11742-11749, 1993
88. Park HY et al: Protein kinase C-beta activates tyrosinase by phosphorylating serine residues in its cytoplasmic domain. *J Biol Chem* **274**(23):16470-16478, 1999
89. Wu H, Park HY: Protein kinase C-beta-mediated complex formation between tyrosinase and TRP-1. *Biochem Biophys Res Commun* **311**(4):948-953, 2003
90. Mochly-Rosen D: Localization of protein kinases by anchoring proteins: A theme in signal transduction. *Science* **268**(5208):247-251, 1995
91. Mochly-Rosen D, Gordon AS: Anchoring proteins for protein kinase C: A means for isozyme selectivity. *Faseb J* **12**(1):35-42, 1998
92. Dempsey EC et al: Protein kinase C isozymes and the regulation of diverse cell responses. *Am J Physiol Lung Cell Mol Physiol* **279**(3):L429-L438, 2000
93. Park HY et al: The receptor for activated C-kinase-I (RACK-I) anchors activated PKC-beta on melanosomes. *J Cell Sci* **117**(Pt 16):3659-3668, 2004
94. Theos AC et al: The silver locus product Pmel17/gp100/Silv/ME20: Controversial in name and in function. *Pigment Cell Res* **18**(5):322-336, 2005
95. Berson JF et al: Pmel17 initiates premelanosome morphogenesis within multivesicular bodies. *Mol Biol Cell* **12**(11):3451-3464, 2001
96. Valencia JC et al: Pmel17: Controversial indeed but critical to melanocyte function. *Pigment Cell Res* **19**(3):250-252, 2006; author reply 253-257.
97. Gardner JM et al: The mouse pink-eyed dilution gene: Association with human Prader-Willi and Angelman syndromes. *Science* **257**(5073):1121-1124, 1992
98. Hoashi T et al: MART-1 is required for the function of the melanosomal matrix protein PMEL17/GP100 and the maturation of melanosomes. *J Biol Chem* **280**(14):14006-14016, 2005
99. Robinson MS: Adaptable adaptors for coated vesicles. *Trends Cell Biol* **14**(4):167-174, 2004
100. Bonifacino JS, Traub LM: Signals for sorting of transmembrane proteins to endosomes and lysosomes. *Annu Rev Biochem* **72**:395-447, 2003
101. Theos AC et al: Functions of adaptor protein (AP)-3 and AP-1 in tyrosinase sorting from endosomes to melanosomes. *Mol Biol Cell* **16**(11):5356-5372, 2005
102. Wei ML: Hermansky-Pudlak syndrome: A disease of protein trafficking and organelle function. *Pigment Cell Res* **19**(1):19-42, 2006
103. Delevoye C et al: AP-1 and KIF13A coordinate endosomal sorting and positioning during melanosome biogenesis. *J Cell Biol* **187**(2):247-264, 2009
104. Lakkaraju A et al: It takes two to tango to the melanosome. *J Cell Biol* **187**(2):161-163, 2009
105. Rinchik EM et al: A gene for the mouse pink-eyed dilution locus and for human type II oculocutaneous albinism. *Nature* **361**(6407):72-76, 1993
106. Lee ST et al: Organization and sequence of the human P gene and identification of a new family of transport proteins. *Genomics* **26**:345-363, 1995
107. Costin GE et al: Tyrosinase processing and intracellular trafficking is disrupted in mouse primary melanocytes carrying the underwhite (uw) mutation. A model for oculocutaneous albinism (OCA) type 4. *J Cell Sci* **116**(Pt 15):3203-3212, 2003
108. Brilliant MH: The mouse p (pink-eyed dilution) and human P genes, oculocutaneous albinism type 2 (OCA2), and melanosomal pH. *Pigment Cell Res* **14**(2):86-93, 2001
109. Ni-Komatsu L, Orlow SJ: Heterologous expression of tyrosinase recapitulates the misprocessing and mistrafficking in oculocutaneous albinism type 2: Effects of altering intracellular pH and pink-eyed dilution gene expression. *Exp Eye Res* **82**(3):519-528, 2006
110. Puri N, Gardner JM, Brilliant MH: Aberrant pH of melanosomes in pink-eyed dilution (p) mutant melanocytes. *J Invest Dermatol* **115**(4):607-613, 2000

111. Lamason RL et al: SLC24A5, a putative cation exchanger, affects pigmentation in zebrafish and humans. *Science* **310**(5755):1782-1786, 2005
112. Salopek TG, Jimbow K: Induction of melanogenesis during the various melanoma growth phases and the role of tyrosinase, lysosome-associated membrane proteins, and p90 calnexin in the melanogenesis cascade. *J Invest Dermatol Symp Proc* **1**(2):195-202, 1996
113. Park HY et al: MITF mediates cAMP-induced protein kinase C-beta expression in human melanocytes. *Biochem J* **395**(3):571-578, 2006
114. Du J et al: MLANA/MART1 and SILV/PMEL17/GP100 are transcriptionally regulated by MITF in melanocytes and melanoma. *Am J Pathol* **163**(1):333-343, 2003
115. Yasumoto K et al: Functional analysis of microphthalmia-associated transcription factor in pigment cell-specific transcription of the human tyrosinase family genes. *J Biol Chem* **272**(1):503-509, 1997
116. Steingrimsson E, Copeland NG, Jenkins NA: Melanocytes and the microphthalmia transcription factor network. *Annu Rev Genet* **38**:365-411, 2004
117. Tachibana M et al: Ectopic expression of MITF, a gene for Waardenburg syndrome type 2, converts fibroblasts to cells with melanocyte characteristics. *Nat Genet* **14**(1):50-54, 1996
118. Shibahara S et al: Microphthalmia-associated transcription factor (MITF): Multiplicity in structure, function, and regulation. *J Invest Dermatol Symp Proc* **6**(1):99-104, 2001
119. Hershey CL, Fisher DE: Genomic analysis of the Microphthalmia locus and identification of the MITF-J/Mitf-J isoform. *Gene* **347**(1):73-82, 2005
120. Fuse N et al: Identification of a melanocyte-type promoter of the microphthalmia-associated transcription factor gene. *Biochem Biophys Res Commun* **219**(3):702-707, 1996
121. Hemesath TJ et al: MAP kinase links the transcription factor Microphthalmia to c-Kit signalling in melanocytes. *Nature* **391**(6664):298-301, 1998
122. Price ER et al: Lineage-specific signaling in melanocytes. C-kit stimulation recruits p300/CBP to microphthalmia. *J Biol Chem* **273**(29):17983-17986, 1998
123. Wu M et al: c-Kit triggers dual phosphorylations, which couple activation and degradation of the essential melanocyte factor Mi. *Genes Dev* **14**(3):301-312, 2000
124. Xu W et al: Regulation of microphthalmia-associated transcription factor MITF protein levels by association with the ubiquitin-conjugating enzyme hUBC9. *Exp Cell Res* **255**(2):135-143, 2000
125. Arias J et al: Activation of cAMP and mitogen responsive genes relies on a common nuclear factor. *Nature* **370**(6486):226-229, 1994
126. Lalli E, Sassone-Corsi P: Signal transduction and gene regulation: The nuclear response to cAMP. *J Biol Chem* **269**(26):17359-17362, 1994
127. McGill GG et al: Bcl2 regulation by the melanocyte master regulator Mitf modulates lineage survival and melanoma cell viability. *Cell* **109**(6):707-718, 2002
128. Chang KL, Folpe AL: Diagnostic utility of microphthalmia transcription factor in malignant melanoma and other tumors. *Adv Anat Pathol* **8**(5):273-275, 2001
129. Dorvault CC et al: Microphthalmia transcription factor: A sensitive and specific marker for malignant melanoma in cytologic specimens. *Cancer* **93**(5):337-343, 2001
130. Samija I, Lukac J, Maric-Brozic J, Kusic Z. Microphthalmia-associated transcription factor and tyrosinase as markers of melanoma cells in blood of patients with melanoma. *Croat Med J* **45**(2):142-148, 2004
131. Garraway LA et al: Integrative genomic analyses identify MITF as a lineage survival oncogene amplified in malignant melanoma. *Nature* **436**(7047):117-122, 2005
132. Tassabehji M, Newton VE, Read AP: Waardenburg syndrome type 2 caused by mutations in the human microphthalmia (MITF) gene. *Nat Genet* **8**(3):251-255, 1994
133. Du J et al: Critical role of CDK2 for melanoma growth linked to its melanocyte-specific transcriptional regulation by MITF. *Cancer Cell* **6**(6):565-576, 2004
134. Steingrimsson E et al: Molecular basis of mouse microphthalmia (mi) mutations helps explain their developmental and phenotypic consequences. *Nat Genet* **8**(3):256-263, 1994
135. Carreira S et al: Mitf cooperates with Rb1 and activates p21Cip1 expression to regulate cell cycle progression. *Nature* **433**(7027):764-769, 2005
136. Loercher AE et al: MITF links differentiation with cell cycle arrest in melanocytes by transcriptional activation of INK4A. *J Cell Biol* **168**(1):35-40, 2005
137. Mountjoy KG et al: The cloning of a family of genes that encode the melanocortin receptors. *Science* **257**(5074):1248-1251, 1992

138. Gantz I et al: Molecular cloning, expression, and gene localization of a fourth melanocortin receptor. *J Biol Chem* **268**(20):15174-15179, 1993
139. Rana BK: New insights into G-protein-coupled receptor signaling from the melanocortin receptor system. *Mol Pharmacol* **64**(1):1-4, 2003
140. Luger TA, Scholzen T, Grabbe S: The role of alpha-melanocyte-stimulating hormone in cutaneous biology. *J Invest Dermatol Symp Proc* **2**(1):87-93, 1997
141. Rouzaud F et al: MC1R and the response of melanocytes to ultraviolet radiation. *Mutat Res* **571**(1-2):133-152, 2005
142. Kadekaro AL et al: Significance of the melanocortin 1 receptor in regulating human melanocyte pigmentation, proliferation, and survival. *Ann N Y Acad Sci* **994**:359-365, 2003
143. Suzuki I et al: Binding of melanotropic hormones to the melanocortin receptor MC1R on human melanocytes stimulates proliferation and melanogenesis. *Endocrinology* **137**(5):1627-1633, 1996
144. Lu D et al: Agouti protein is an antagonist of the melanocyte-stimulating-hormone receptor. *Nature* **371**(6500):799-802, 1994
145. Ollmann MM et al: Antagonism of central melanocortin receptors in vitro and in vivo by agouti-related protein. *Science* **278**(5335):135-138, 1997
146. Siegrist W et al: Interactions of alpha-melanotropin and agouti on B16 melanoma cells: Evidence for inverse agonism of agouti. *J Recept Signal Transduct Res* **17**(1-3):75-98, 1997
147. Ha T et al: Defining the quantitative contribution of the melanocortin 1 receptor (MC1R) to variation in pigmentary phenotype. *Ann N Y Acad Sci* **994**:339-347, 2003
148. Sturm RA, Teasdale RD, Box NF: Human pigmentation genes: Identification, structure and consequences of polymorphic variation. *Gene* **277**(1-2):49-62, 2001
149. Schaffer JV, Bologna JL: The melanocortin-1 receptor: Red hair and beyond. *Arch Dermatol* **137**(11):1477-1485, 2001
150. Sturm RA et al: The role of melanocortin-1 receptor polymorphism in skin cancer risk phenotypes. *Pigment Cell Res* **16**(3):266-272, 2003
151. Valverde P et al: Variants of the melanocyte-stimulating hormone receptor gene are associated with red hair and fair skin in humans. *Nat Genet* **11**(3):328-330, 1995
152. Smith R et al: Melanocortin 1 receptor variants in an Irish population. *J Invest Dermatol* **111**(1):119-122, 1998
153. Flanagan N et al: The relation between melanocortin 1 receptor genotype and experimentally assessed ultraviolet radiation sensitivity. *J Invest Dermatol* **117**(5):1314-1317, 2001
154. Healy E et al: Melanocortin-1-receptor gene and sun sensitivity in individuals without red hair. *Lancet* **355**(9209):1072-1073, 2000
155. Bastiaens M et al: The melanocortin-1-receptor gene is the major freckle gene. *Hum Mol Genet* **10**(16):1701-1708, 2001
156. Box NF et al: Characterization of melanocyte stimulating hormone receptor variant alleles in twins with red hair. *Hum Mol Genet* **6**(11):1891-1897, 1997
157. D'Orazio JA et al: Critical role for MC1R in UV tanning: Molecular mimicking and skin protection. *Nature* **443**:340-344, 2006.
158. Ito S, Wakamatsu K: Quantitative analysis of eumelanin and pheomelanin in humans, mice, and other animals: A comparative review. *Pigment Cell Res* **16**(5):523-531, 2003
159. Sarangarajan R, Apte SP: The polymerization of melanin: A poorly understood phenomenon with egregious biological implications. *Melanoma Res* **16**(1):3-10, 2006
160. Raper HS: The aerobic oxidases. *Physiol Rev* **8**:245, 1928
161. Hearing VJ, Jimenez M: Mammalian tyrosinase—The critical regulatory control point in melanocyte pigmentation. *Int J Biochem* **19**(12):1141-1147, 1987
162. Riley PA: The great DOPA mystery: The source and significance of DOPA in phase I melanogenesis. *Cell Mol Biol (Noisy-le-grand)* **45**(7):951-960, 1999
163. Pawelek JM, Chakraborty, AK: The enzymology of melanogenesis. In: *The Pigmentary System: Physiology and Pathophysiology*, edited by JJ Nordlund, RE Boissy, VJ Hearing, RA King, JP Ortonne. New York, Oxford University Press, 1998, pp. 391-400
164. Nordlund JJ: The value of melanin as a sunscreen. In: *Mechanisms of Suntanning*, edited by JP Ortonne, R Ballotti. London, Martin Dunitz, Ltd., 2002, pp. 341-361
165. Marrot L et al: The human melanocyte as a particular target for UVA radiation and an endpoint for photoprotection assessment. *Photochem Photobiol* **69**(6):686-693, 1999
166. Wenczl E et al: (Pheo)melanin photosensitizes UVA-induced DNA damage in cultured human melanocytes. *J Invest Dermatol* **111**(4):678-682, 1998

167. Lacour JP et al: Cytoskeletal events underlying dendrite formation by cultured pigment cells. *J Cell Physiol* **151**(2):287-299, 1992
168. Hirobe T: Role of keratinocyte-derived factors involved in regulating the proliferation and differentiation of mammalian epidermal melanocytes. *Pigment Cell Res* **18**(1):2-12, 2005
169. Kauser S et al: Regulation of human epidermal melanocyte biology by beta-endorphin. *J Invest Dermatol* **120**(6):1073-1080, 2003
170. Hara M et al: Role of integrins in melanocyte attachment and dendricity. *J Cell Sci* **107**:2739-2748, 1994
171. Scott G. Rac and rho: The story behind melanocyte dendrite formation. *Pigment Cell Res* **15**(5):322-330, 2002
172. Scott G, Leopardi S: The cAMP signaling pathway has opposing effects on Rac and Rho in B16F10 cells: Implications for dendrite formation in melanocytic cells. *Pigment Cell Res* **16**(2):139-148, 2003
173. Hara M et al: Kinesin participates in melanosomal movement along melanocyte dendrites. *J Invest Dermatol* **114**(3):438-443, 2000
174. Hirokawa N et al: Kinesin associates with anterogradely transported membranous organelles in vivo. *J Cell Biol* **114**(2):295-302, 1991
175. Okada Y et al: The neuron-specific kinesin superfamily protein KIF1A is a unique monomeric motor for anterograde axonal transport of synaptic vesicle precursors. *Cell* **81**(5):769-780, 1995
176. Byers HR et al: Role of cytoplasmic dynein in melanosome transport in human melanocytes. *J Invest Dermatol* **114**(5):990-997, 2000
177. Bloom GS: Motor proteins for cytoplasmic microtubules. *Curr Opin Cell Biol* **4**(1):66-73, 1992
178. Endow SA, Titus MA: Genetic approaches to molecular motors. *Annu Rev Cell Biol* **8**:29-66, 1992
179. Gelfand VI, Scholey JM: Cell biology. Every motion has its motor. *Nature* **359**(6395):480-482, 1992
180. Coy DL, Howard J: Organelle transport and sorting in axons. *Curr Opin Neurobiol* **4**(5):662-667, 1994
181. Wu X et al: Visualization of melanosome dynamics within wild-type and dilute melanocytes suggests a paradigm for myosin V function In vivo. *J Cell Biol* **143**(7):1899-1918, 1998
182. Matesic LA, Copeland, NG, Jenkins, NA: A genetic approach to the study of vesicle transport in the mouse. In: *Mechanisms of Suntanning*, edited by JP Ortonne, R Ballotti. Nice, Martin Dunitz, 2002:199-208
183. Bahadoran P, Ballotti, R: Rab27a and melanosome transport in human melanocytes. In: *Mechanisms of Suntanning*, edited by JP Ortonne, R Ballotti. Nice, Martin Dunitz, 2002, pp. 209-214
184. Griscelli C et al: A syndrome associating partial albinism and immunodeficiency. *Am J Med* **65**(4):691-702, 1978
185. Pastural E et al: Griscelli disease maps to chromosome 15q21 and is associated with mutations in the myosin-Va gene. *Nat Genet* **16**(3):289-292, 1997
186. Van Gele M, Dynoodt P, Lambert J. Griscelli syndrome: a model system to study vesicular trafficking. *Pigment Cell Melanoma Res* **22**(3):268-82, 2009
187. Van Den Bossche K, Naeyaert JM, Lambert J: The quest for the mechanism of melanin transfer. *Traffic* **7**(7):769-778, 2006
188. Scott G et al: Filopodia are conduits for melanosome transfer to keratinocytes. *J Cell Sci* **115**(Pt 7):1441-1451, 2002
189. Nystedt S et al: Molecular cloning of a potential proteinase activated receptor. *Proc Natl Acad Sci U S A* **91**(20):9208-9212, 1994
190. Nystedt S et al: Molecular cloning and functional expression of the gene encoding the human proteinase-activated receptor 2. *Eur J Biochem* **232**(1):84-89, 1995
191. Scott G et al: Protease-activated receptor 2, a receptor involved in melanosome transfer, is up-regulated in human skin by ultraviolet irradiation. *J Invest Dermatol* **117**(6):1412-1420, 2001
192. Cardinali G et al: Keratinocyte growth factor promotes melanosome transfer to keratinocytes. *J Invest Dermatol* **125**(6):1190-1199, 2005
193. Friedmann PS, Gilchrist BA: Ultraviolet radiation directly induces pigment production by cultured human melanocytes. *J Cell Physiol* **133**(1):88-94, 1987
194. Wintzen M et al: Keratinocytes produce beta-endorphin and beta-lipotropic hormone after stimulation by UV, IL-1a or phorbol esters. *J Invest Dermatol* **104**:641, 1995
195. Schauer E et al: Proopiomelanocortin-derived peptides are synthesized and released by human keratinocytes. *J Clin Invest* **93**(5):2258-2262, 1994
196. Lerner AB, McGuire JS: Effect of alpha- and beta melanocyte stimulating hormones on the skin colour of man. *Nature* **189**:176-179, 1961
197. Levine N et al: Induction of skin tanning by subcutaneous administration of a potent synthetic melanotropin. *Jama* **266**(19):2730-2736, 1991

198. Jabbour SA. Cutaneous manifestations of endocrine disorders: A guide for dermatologists. *Am J Clin Dermatol* **4**(5):315-331, 2003
199. Assie G et al: The Nelson's syndrome revisited. *Pituitary* **7**(4):209-215, 2004
200. Slominski A et al: Corticotropin releasing hormone and proopiomelanocortin involvement in the cutaneous response to stress. *Physiol Rev* **80**(3):979-1020, 2000
201. Abdel-Malek ZA et al: Melanoma prevention strategy based on using tetrapeptide alpha-MSH analogs that protect human melanocytes from UV-induced DNA damage and cytotoxicity. *Faseb J* **20**(9):1561-1563, 2006
202. Cheli Y et al:  $\alpha$ MSH and cyclic AMP elevating agents control melanosome pH through a protein kinase A-independent mechanism. *J Biol Chem* **284**(28):18699-18706, 2009
203. Yada Y, Higuchi K, Imokawa G: Effects of endothelins on signal transduction and proliferation in human melanocytes. *J Biol Chem* **266**(27):18352-18357, 1991
204. Imokawa G, Yada Y, Miyagishi M: Endothelins secreted from human keratinocytes are intrinsic mitogens for human melanocytes. *J Biol Chem* **267**(34):24675-24680, 1992
205. Hara M, Yaar M, Gilchrist BA: Endothelin-1 of keratinocyte origin is a mediator of melanocyte dendricity. *J Invest Dermatol* **105**(6):744-748, 1995
206. Yohn JJ et al: Cultured human keratinocytes synthesize and secrete endothelin-1. *J Invest Dermatol* **100**(1):23-26, 1993
207. Funasaka Y et al: Modulation of melanocyte-stimulating hormone receptor expression on normal human melanocytes: Evidence for a regulatory role of ultraviolet B, interleukin-1 alpha, interleukin-1 beta, endothelin-1 and tumour necrosis factor-alpha. *Br J Dermatol* **139**(2):216-224, 1998
208. Tada A et al: Endothelin-1 is a paracrine growth factor that modulates melanogenesis of human melanocytes and participates in their responses to ultraviolet radiation. *Cell Growth Differ* **9**(7):575-584, 1998
209. Kadekaro AL et al: Alpha-Melanocortin and endothelin-1 activate antiapoptotic pathways and reduce DNA damage in human melanocytes. *Cancer Res* **65**(10):4292-4299, 2005
210. Imokawa G, Kobayashi T, Miyagishi M: Intracellular signaling mechanisms leading to synergistic effects of endothelin-1 and stem cell factor on proliferation of cultured human melanocytes. Cross-talk via trans-activation of the tyrosine kinase c-kit receptor. *J Biol Chem* **275**(43):33321-33328, 2000
211. Hachiya A et al: The paracrine role of stem cell factor/c-kit signaling in the activation of human melanocytes in ultraviolet-B-induced pigmentation. *J Invest Dermatol* **116**(4):578-586, 2001
212. Tomita Y, Maeda K, Tagami H: Mechanisms for hyperpigmentation in postinflammatory pigmentation, urticaria pigmentosa and sunburn. *Dermatologica* **179**(Suppl. 1):49-53, 1989
213. Ruzicka T: Leukotrienes in atopic eczema. *Acta Derm Venereol Suppl (Stockh)* **144**:48-49, 1989
214. Ikai K: Psoriasis and the arachidonic acid cascade. *J Dermatol Sci* **21**(3):135-146, 1999
215. Scott G et al: Proteinase-activated receptor-2 stimulates prostaglandin production in keratinocytes: Analysis of prostaglandin receptors on human melanocytes and effects of PGE2 and PGF2alpha on melanocyte dendricity. *J Invest Dermatol* **122**(5):1214-1224, 2004
216. Scott G et al: Effects of PGF2alpha on human melanocytes and regulation of the FP receptor by ultraviolet radiation. *Exp Cell Res* **304**(2):407-416, 2005
217. Norris DA, Morelli, JG, Fujita, M: Melanocytes interactions in skin. In: *The Pigmentary System: Physiology and Pathophysiology*, edited by JJ Nordlund, RE Boissy, VJ Hearing, RA King, JP Ortonne. New York, Oxford University Press, 1998, pp. 123-133
218. Zachariae CO, Thestrup-Pedersen K, Matsushima K: Expression and secretion of leukocyte chemotactic cytokines by normal human melanocytes and melanoma cells. *J Invest Dermatol* **97**(3):593-599, 1991
219. Gantz I et al: Molecular cloning of the human histamine H2 receptor. *Biochem Biophys Res Commun* **178**(3):1386-1392, 1991
220. Yoshida M, Takahashi Y, Inoue S: Histamine induces melanogenesis and morphologic changes by protein kinase A activation via H2 receptors in human normal melanocytes. *J Invest Dermatol* **114**(2):334-342, 2000
221. Levi-Montalcini R: The nerve growth factor 35 years later. *Science* **237**(4819):1154-1162, 1987
222. Hohn A et al: Identification and characterization of a novel member of the nerve growth factor/brain-derived neurotrophic factor family. *Nature* **344**(6264):339-341, 1990
223. Maisonpierre PC et al: Neurotrophin-3: A neurotrophic factor related to NGF and BDNF. *Science* **247**(4949 Pt 1):1446-1451, 1990



224. Rosenthal A et al: Primary structure and biological activity of a novel human neurotrophic factor. *Neuron* **4**(5):767-773, 1990
225. Hallbook F, Ibanez CF, Persson H: Evolutionary studies of the nerve growth factor family reveal a novel member abundantly expressed in *Xenopus* ovary. *Neuron* **6**(5):845-858, 1991
226. Barde YA, Edgar D, Thoenen H: Purification of a new neurotrophic factor from mammalian brain. *Embo J* **1**(5):549-553, 1982
227. Leibrock J et al: Molecular cloning and expression of brain-derived neurotrophic factor. *Nature* **341**(6238):149-152, 1989
228. Peacocke M et al: Induction of nerve growth factor receptors on cultured human melanocytes. *Proc Natl Acad Sci USA* **85**(14):5282-5286, 1988
229. Botchkarev VA et al: Neurotrophins in skin biology and pathology. *J Invest Dermatol* Aug **126**(8):1719-1727, 2006
230. Yaar M et al: Evidence for nerve growth factor-mediated paracrine effects in human epidermis. *J Cell Biol* **115**(3):821-828, 1991
231. Zhai S et al: Nerve growth factor rescues pigment cells from ultraviolet-induced apoptosis by upregulating BCL-2 levels. *Exp Cell Res* **224**(2):335-343, 1996
232. Stefanato CM et al: Modulations of nerve growth factor and Bcl-2 in ultraviolet-irradiated human epidermis. *J Cutan Pathol* **30**(6):351-357, 2003
233. Halaban R, Ghosh S, Baird A: bFGF is the putative natural growth factor for human melanocytes. *In Vitro Cell Dev Biol* **23**(1):47-52, 1987
234. Halaban R et al: Basic fibroblast growth factor from human keratinocytes is a natural mitogen for melanocytes. *J Cell Biol* **107**(4):1611-1619, 1988
235. Halaban R et al: Paracrine stimulation of melanocytes by keratinocytes through basic fibroblast growth factor. *Ann N Y Acad Sci* **548**:180-190, 1988
236. Moncada S, Palmer RM, Higgs EA: Nitric oxide: Physiology, pathophysiology, and pharmacology. *Pharmacol Rev* **43**(2):109-142, 1991
237. Schmidt HH, Walter U: NO at work. *Cell* **78**(6):919-925, 1994
238. Joshi M, Strandhoy J, White WL: Nitric oxide synthase activity is up-regulated in melanoma cell lines: A potential mechanism for metastases formation. *Melanoma Res* **6**(2):121-126, 1996
239. Heck DE et al: Epidermal growth factor suppresses nitric oxide and hydrogen peroxide production by keratinocytes. Potential role for nitric oxide in the regulation of wound healing. *J Biol Chem* **267**(30):21277-21280, 1992
240. Becherel PA et al: Involvement of cyclic AMP and nitric oxide in immunoglobulin E-dependent activation of Fc epsilon RII/CD23+ normal human keratinocytes. *J Clin Invest* **93**(5):2275-2279, 1994
241. Fecker LF et al: Inducible nitric oxide synthase is expressed in normal human melanocytes but not in melanoma cells in response to tumor necrosis factor-alpha, interferon-gamma, and lipopolysaccharide. *J Invest Dermatol* **118**(6):1019-1025, 2002
242. Romero-Graillet C et al: Nitric oxide produced by ultraviolet-irradiated keratinocytes stimulates melanogenesis. *J Clin Invest* **99**(4):635-642, 1997
243. Martini FH: *Fundamentals of Anatomy and Physiology: The Endocrine System*, 4th edition, Upper Saddle River, NJ, Prentice Hall International, 1998
244. Grando SA, Pittelkow MR, Schallreuter KU: Adrenergic and cholinergic control in the biology of epidermis: Physiological and clinical significance. *J Invest Dermatol* **126**(9):1948-1965, 2006
245. Farooqui JZ et al: Isolation of a unique melanogenic inhibitor from human skin xenografts: Initial in vitro and in vivo characterization. *J Invest Dermatol* **104**(5):739-743, 1995
246. Vijayan E et al: Purification of human skin tyrosinase and its protein inhibitor: Properties of the enzyme and the mechanism of inhibition by protein. *Arch Biochem Biophys* Sep **217**(2):738-747, 1982
247. Hoekstra D et al: Membrane dynamics and cell polarity: The role of sphingolipids. *J Lipid Res* **44**(5):869-877, 2003
248. Kim EJ et al: Modulation of vascular endothelial growth factor receptors in melanocytes. *Exp Dermatol* **14**(8):625-633, 2005
249. Kim DS et al: Delayed ERK activation by ceramide reduces melanin synthesis in human melanocytes. *Cell Signal* **14**(9):779-785, 2002
250. Yaar M et al: Bone morphogenetic protein-4: A novel modulator of melanogenesis. *J Biol Chem* **281**:25307-25314, 2006
251. Park HY et al: Role of BMP-4 and its signaling pathways in cultured human melanocytes. *Int J Cell Biol* **2009**:750482, 2009
252. Sharov AA et al: Bone morphogenetic protein (BMP) signaling controls hair pigmentation by means of cross-talk with the melanocortin receptor-1 pathway. *Proc Natl Acad Sci U S A* **102**(1):93-98, 2005

253. Whitfield JF et al: Calcium, cyclic AMP and protein kinase C—Partners in mitogenesis. *Cancer Metastasis Rev* 5(3):205-250, 1987
254. Iyengar R: Gating by cyclic AMP: Expanded role for an old signaling pathway. *Science* 271(5248):461-463, 1996
255. Wood JM, Gibbons NC, Schallreuter KU: Melanocortins in human melanocytes. *Cell Mol Biol (Noisy-le-grand)* 52(2):75-78, 2006
256. Lerner AB. My 60 years in pigmentation. *Pigment Cell Res* 12(2):131-144, 1999
257. Edelman AM, Blumenthal DK, Krebs EG: Protein serine/threonine kinases. *Annu Rev Biochem* 56:567-613, 1987
258. Pawelek JM: Studies on the Cloudman melanoma cell line as a model for the action of MSH. *Yale J Biol Med* 58(6):571-578, 1985
259. Montminy M: Transcriptional regulation by cyclic AMP. *Annu Rev Biochem* 66:807-822, 1997
260. Walsh DA et al: Krebs EG: Purification and characterization of a protein inhibitor of adenosine 3',5'-monophosphate-dependent protein kinases. *J Biol Chem* 246(7):1977-1985, 1971
261. Nishizuka Y: Turnover of inositol phospholipids and signal transduction. *Science* 225(4668):1365-1370, 1984
262. Gordon PR, Gilchrist BA: Human melanogenesis is stimulated by diacylglycerol. *J Invest Dermatol* 93(5):700-702, 1989
263. Allan AE, Archambault M, Messana E, Gilchrist BA: Topically applied diacylglycerols increase pigmentation in guinea pig skin. *J Invest Dermatol* 105(5):687-692, 1995
264. Yamanishi DT et al: The differential expression of protein kinase C genes in normal human neonatal melanocytes and metastatic melanomas. *Carcinogenesis* 12(1):105-109, 1991
265. Park HY et al: Expression of protein kinase C in cultured human melanocytes. *J Invest Dermatol* 102:440A, 1994
266. Imokawa G, Yada Y, Kimura M: Signalling mechanisms of endothelin-induced mitogenesis and melanogenesis in human melanocytes. *Biochem J* 314(Pt 1):305-312, 1996
267. Leurs R, Smit MJ, Timmerman H: Molecular pharmacological aspects of histamine receptors. *Pharmacol Ther* 66(3):413-463, 1995
268. Yuan Y et al: Histamine increases venular permeability via a phospholipase C-NO synthase-guanylate cyclase cascade. *Am J Physiol* 264(5 Pt 2):H1734-H1739, 1993
269. Slominski A et al: Preservation of eumelanin hair pigmentation in proopiomelanocortin-deficient mice on a nonagouti (a/a) genetic background. *Endocrinology* 146(3):1245-1253, 2005
270. Gillbro JM et al: Autocrine catecholamine biosynthesis and the beta-adrenoceptor signal promote pigmentation in human epidermal melanocytes. *J Invest Dermatol* 123(2):346-353, 2004
271. Gilchrist BA et al: The photobiology of the tanning response. In: *The Pigmentary System: Physiology and Pathophysiology*, edited by JJ Nordlund, RE Boissy, VJ Hearing, RA King, JP Ortonne. New York, Oxford University Press, 1998, pp. 359-372
272. Dillman AM. Photobiology of skin pigmentation. In: *Pigmentation and Pigmentary Disorders*, edited by N Levine. Boca Raton, CRC Press, 1993, pp. 61-94
273. Pathak MA et al: Melanin formation in human skin induced by long-wave ultra-violet and visible light. *Nature* 193:148-150, 1962
274. Tadokoro T et al: Mechanisms of skin tanning in different racial/ethnic groups in response to ultraviolet radiation. *J Invest Dermatol* 124(6):1326-1332, 2005
275. Gasparro FP. Photodermatology: Progress, problems and prospects. *Eur J Dermatol* 10(4):250-254, 2000
276. Eller MS. Repair of DNA photodamage in human skin. In: *Photodamage*. edited by BA Gilchrist. Cambridge, MA, Blackwell Scientific Publications, 1995, pp. 26-50
277. Punnonen K, Yuspa SH: Ultraviolet light irradiation increases cellular diacylglycerol and induces translocation of diacylglycerol kinase in murine keratinocytes. *J Invest Dermatol* 99(2):221-226, 1992
278. Freeman SE et al: Wavelength dependence of pyrimidine dimer formation in DNA of human skin irradiated in situ with ultraviolet light. *Proc Natl Acad Sci USA* 86(14):5605-5609, 1989
279. Parrish JA, Jaenicke KF, Anderson RR: Erythema and melanogenesis action spectra of normal human skin. *Photochem Photobiol* 36(2):187-191, 1982
280. Eller MS, Ostrom K, Gilchrist BA: DNA damage enhances melanogenesis. *Proc Natl Acad Sci USA* 93(3):1087-1092, 1996
281. Nylander K et al: Transcriptional activation of tyrosinase and TRP-1 by p53 links UV irradiation to the protective tanning response. *J Pathol* 190(1):39-46, 2000

282. Khlgatian MK et al: Tyrosinase gene expression is regulated by p53. *J Invest Dermatol* **118**(1):126-132, 2002
283. Eller MS, Gilchrist BA. Tanning as part of the eukaryotic SOS response. *Pigment Cell Res* **13**(Suppl. 8):94-97, 2000
284. Gilchrist BA et al: Mechanisms of ultraviolet light-induced pigmentation. *Photochem Photobiol* **63**(1):1-10, 1996
285. Park HY et al: Cellular mechanisms regulating human melanogenesis. *Cell Mol Life Sci* **66**(9):1493-1506, 2009
286. Cui R et al: Central role of p53 in the suntan response and pathologic hyperpigmentation. *Cell* **128**(5):853-864, 2007
287. Schallreuter KU et al: Regulation of melanogenesis – Controversies and new concepts. *Exp Dermatol* **17**(5):395-404, 2007
288. Vile GF: Active oxygen species mediate the solar ultraviolet radiation-dependent increase in the tumour suppressor protein p53 in human skin fibroblasts. *FEBS Lett* **412**(1):70-74, 1997
289. Slominski A, Tobin DJ, Paus R: Does p53 regulate skin pigmentation by controlling proopiomelanocortin gene transcription? *Pigment Cell Res* **20**(4):307-308, 2007
290. Gilchrist BA, Blog FB, Szabo G: Effects of aging and chronic sun exposure on melanocytes in human skin. *J Invest Dermatol* **73**(2):141-143, 1979
291. Schwahn DJ et al: Dynamic regulation of the human dopachrome tautomerase promoter by MITF, ER-alpha and chromatin remodelers during proliferation and senescence of human melanocytes. *Pigment Cell Res* **18**(3):203-213, 2005
292. Bennett DC, Medrano EE: Molecular regulation of melanocyte senescence. *Pigment Cell Res* **15**(4):242-250, 2002
293. Ortonne JP: The effects of ultraviolet exposure on skin melanin pigmentation. *J Int Med Res* **18**(Suppl. 3):8C-17C, 1990
294. Sturm RA: Human pigmentation genes and their response to solar UV radiation. *Mutat Res* **422**(1):69-76, 1998

