

Chapter 77

Diseases and Disorders of the Male Genitalia

Christopher B. Bunker

REFERENCES

1. Mallon E et al: Circumcision and genital dermatoses. *Arch Dermatol* **136**:350, 2000 [PMID: 10724196]
2. Moses S, Bailey RC, Ronald AR: Male circumcision: Assessment of health benefits and risks. *Sex Transm Infect* **74**:368, 1998 [PMID: 10195035]
3. Bunker CB: *Male Genital Dermatology*. London, Saunders, 2004
4. Elder JS: Circumcision. *BJU Int* **99**:1553-1564, 2007
5. Weiss HA et al: Complications of circumcision in male neonates, infants and children: A systematic review. *BMC Urol* **10**:2, 2010
6. Weiss HA, Hankins CA, Dickson K: Male circumcision and risk of HIV infection in women: A systematic review and meta-analysis. *Lancet Infect Dis* **9**:669-677, 2009
7. Templeton DJ et al: Circumcision and risk of HIV infection in Australian homosexual men. *AIDS* **23**:2347-2351, 2009
8. Wawer MJ et al: Circumcision in HIV-infected men and its effect on HIV transmission to female partners in Rakai, Uganda: A randomised controlled trial. *Lancet* **374**:229-237, 2009
9. Xu X et al: Can routine neonatal circumcision help prevent human immunodeficiency virus transmission in the United States? *Am J Mens Health* **3**:79-84, 2009
10. Auvert B et al: Effect of male circumcision on the prevalence of high-risk human papillomavirus in young men: Results of a randomized controlled trial conducted in Orange Farm, South Africa. *J Infect Dis* **199**:14-19, 2009
11. Warner L et al: Male circumcision and risk of HIV infection among heterosexual African American men attending Baltimore sexually transmitted disease clinics. *J Infect Dis* **199**:59-65, 2009
12. Gray RH et al: The role of male circumcision in the prevention of human papilloma virus and HIV infection. *J Infect Dis* **199**:1-3, 2009
13. Sobngwi-Tambekou J et al: Male circumcision and *Neisseria gonorrhoeae*, *Chlamydia trachomatis* and *Trichomonas vaginalis*: Observations after a randomised controlled trial for HIV prevention. *Sex Transm Infect* **85**:116-120, 2009
14. Gray RH et al: The effects of male circumcision on female partners' genital tract symptoms and vaginal infections in a randomized trial in Rakai, Uganda. *Am J Obstet Gynecol* **200**:42.e1-e7, 2009
15. Siegfried N et al: Male circumcision for prevention of heterosexual acquisition of HIV in men. *Cochrane Database Syst Rev* **2**:CD003362, 2009
16. Templeton DJ, Millett GA, Grulich AE: Male circumcision to reduce the risk of HIV and sexually transmitted infections among men who have sex with men. *Curr Opin Infect Dis* **23**:45-52, 2010
17. Doyle SM et al: The impact of male circumcision on HIV transmission. *J Urol* **183**:21-26, 2010
18. Whitfield H: Circumcision. *BJU Int* **83**(Suppl. 1):1, 1999
19. Alanis MC, Lucidii RS: Neonatal circumcision: A review of the world's oldest and most controversial operation. *Obstet Gynaecol Surv* **59**:379, 2004 [PMID: 15097799]
20. Hutcheson JC: Male neonatal circumcision: Indications, controversies and complications. *Urol Clin North Am* **31**:461, 2004 [PMID: 15313055]
21. Singh-Grewal D, Macdessi J, Craig J: Circumcision for the prevention of urinary tract infection in boys: A systematic review of randomised trials and observational studies. *Arch Dis Child* **90**:853, 2005 [PMID: 15890696]
22. Van Howe RS: Effect of confounding in the association between circumcision status and urinary tract infection. *J Infect* **51**:59, 2005
23. Fergusson DM, Boden JM, Horwood LJ: Circumcision status and risk of sexually transmitted infection in young adult males: An analysis of a longitudinal birth cohort. *Pediatrics* **118**:1971-1977, 2006
24. Weiss HA et al: Male circumcision and risk of syphilis, chancroid, and genital herpes: A systematic review and meta-analysis. *Sex Transm Infect* **82**:101-109, 2006

25. Morris BJ: Why circumcision is a biomedical imperative for the 21(st) century. *Bioessays* **29**:1147-1158, 2007
26. Xu F et al: Prevalence of circumcision and herpes simplex virus type 2 infection in men in the United States: The National Health and Nutrition Examination Survey (NHANES), 1999-2004. *Sex Transm Dis* **34**:479-484, 2007
27. Van Howe RS: Human papillomavirus and circumcision: A meta-analysis. *J Infect* **5**:490-496, 2007
28. Hernandez BY et al: Circumcision and human papillomavirus infection in men: A site-specific comparison. *J Infect Dis* **197**:787-794, 2008
29. Dickson NP et al: Circumcision and risk of sexually transmitted infections in a birth cohort. *J Pediatr* **152**:383-387, 2008
30. Templeton DJ et al: Circumcision and risk of sexually transmissible infections in a community-based cohort of HIV-negative homosexual men in Sydney, Australia. *J Infect Dis* **200**:1813-1819, 2009
31. Johnson KE et al: Foreskin inflammation is associated with HIV and herpes simplex virus type-2 infections in Rakai, Uganda. *AIDS* **23**:1807-1815, 2009
32. Mehta SD et al: Adult male circumcision does not reduce the risk of incident *Neisseria gonorrhoeae*, *Chlamydia trachomatis*, or *Trichomonas vaginalis* infection: Results from a randomized, controlled trial in Kenya. *J Infect Dis* **200**:370-378, 2009
33. Gray RH: Infectious disease: Male circumcision for preventing HPV infection. *Nat Rev Urol* **6**:298-299, 2009
34. Neilson CM et al: Associations between male anogenital human papillomavirus infection and circumcision by anatomic site sampled and lifetime number of female sex partners. *J Infect Dis* **199**:7-13, 2009
35. Tobian AA et al: Male circumcision for the prevention of HSV-2 and HPV infections and syphilis. *N Engl J Med* **360**:1298-1309, 2009
36. Lu B et al: Factors associated with acquisition and clearance of human papillomavirus infection in a cohort of US men: A prospective study. *J Infect Dis* **199**:362-371, 2009
37. Dickson NP et al: Male circumcision and serologically determined human papillomavirus infection in a birth cohort. *Cancer Epidemiol Biomarkers Prev* **18**:177-183, 2009
38. Guiliano AR et al: Circumcision and sexual behavior: factors independently associated with human papillomavirus detection among men in the HIM study. *Int J Cancer* **124**:1251-1257, 2009
39. Anonymous. Editorial. Male circumcision: A cancer prevention strategy? *Lancet Oncol* **10**:431, 2009
40. Van Howe RS, Storms MR: Circumcision to prevent HPV infection. *Lancet Oncol* **10**:746-747, 2009
41. Jameson DR et al: The association between lack of circumcision and HIV, HSV-2 and other sexually transmitted infections among men who have sex with men. *Sex Transm Dis* **37**:147-152, 2010
42. Ceylan K et al: Severe complications of circumcision: an analysis of 48 cases. *J Pediatr Urol* **3**:32-35, 2007
43. Aydur E et al: Effects of childhood circumcision age on adult male sexual functions. *Int J Impot Res* **19**:424-431, 2007
44. Kim D, Pang MG: The effect of male circumcision on sexuality. *BJU Int* **99**:619-622, 2007
45. Willcourt R: The effect of male circumcision on sexuality. *BJU Int* **99**:1169-1170, 2007
46. Kim HH, Goldstein M: High complication rates challenge the implementation of male circumcision for HIV prevention in Africa. *Nat Clin Pract Urol* **6**:64-65, 2009
47. rabb C: Male circumcision to prevent heterosexual HIV transmission gets (another) green light, but traditional circumcision in Africa has 'shocking' number of complications. *AIDS* **2010**;24:N1-N2
48. Benatar M, Benatar D: Between prophylaxis and child abuse: The ethics of neonatal male circumcision. *Am J Bioeth* **3**:35, 2003 [PMID: 12859815]
49. Hinchley G: Is Infant male circumcision an abuse of the rights of the child? Yes. *BMJ* **335**:1180, 2007
50. Patrick K: Is Infant male circumcision an abuse of the rights of the child? No. *BMJ* **335**:1181, 2007
51. Porter WM, Bunker CB: The dysfunctional foreskin. *Int J STD AIDS* **12**:216, 2001 [PMID: 11319970]
52. Rangarajan M, Jayakar SM: Paraphimosis revisited: Is chronic papaphimosis a predominantly third world condition? *Trop Doct* **38**:40-42, 2008
53. Gupta S, Kumar B: Dorsal perforation of prepuce: A common end point of severe ulcerative genital diseases? *Sex Transm Infect* **76**:210, 2000 [PMID: 10961201]
54. Gupta S, Kumar B: Dorsal perforation of prepuce due to locally erosive condylomata acuminata. *Sex Transm Infect* **77**:77, 2001 [PMID: 11158703]
55. Mallon E et al: Biopsy of male genital dermatoses. *Genitourin Med* **73**:421, 1997 [PMID: 9534761]
56. Kirkham AP et al: MR imaging of non-malignant penile lesions. *Radiographics* **28**:837-853, 2008

57. Fütterer JJ, Heijmink SW, Spermon JR: Imaging the male reproductive tract: Current trends and future directions. *Radiol Clin North Am* 46:133-147, 2008
58. Kim B, Kawashima A, LeRoy AJ: Imaging of the male urethra. *Semin Ultrasound CT MR* 28:258-273, 2007
59. Agha K et al: Pearly penile papules regress in older patients and with circumcision. *Int J STD AIDS* 20:768-770, 2009
60. Phan PT et al: Kissing naevus of the penis. *Clin Exp Dermatol* 29:471, 2004 [PMID: 15347326]
61. Izquierdo MJ et al: Epithelioid blue naevus of the genital mucosa: Report of four cases. *Br J Dermatol* 145:496, 2001 [PMID: 11531845]
62. von Krogh G: Clinical relevance and evaluation of genitoanal papilloma virus infection in the male. *Semin Dermatol* 11:229, 1992
63. Aguilar LV et al: Human papilloma virus in men: Comparison of different genital sites. *Sex Transm Infect* 82:31, 2006 [PMID: 16461598]
64. De Carvalho JJ et al: Prevalence of genital human papillomavirus infections established using different diagnostic techniques among males attending a urological clinic. *Scan J Urol Nephrol* 40:138, 2006
65. Micali G et al: Penile cancer. *J Am Acad Dermatol* 54:369, 2006 [PMID: 16488287]
66. Wieland U et al: Erythroplasia of Queyrat: Coinfection with cutaneous carcinogenic human papillomavirus type 8 and genital papillomaviruses in a carcinoma in situ. *J Invest Dermatol* 115:396-401, 2000
67. Frisch M, Biggar RJ, Goedert JJ: Human papillomavirus-associated cancers in patients with human immunodeficiency virus infection and acquired immunodeficiency syndrome. *J Natl Cancer Inst* 92:1500-1510, 2000
68. Dillner J et al: Etiology of squamous cell carcinoma of the penis. *Scand J Urol Nephrol Suppl* 205:189-193, 2000
69. Fox PA, Tung MY: Human papillomavirus. Burden of illness and treatment cost considerations. *Am J Clin Dermatol* 6:365, 2005 [PMID: 16343025]
70. Grulich AE et al: Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: A meta-analysis. *Lancet* 370:59-67, 2007
71. Engels E et al: Cancer risk in 57,350 HIV-infected individuals in the US (1991–2002): relationship with immunosuppression and changes over time. In: *Program and Abstracts of the 14th Conference on Retroviruses and Opportunistic Infections*, February 25–28, 2007, Los Angeles, California. Poster 875
72. Kreuter A et al: German Competence Network HIV/AIDS. *J Invest Dermatol* 128:2316-2324, 2008 PMID 18385760
73. Kreuter A, Wilenad U: Human papillomavirus-associated diseases in HIV-infected men who have sex with men. *Curr Opin Infect Dis* 22:109-114, 2009. PMID 19276878
74. Auvert B et al: Association of oncogenic and nononcogenic human papillomavirus with HIV incidence. *J Acquir Immune Defic Syndr* 53:111-116, 2010
75. Shiels MS, Pfeiffer RM, Gail MH et al: Cancer burden in the HIV-infected population in the United States. *J Natl Cancer Inst* 103:753-62, 2011
76. Maw R: National guideline for the management of anogenital warts. Clinical Effectiveness Group (Association of Genitourinary Medicine and the Medical Society for the Study of Venereal Diseases). *Sex Transm Infect* 75(Suppl. 1):S71, 1999
77. Ting PT, Dytoc MT: Therapy of external anogenital warts and molluscum contagiosum: A literature review. *Dermatol Ther* 17:68-101, 2004
78. Stefanaki C et al: Imiquimod-induced vitiligo in a patient with genital warts. *J Eur Acad Dermatol Venereol* 20:755-756, 2006
79. Serrao VV, Paris FR, Feio AB: Genital vitiligo-like depigmentation following use of imiquimod 5% cream. *Eur J Dermatol* 18:342-343, 2008
80. Chen YH, Wong TW, Lee JY: Depigmented genital extramammary Paget's disease: A possible histogenetic link to Toker's clear cells and clear cell papulosis. *J Cutan Pathol* 28:105-108, 2001
81. Park HS, Lee Ys, Chun DK: Squamous cell carcinoma in vitiligo lesion after long-term PUVA therapy. *J Eur Acad Dermatol Venereol* 17:578-580, 2003
82. Cribier B, Ndiaye I, Grosshans E: Peno-gingival syndrome. A male equivalent of vulvo-vagino-gingival syndrome. *Rev Stomatol Chir Maxillofac* 94:148, 1992
83. Karthikeyan K, Jeevankumar B, Thappa DM: Bullous lichen planus of the glans penis. *Dermatol Online J* 9:31, 2003
84. Alvarez Alvarez C et al: Verrucous carcinoma of the penis arising from a lichen planus. A true preneoplastic lesion? *Actas Urol Esp* 30:90-92, 2006
85. Hoshi A, Usui Y, Terachi T: Penile carcinoma originating from lichen planus on glans penis. *Urology* 71:816-817, 2008

86. Porter WM et al: Erosive penile lichen planus responding to circumcision. *J Eur Acad Dermatol Venereol* **15**:266, 2001
87. Sidwell RU et al: Subcutaneous granuloma annulare of the penis in two adolescents. *J Pediatr Surg* **40**:1329, 2005 [PMID: 16080942]
88. Bewley AP et al: Successful treatment of a patient with octreotide-resistant necrolytic migratory erythema. *Br J Dermatol* **134**:1101, 1996 [PMID: 8763433]
89. Firestein GS et al: Mouth and genital and inflamed cartilage: MAGIC syndrome. *Am J Med* **79**:65, 1985 [PMID: 4014306]
90. Orme RL et al: The MAGIC syndrome (mouth and genital ulcers with inflamed cartilage). *Arch Dermatol* **126**:940, 1990 [PMID: 2360844]
91. Kiliç H et al: Low-dose natural human interferon-alpha lozenges in the treatment of Behçet's syndrome. *Rheumatology (Oxford)* **48**:1388-1391, 2009
92. Ramos-Casals M et al; Biogees Study Group: A systematic review of the off-label use of biological therapies in systemic autoimmune diseases. *Medicine (Baltimore)* **87**:345-364, 2008
93. Hart M, Moots RJ: Behçet's syndrome. *BMJ* **339**:b3876, 2009. Doi: 10.1136/bmj.b3876
94. Fueston JC, Adams BB, Mutasim DF: Cicatricial pemphigoid-induced phimosis. *J Am Acad Dermatol* **46**:S128, 2002
95. Borgstrom E: Penile ulcer as complication in self-induced papaverine erections. *Urology* **32**:416, 1988 [PMID: 3188305]
96. Esser AC et al: All-trans-retinoic acid-induced scrotal ulcerations in a patient with acute promyelocytic leukaemia. *J Am Acad Dermatol* **43**:316, 2000 [PMID: 10906659]
97. Moyle G, Barton S, Gazzard BG: Penile ulceration with foscarnet therapy. *AIDS* **7**:140, 1993 [PMID: 8382924]
98. Henson EB et al: Penile angioedema possibly related to lisinopril. *Am J Health Syst Pharm* **56**:1773, 1999 [PMID: 10512511]
99. Pandey SS et al: Dermatophyte infection of the penis. Association with a particular undergarment. *Int J Dermatol* **20**:112, 1981 [PMID: 7216591]
100. Adeyemi-Doru FAB, Osoba OA, Junaid TA: Perigenital cutaneous schistosomiasis. *Br J Vener Dis* **55**:446, 1979
101. Porter WM et al: Porokeratosis of the penis. *Br J Dermatol* **144**:643, 2001 [PMID: 11260043]
102. Chau A et al: Metastatic Tumors to the Penis: A report of 17 cases and review of the literature. *Int J Surg Pathol* 2010 [Epub ahead of print]
103. Kaporis A, Lynfield Y: Penile lentiginosis. *J Am Acad Dermatol* **38**:781, 1998 [PMID: 9591831]
104. Breathnach AS, Balus L, Amantea A: Penile lentiginosis. An ultrastructural study. *Pigment Cell Res* **5**:404, 1992 [PMID: 1492076]
105. Porter WM et al: Zoon's balanitis and carcinoma of the penis. *Int J STD AIDS* **11**:484, 2002
106. Weyers W et al: Balanitis of Zoon: A clinicopathologic study of 45 cases. *Am J Dermatopathol* **24**:459, 2002 [PMID: 12454596]
107. Bunker CB: Management of penile dermatoses. *Expert Rev Dermatol* **1**:241, 2006
108. Kumar B et al: Plasma cell balanitis: Clinicopathologic study of 112 cases and treatment modalities. *J Cutan Med Surg* **10**:11-15, 2006
109. Jasaitiene D et al: Lichen sclerosus et atrophicus in pediatric and adult male patients with congenital and acquired phimosis. *Medicine (Kaunas)* **44**:460-466, 2008
110. Chan I et al: Characterisation of IgG autoantibodies to extracellular matrix protein 1 in lichen sclerosus. *Clin Exp Dermatol* **29**:499, 2004 [PMID: 15347336]
111. Edmonds EVJ, Oyama N, Chan I, Francis N, McGrath JA, Bunker CB: Extracellular cellular matrix protein 1 (ECM1) autoantibodies in male genital lichen sclerosus (MGLSc). *Br J Dermatol* **165**:218-9, 2011.
112. English JC III, King DH, Foley JP: Penile shaft hypopigmentation: Lichen sclerosus occurring after the initiation of alprostadil intracavernous injections for erectile dysfunction. *J Am Acad Dermatol* **39**:801, 1998 [PMID: 9810901]
113. Mattioli G et al: Lichen sclerosus et atrophicus in children with phimosis and hypospadias. *Pediatr Surg Int* **18**:273, 2002 [PMID: 12021978]
114. Bunker CB et al: Re: Lichen sclerosus: Review of the literature and current recommendations for management. Pugliese JM et al. *J Urol* **178**:2268-2276, 2007. *J Urol* **181**:1802-1803, 2009
115. Barbagli G et al: Lichen sclerosus of the male genitalia and urethral stricture diseases. *Urol Int* **73**:1, 2004 [PMID: 15263783]
116. Pugliese JM, Morey AF, Peterson AC: Lichen sclerosus: review of the literature and current recommendations for management. *J Urol* **178**:2268-2276, 2007
117. Ridley CM: Lichen sclerosus et atrophicus. *Arch Dermatol* **123**:457, 1987 [PMID: 3827275]

118. Schnitzler L et al: Epitheliome spino-cellulaire aign de la verge et lichen sclero-atrophique. *Ann Dermatol Venereol* **114**:979, 1987 [PMID: 3426073]
119. Weber P, Rabinovitz H, Garland L: Verrucous carcinoma in penile lichen sclerosus et atrophicus. *J Dermatol Surg Oncol* **13**:529, 1987 [PMID: 2437168]
120. Campus GV, Alia F, Bosincu L: Squamous cell carcinoma and lichen sclerosus et atrophicus of the prepuce. *Plast Reconst Surg* **89**:962, 1992 [PMID: 1561268]
121. Simonart T et al: Carcinoma of the glans penis arising 20 years after lichen sclerosus. *Dermatology* **196**:337, 1998 [PMID: 9621143]
122. Liatsikos EN et al: Lichen sclerosu et atrophicus. Findings after complete circumcision. *Scand J Urol Nephrol* **31**:453-456, 1997
123. Paricio Rubio JF et al: Squamous cell carcinoma of the penis arising on lichen sclerosus et atrophicus. *J Eur Acad Dermatol Venereol* **12**:153, 1999
124. Nasca MR, Innocenzi D, Micali G: Penile cancer among patients with genital lichen sclerosus. *J Am Acad Dermatol* **41**:911, 1999 [PMID: 10570372]
125. Depasquale I, Park AJ, Bracka A: The treatment of balanitis xerotica obliterans. *BJU Int* **86**:459-465, 2000
126. Micali G, Nasca MR, Innocenzi D: Lichen sclerosus of the glans is significantly associated with penile carcinoma. *Sex Transm Infect* **77**:226, 2001 [PMID: 11402247]
127. Perceau G et al: Lichen sclerosus is frequently present in penile squamous cell carcinoma but is not always associated with oncogenic human papillomavirus. *Br J Dermatol* **148**:934, 2003 [PMID: 12786823]
128. Velazquez EF, Cubilla AL: Lichen sclerosus in 68 patients with squamous cell carcinoma of the penis: Frequent atypias and correlation with special carcinoma variants suggests a precancerous role. *Am J Surg Pathol* **27**:1148, 2003
129. Maden C et al: History of circumcision, medical conditions, and sexual activity and the risk of penile cancer. *J Natl Cancer Inst* **85**:19, 1993 [PMID: 8380060]
130. Holly EA, Palefsky JM: Factors related to risk of penile cancer: New evidence from a study in the Pacific northwest. *J Natl Cancer Inst* **85**:2, 1993 [PMID: 8380061]
131. Renaud-Vilmer C, Cavelier-Balloy B, Verola O, Morel P, Servant JM, Desgrandchamps F, Dubertret L: Analysis of alterations adjacent to invasive squamous cell carcinoma of the penis and their relationship with associated carcinoma. *J Am Acad Dermatol* **62**:284-290, 2010.
132. Neill SM et al: Guidelines for the management of lichen sclerosus. *Br J Dermatol* **147**:640, 2002. [PMID: 12366407]
133. Edmonds E, Hunt S, Hawkins D, Dinneen M, Francis N, Bunker CB: Clinical parameters in male genital lichen sclerosus: a case series of 329 patients. *JEADV* 2011. Doi: 10.1111/j.1468-3083.2011.04155.x. [Epub ahead of print]
134. Renaud-Vilmer C et al: Vulvar lichen sclerosus: Effect of long-term topical application of a potent steroid on the course of the disease. *Arch Dermatol* **140**:709, 2004 [PMID: 15210462]
135. Von Krogh G, Dahlman-Ghozlan K, Syrjanen S: Potential human papillomavirus reactivation following topical corticosteroid therapy of genital lichen sclerosus and erosive lichen planus. *J Eur Acad Dermatol Venereol* **16**:130, 2002
136. Bunker CB, Neill S, Staughton RCD: Topical tacrolimus, genital lichen sclerosus and risk of squamous cell carcinoma. *Arch Dermatol* **140**:1169, 2004 [PMID: 15381566]
137. Bunker CB: Male genital lichen sclerosus and tacrolimus. *Br J Dermatol* **157**:1079-1080, 2007
138. Kulkarni S et al: Lichen sclerosus of the male genitalia and urethra: Surgical options and results in a multicenter international experience with 215 patients. *Eur Urol* **55**:945-954, 2009
139. Alessi E, Coggi A, Gianotti R: Review of 120 biopsies performed on the balano-preputial sac. From Zoon's balanitis to the concept of a wider spectrum of inflammatory non-cicatricial balanoposthitis. *Dermatology* **208**:120, 2004 [PMID: 15057000]
140. Bromage SJ, Crump A, Pearce I: Phimosis as a presenting feature of diabetes. *BJU Int* **101**:338-340, 2008
141. Edwards SK, European Branch of the International Union against Sexually Transmitted Infection, the European Office of the World Health Organization: European guideline for the management of balanoposthitis. *Int J STD AIDS* **12**:68, 2001 [PMID: 11589801]
142. Cotterill JA: A dermatological non-disease: A common and potentially fatal disturbance of cutaneous body image. *Br J Dermatol* **104**:611, 1981 [PMID: 7248174]
143. Markos AR: The male genital skin burning syndrome (dysaesthetic peno/scroto-dynia). *Int J STD AIDS* **13**:271, 2002 [PMID: 11886614]

144. Parks AG, Porter NH, Hardcastle J: The syndrome of descending perineum. *Proc R Soc Med* **59**:477, 1966 [PMID: 5937925]
145. Lark B: Chronic perianal pain. *JR Soc Med* **75**:370, 1982
146. Neill ME, Swash M: Chronic perianal pain: An unsolved problem. *JR Soc Med* **75**:96, 1982 [PMID: 7069679]
147. Wesselmann U, Burnett AL, Heinberg LJ: The urogenital and rectal pain syndromes. *Pain* **73**:269, 1997 [PMID: 9469518]
148. Fisher BK: The red scrotum syndrome. *Cutis* **60**:139, 1997 [PMID: 9314618]
149. Feler CA, Whitworth LA, Fernandez J: Sacral neuromodulation for chronic pain conditions. *Anesthesiol Clin North Am* **21**:785, 2003
150. Carter JE: A systematic history for the patient with chronic pelvic pain. *JSL* **3**:245, 1999 [PMID: 10694069]
151. Morrissette DL et al: Finger and penile tactile sensitivity in sexually functional and dysfunctional diabetic men. *Diabetologia* **42**:336, 1999 [PMID: 10096787]
152. Cohen AD et al: Neuropathic scrotal pruritus: Anogenital pruritus is a symptom of lumbosacral radiculopathy. *J Am Acad Dermatol* **52**:61, 2005 [PMID: 15627082]
153. Abbas O et al: Red scrotum syndrome: Successful treatment with oral doxycycline. *J Dermatolog Treat* **19**(6):1-2, 2008
154. Porter WM, Dinneen M, Bunker C: Chronic penile lymphoedema. *Arch Dermatol* **137**:1108, 2001 [PMID: 11493116]
155. Devesa Mugica M et al: Gangrenous juvenile vasculitis of the scrotum. *Actas Urol Esp* **18**:237, 1994
156. Sarihan H: Idiopathic scrotal necrosis. *Br J Urol* **74**:259, 1994 [PMID: 7921954]
157. Wessels H: Genital skin loss: Unified reconstructive approach to a heterogeneous entity. *World J Urol* **117**:107, 1999
158. Adams JR Jr et al: Fournier's gangrene in children. *Urology* **35**:439, 1990 [PMID: 2186554]
159. Piot P et al: Ulcerative balanoposthitis associated with non syphilitic spirochaetal infection. *Genitourin Med* **62**:44, 1986 [PMID: 3949350]
160. Droller MJ: Carcinoma of the penis: An overview. *Urol Clin North Am* **7**:783, 1980 [PMID: 7456186]
161. Bunker CB: Diagnosis and management of penile pre-cancer: Combined clinics and topical chemotherapy. In: *The Effective Management of Urological Malignancies*, edited by J Anderson, RTD Oliver, A Miles. London, Aesculapius Medical Press, 2005
162. Pietrzak P, Watkin N: Modern management of penile cancer. In: *The Effective Management of Urological Malignancies*, edited by J Anderson, RTD Oliver, A Miles. London, Aesculapius Medical Press, 2005
163. Misra S, Chaturvedi A, Misra NC: Penile carcinoma: A challenge for the developing world. *Lancet Oncol* **5**:240, 2004 [PMID: 15050955]
164. Frisch M et al: Falling incidence of penis cancer in an uncircumcised population (Denmark 1943-90). *BMJ* **311**:1471, 1995 [PMID: 8520335]
165. Bleeker MC et al: Penile cancer: Epidemiology, pathogenesis and prevention. *World J Urol* **27**:142-150, 2009
166. Markos AR: The management of penile intraepithelial neoplasia in genitourinary medicine. *Int J STD AIDS* **14**:314, 2003 [PMID: 12803938]
167. Madsen BS et al: Risk factors for squamous cell carcinoma of the penis—Population-based case-control study in Denmark. *Cancer Epidemiol Biomarkers Prev* **17**:2683-2691, 2008
168. Daling JR et al: Penile cancer: Importance of circumcision, human papillomavirus and smoking in in situ and invasive disease. *Int J Cancer* **116**:606, 2005 [PMID: 15825185]
169. Wieland U et al: Erythroplasia of Queyrat: Coinfection with cutaneous carcinogenic human papillomavirus type 8 and genital papillomaviruses in a carcinoma in situ. *J Invest Dermatol* **115**:396, 2000 [PMID: 10951274]
170. Niederauer HH, Weindorf N, Schultz-Ehrenburg U: Ein Fall von Condyloma acuminatum giganteum. Zur Differentialdiagnose der Riesencondylome von den Buschke-Lowenstein-Tumoren und dem verrukösen Karzinom. [A case of giant condyloma acuminatum. on differential diagnosis of giant condylomas from Buschke-Lowenstein tumors and verrucous carcinoma]. *Hautarzt* **44**:795, 1993 [PMID: 8113045]
171. Noel JC et al: Verrucous carcinoma of the penis: Importance of human papillomavirus typing for diagnosis and therapeutic decision. *Eur Urol* **22**:83, 1992 [PMID: 1330573]
172. Gonzalez-Lopez A et al: Buschke-Lowenstein tumor and immunity. *Cutis* **59**:119, 1997 [PMID: 9071549]
173. Anadolu R et al: Buschke-Loewenstein tumour is not a low-grade carcinoma but a giant verrucosa. *Acta Derm Venereol* **79**:253, 1999 [PMID: 10384944]

174. Haycox CL, Kuypers J, Krieger JN: Role of human papillomavirus typing in diagnosis and clinical decision making for a giant verrucous genital lesion. *Urology* **53**:627, 1999 [PMID: 10096398]
175. Gross G, Pfister H: Role of human papillomavirus in penile cancer, penile intraepithelial squamous cell neoplasias and in genital warts. *Med Microbiol Immunol (Berl)* **193**:35, 2004 [PMID: 12838415]
176. Cubilla AL et al: Warty (condylomatous) squamous cell carcinoma of the penis: A report of 11 cases and proposed classification of "verruciform" penile tumours. *Am J Surg Pathol* **24**:505, 2000 [PMID: 10757397]
177. Bezerra AL et al: Clinicopathologic features and human papillomavirus DNA prevalence of warty and squamous cell carcinoma of the penis. *Am J Surg Pathol* **25**:673, 2001 [PMID: 11342782]
178. Weber P, Rabinovitz H, Garland L: Verrucous carcinoma in penile lichen sclerosus et atrophicus. *J Dermatol Surg Oncol* **13**:529, 1987 [PMID: 2437168]
179. Cubilla AL, Meijer CJLM, Young RH: Morphological features of epithelial abnormalities and precancerous lesions of the penis. *Scand J Urol Nephrol* **205**(Suppl):215, 2000
180. Cubilla AL, Velazquez EF, Young RH: Epithelial lesions associated with invasive penile squamous cell carcinoma: A pathologic study of 288 cases. *Int J Surg Pathol* **12**:351, 2004 [PMID: 15494861]
181. Cubilla AL et al: Histologic classification of penile carcinoma and its relation to outcome in 61 patients with primary resection. *Int J Surg Pathol* **9**:111, 2001 [PMID: 11484498]
182. Velazquez EF et al: Sarcomatoid carcinoma of the penis: A clinicopathological study of 15 cases. *Am J Surg Pathol* **29**:1152, 2005 [PMID: 16096403]
183. Velazquez EF et al: Limitations in the interpretation of biopsies in patients with penile squamous cell carcinoma. *Int J Surg Pathol* **12**:139, 2004 [PMID: 15173919]
184. Cubilla AL et al: Anatomic levels: important landmarks in penectomy specimens: A detailed anatomic and histologic study based on examination of 44 cases. *Am J Surg Pathol* **25**:1091, 2001 [PMID: 11474296]
185. Ono Y et al: Tumor-associated tissue eosinophilia of penile cancer. *Int J Urol* **9**:82, 2002 [PMID: 12028296]
186. Berdjis N et al: Expression of Ki-67 in squamous cell carcinoma of the penis. *BJU Int* **96**:146, 2005 [PMID: 15963138]
187. Bezerra AL et al: Human papillomavirus as a prognostic factor in carcinoma of the penis: Analysis of 82 patients treated with amputation and bilateral lymphadenectomy. *Cancer* **91**:2315, 2001 [PMID: 11413520]
188. Rippentrop JM, Joslyn SA, Konety BR: Squamous cell carcinoma of the penis: Evaluation of data from the Surveillance, Epidemiology and End Results program. *Cancer* **101**:1357, 2004 [PMID: 15316902]
189. Mandal S et al: Distribution of cancer patients according to time taken from starting day of symptoms to reporting at a regional cancer institute in Eastern India. *Asian Pac J Cancer Prev* **2**:281-286, 2001
190. Guimaraes GC et al: Penile squamous cell carcinoma clinicopathological features, nodal metastasis and outcome in 333 cases. *J Urol* **182**:528-534, 2009
191. Chau A et al: Papillary squamous cell carcinoma, not otherwise specified (NOS) of the penis: clinicopathologic features, differential diagnosis, and outcome of 35 case. *Am J Surg Pathol* **34**:223-230, 2010
192. Cubilla AL. The role of pathologic prognostic factors in squamous cell carcinoma of the penis. *World J Urol* **27**:169-177, 2009
193. Laniado ME et al: Squamous cell carcinoma antigen: A role in the early identification of nodal metastases in men with squamous cell carcinoma of the penis. *BJU Int* **92**:248, 2003 [PMID: 12887477]
194. Kommu S, Hadway P, Watkin N: Squamous cell carcinoma antigen as a biomarker for penile cancer. *BJU Int* **95**:478, 2005 [PMID: 15705062]
195. Sanchez-Ortiz RF, Pettaway CA: Natural history, management, and surveillance of recurrent squamous cell penile carcinoma: A risk-based approach. *Urol Clin North Am* **30**:853, 2003 [PMID: 14680320]
196. Cohen PR et al: Treatment of extramammary Paget disease with topical imiquimod cream: A case report and literature review. *South Med J* **99**:396, 2006 [PMID: 16634252]

