

Chapter 88

Hair Growth Disorders

Nina Otberg & Jerry Shapiro

REFERENCES

1. Olsen EA: *Disorders of Hair Growth*, vol. 1, 2nd edition, New York, McGraw-Hill Companies, 2003
2. Trüeb R: *Haare – Praxis der Trichologie*, vol. 1, 1st edition. Darmstadt, Steinkopff, 2003
3. Stenn KS, Paus R, Filippi M: Failure of topical estrogen receptor agonists and antagonists to alter murine hair follicle cycling. *J Invest Dermatol* **110**:95, 1998
4. Pinkus H: "Sebaceous cysts" are trichilemmal cysts. *Arch Dermatol* **99**:544-555, 1969
5. Cotsarelis G, Sun TT, Lavker RM: Label-retaining cells reside in the bulge area of pilosebaceous unit: Implications for follicular stem cells, hair cycle, and skin carcinogenesis. *Cell* **61**:1329-1337, 1990
6. Paus R: Therapeutic strategies for treating hair loss. *Drug Dis Today Ther Strat* **3**:101, 2006
7. Arck PC et al: Neuroimmunology of stress: Skin takes center stage. *J Invest Dermatol* **126**:1697, 2006
8. Botchkarev VA: Molecular mechanisms of chemotherapy-induced hair loss. *J Invest Dermatol Symp Proc* **8**:72, 2003
9. Paus R, Cotsarelis G: The biology of hair follicles. *N Engl J Med* **341**:491, 1999
10. Stenn K, Paus R: Controls of hair follicle cycling. *Physiol Rev* **81**:449, 2001
11. Nordlund JJ et al: *The Pigmentary System: Physiology and Pathophysiology*. New York, Oxford University Press, 1998
12. Rees JL: Genetics of hair and skin color. *Annu Rev Genet* **37**:67-90, 2003. Review
13. Tobin DJ: The biogenesis and growth of human hair. In: *Hair in Toxicology—An Important Bio-Monitor*, vol. 1, edited by T DJ. Cambridge, RSCPublishing, 2005
14. Tobin DJ. Pigmentation of human hair. In: *Hair in Toxicology—An Important Bio-Monitor*, vol. 1, T DJ. Cambridge, RSCPublishing, 2005
15. Wakamatsu K, Ito S: Advanced chemical methods in melanin determination. *Pigment Cell Res* **15**:174-183, 2002
16. Tobin DJ, Hordinsky M, Bernard BA: Hair pigmentation: A research update. *J Invest Dermatol Symp Proc* **10**:275-279, 2005
17. Whiting DA: Diagnostic and predictive value of horizontal sections of scalp biopsy specimens in male pattern androgenetic alopecia. *J Am Acad Dermatol* **28**:755-763, 1993
18. Sperling LC: Hair density in African Americans. *Arch Dermatol* **135**:656-658, 1999
19. Jackson JP Jr: "In Ways Unacademical": The Reception of Carleton S. Coon's *The Origin of Races*. *JHistBiol* **34**:247-285, 2001
20. Shapiro J: *Hair Loss: Principles of Diagnosis and Management of Alopecia*. London, Martin Dunitz, 2002
21. Loussouarn G: African hair growth parameters. *Br J Dermatol* **145**:294-297, 2001
22. Loussouarn G et al: Worldwide diversity of hair curliness: A new method of assessment. *Int J Dermatol* **46**:2-6, 2007
23. Porter CE et al: The influence of African-American hair's curl pattern on its mechanical properties. *Int J Dermatol* **44**:4-5, 2005
24. De la Mettrie R et al: Shape variability and classification of human hair: A worldwide approach. *Hum Biol* **79**:265-281, 2007
25. Hadshiew I et al: Burden of hair loss: Stress and the underestimated psychosocial impact of telogen effluvium and androgenetic alopecia. *J Invest Dermatol* **123**:455-457, 2004
26. Hunt N, McHale S: The psychological impact of alopecia. *BMJ* **331**:951, 2005
27. Olsen EA et al: Summary of North American Hair Research Society (NAHRS)-sponsored Workshop on Cicatricial Alopecia, Duke University Medical Center. *J Am Acad Dermatol* **48**:103-110, 2003
28. Hillmann K, Blume-Peytavi U: Diagnosis of hair disorders. *Semin Cutan Med Surg* **28**:33-38, 2009

29. Bouhanna P: Current treatment of androgenetic male and female alopecia (with the exception of hormone treatment). *Praxis (Bern 1994)*. **86**:996-999, 1997
30. D'Amico D et al: Phototrichogram using videomicroscopy: A useful technique in the evaluation of scalp hair. *Eur J Dermatol* **11**:17-20, 2001
31. Ekmekci TR, Koslu A: Phototrichogram findings in women with androgenetic alopecia. *Skin Res Technol* **12**:309-312, 2006
32. Van Neste D, Trüeb RM: Critical study of hair growth analysis with computer-assisted methods. *J Eur Acad Dermatol Venereol* **20**:578-583, 2006
33. Ross EK, Vincenzi C, Tosti A: Videodermoscopy in the evaluation of hair and scalp disorders. *J Am Acad Dermatol* **55**:799-806, 2006
34. Tosti A, Gray J: Assessment of hair and scalp disorders. *J Invest Dermatol Symp Proc* **12**:23-27, 2007
35. Birch MP et al: Female pattern hair loss, sebum excretion and the end-organ response to androgens. *Br J Dermatol* **154**:85-89, 2006
36. Birch MP, Messenger JF, Messenger AG: Hair density, hair diameter and the prevalence of female pattern hair loss. *Br J Dermatol* **144**:297, 2001
37. Courtois M et al: Hair cycle and alopecia. *Skin Pharmacol* **7**:84-89, 1994
38. Ellis JA, Sinclair R, Harrap SB: Androgenetic alopecia: Pathogenesis and potential for therapy. *Expert Rev Mol Med* **4**:1-11, 2004
39. Camacho FM, Randall VA, Price VH: *Hair and its Disorders: Biology, Pathology and Management*. London, Martin Dunitz, 2000.
40. Rushton DH et al: Natural progression of male pattern baldness in young men. *Clin Exp Dermatol* **16**:188-192, 1991
41. Olsen EA, DeLong ER, Weiner MS: Long-term follow-up of men with male pattern baldness treated with topical minoxidil. *J Am Acad Dermatol* **16**:688-695, 1987
42. Chumlea WC et al: Family history and risk of hair loss. *Dermatology* **209**:33-39, 2004
43. Otberg N, Finner AM, Shapiro J: Androgenetic alopecia. *Endocrinol Metab Clin North Am* **36**:379-398, 2007
44. Setty LR: Hair patterns of scalp of white and Negro males. *Am J Phys Anthropol* **33**:49-55, 1970
45. Paik JH et al: The prevalence and types of androgenetic alopecia in Korean men and women. *Br J Dermatol* **145**:95-99, 2001
46. Pathomvanich D et al: A random study of Asian male androgenetic alopecia in Bangkok, Thailand. *Dermatol Surg* **28**:9, 2002
47. Takashima I, Iju M, Sudo M: Alopecia androgenetica: Its incidence in Japanese and associated conditions. *Hair Research: Status and Future Aspects*. New York, Springer-Verlag 1981, pp. 287-293
48. Norwood OT: Incidence of female androgenetic alopecia (female pattern alopecia). *Dermatol Surg* **27**:53, 2001
49. Camacho F, Camacho F, Montagna W: *Trichology: Diseases of the Pilosebaceous Follicle*. Madrid, Aula Medica, 1997, p. 80
50. Hamilton JB: Male hormone stimulation is prerequisite and an incitant in common baldness. *Am J Anat* **71**:451-480, 1942
51. Severi G et al: Epidemiology and Health Services Research Androgenetic alopecia in men aged 40-69 years: Prevalence and risk factors. *Br J Dermatol* **149**:1207-1213, 2003
52. Simpson NB, Barth JH: Hair patterns: Hirsuties and androgenetic alopecia. In: *The Diseases of the Hair and Scalp*, edited by A Rook, R Dawber. Oxford, England, Blackwell Science, 1997, pp. 95-101
53. Grino PB, Griffin JE, Wilson JD: Testosterone at high concentrations interacts with the human androgen receptor similarly to dihydrotestosterone. *Endocrinology* **126**:1165-1172, 1990
54. Thigpen AE et al: Tissue distribution and ontogeny of steroid 5 alpha-reductase isozyme expression. *J Clin Invest* **92**:903-910, 1993
55. Sawaya ME, Price VH: Different levels of 5alpha-reductase type I and II, aromatase, and androgen receptor in hair follicles of women and men with androgenetic alopecia. *J Invest Dermatol* **109**:296-300, 1997
56. Schweikert HU, Wilson JD: Regulation of human hair growth by steroid hormones. II. Androstenedione metabolism in isolated hairs. *J Clin Endocrinol Metab* **39**:1012-1019, 1974
57. Imperato-McGinley J: 5alpha-reductase-2 deficiency and complete androgen insensitivity: Lessons from nature. *Adv Exp Med Biol* **511**:121-131, 2002; discussion 31-34, 2002
58. Imperato-McGinley J et al: Steroid 5alpha-reductase deficiency in man: An inherited form of male pseudohermaphroditism. *Science* **186**:1213-1215, 1974
59. Drake L et al: The effects of finasteride on scalp skin and serum androgen levels in men with androgenetic alopecia. *J Am Acad Dermatol* **41**:550-554, 1999

60. Randall VA, Thornton MJ, Messenger AG: Cultured dermal papilla cells from androgen-dependent human hair follicles (e.g. beard) contain more androgen receptors than those from non-balding areas of scalp. *J Endocrinol* **133**:141-147, 1992
61. Hatch R et al: Hirsutism: Implications, etiology, and management. *Am J Obstet Gynecol* **140**:815-830, 1981
62. Zouboulis CC et al: Sexual hormones in human skin. *Horm Metab Res* **39**:85-95, 2007
63. Vexiau P et al: Role of androgens in female-pattern androgenetic alopecia, either alone or associated with other symptoms of hyperandrogenism. *Arch Dermatol Res* **292**:598-604, 2000
64. Kasick JM et al: Adrenal androgenic female-pattern alopecia: Sex hormones and the balding woman. *Cleve Clin Q* **50**:111-122, 1983
65. Miller JA et al: Low sex-hormone binding globulin levels in young women with diffuse hair loss. *Br J Dermatol* **106**:331-336, 1982
66. Futterweit W et al: The prevalence of hyperandrogenism in 109 consecutive female patients with diffuse alopecia. *J Am Acad Dermatol* **19**:831-836, 1988
67. Giagulli VA et al: Precursors of plasma androstenediol- and androgen-glucuronides in women. *J Steroid Biochem* **33**:935-940, 1989
68. Vermeulen A et al: Hormonal effects of an orally active 4-azasteroid inhibitor of 5 alpha-reductase in humans. *Prostate* **14**:45-53, 1989
69. Shum KW, Cullen DR, Messenger AG: Hair loss in women with hyperandrogenism: Four cases responding to finasteride. *J Am Acad Dermatol* **47**:733-739, 2002
70. Chumlea WC et al: Family history and risk of hair loss. *Dermatology* **209**:33-39, 2004
71. Hayakawa K et al: Intrapair differences of physical aging and longevity in identical twins. *Acta Genet Med Gemellol (Roma)* **41**:177-185, 1998
72. Nyholt DR et al: Genetic basis of male pattern baldness. *J Invest Dermatol* **121**:1561-1564, 2003
73. Osborn D: Inheritance of baldness. *J Hered* **7**:347-355, 1916
74. Carey AH et al: Evidence for a single gene effect causing polycystic ovaries and male pattern baldness. *Clin Endocrinol (Oxf)* **38**:653-658, 1993
75. Waterworth DM et al: Linkage and association of insulin gene VNTR regulatory polymorphism with polycystic ovary syndrome. *Lancet* **349**:986-990, 1997
76. Ellis JA, Stebbing M, Harrap SB: Genetic analysis of male pattern baldness and the 5alpha-reductase genes. *J Invest Dermatol* **110**:849-853, 1998
77. Küster W, Happle R: The inheritance of common baldness: Two B or not two B? *J Am Acad Dermatol* **11**:921-926, 1984
78. Garton RA et al: Association of a polymorphism in the ornithine decarboxylase gene with male androgenetic alopecia. *J Am Acad Dermatol* **52**:535-536, 2005
79. Ellis JA, Stebbing M, Harrap SB: Polymorphism of the androgen receptor gene is associated with male pattern baldness. *J Invest Dermatol* **116**:452-455, 2001
80. König A et al: An X-linked gene involved in androgenetic alopecia: A lesson to be learned from adrenoleukodystrophy. *Dermatology* **200**:213-218, 2000
81. Hibberts NA, Howell AE, Randall VA: Balding hair follicle dermal papilla cells contain higher levels of androgen receptors than those from non-balding scalp. *J Endocrinol* **156**:59-65, 1998
82. Hayes VM et al: The E211 G>A androgen receptor polymorphism is associated with a decreased risk of metastatic prostate cancer and androgenetic alopecia. *Cancer Epidemiol Biomarkers Prev* **14**:993-996, 2005
83. Chang CS, Kokontis J, Liao ST: Structural analysis of complementary DNA and amino acid sequences of human and rat androgen receptors. *Proc Natl Acad Sci U S A* **85**:7211-7215, 1988
84. Levy-Nissenbaum E et al: Hypotrichosis simplex of the scalp is associated with nonsense mutations in CDSN encoding corneodesmosin. *Nat Genet* **34**:151-153, 2003
85. Ellis JA et al: Baldness and the androgen receptor: The AR polyglycine repeat polymorphism does not confer susceptibility to androgenetic alopecia. *Hum Genet* **121**:451-457, 2007
86. Richards JB et al: Male-pattern baldness susceptibility locus at 20p11. *Nat Genet* **40**:1282-1284, 2008
87. Antaya RJ, Sideridou E, Olsen EA: Short anagen syndrome. *J Am Acad Dermatol* **53**:S130, 2005
88. Barman JM, Pecoraro V, Astore I: Biological basis of the inception and evolution of baldness. *J Gerontol* **24**:163-168, 1969
89. Yazdabadi A et al: The Ludwig pattern of androgenetic alopecia is due to a hierarchy of androgen sensitivity within follicular units that leads to selective miniaturization and a reduction in the number of terminal hairs per follicular unit. *Br J Dermatol* **159**:1300-1302, 2008

90. Hamilton JB: Patterned loss of hair in man; types and incidence. *Ann NY Acad Sci* 53:708-728, 1951
91. Rook A, Wilkinson DS, Ebling FJG: *Textbook of Dermatology*, 2nd edition. Oxford, Blackwell Scientific, 1972
92. Ludwig E: Classification of the types of androgenetic alopecia (common baldness) occurring in the female sex. *Br J Dermatol* 97:247-254, 1977
93. Herrera CR et al: Baldness and coronary heart disease rates in men from the Framingham Study. *Am J Epidemiol* 142:828-833, 1995
94. Lotufo PA et al: Male Pattern Baldness and Coronary Heart Disease The Physicians' Health Study. In: American Medical Association. All Rights Reserved. Applicable FARS/DFARS Restrictions Apply to Government Use, 2000
95. Matilainen VA, Makinen PK, Keinanen-Kiukaan-niemi SM: Early onset of androgenetic alopecia associated with early severe coronary heart disease: A population-based, case-control study. *J Cardiovasc Risk* 8:147-151, 2001
96. Hawk E, Breslow RA, Graubard BI: Male Pattern Baldness and Clinical Prostate Cancer in the Epidemiologic Follow-Up of the First National Health and Nutrition Examination Survey. In 2000
97. Giles GG et al: Androgenetic alopecia and prostate cancer: Findings from an Australian case-control study 1. *Cancer Epidemiol Biomarkers Prev* 11:549-553, 2002
98. Buhl AE et al: Minoxidil sulfate is the active metabolite that stimulates hair follicles. *J Invest Dermatol* 95:553-557, 1990
99. Buhl AE et al: Minoxidil stimulates mouse vibrissae follicles in organ culture. *J Invest Dermatol* 92:315-320, 1989
100. Cohen RL et al: Direct effects of minoxidil on epidermal cells in culture. *J Invest Dermatol* 82:90-93, 1984
101. Buhl AE et al: Potassium channel conductance: A mechanism affecting hair growth both in vitro and in vivo. *J Invest Dermatol* 98:315-319, 1992
102. Shapiro J, Price VH: Hair regrowth. Therapeutic agents. *Dermatol Clin* 16:341-356, 1998
103. Roberts JL et al: Clinical dose ranging studies with finasteride, a type 2 5alpha-reductase inhibitor, in men with male pattern hair loss. *J Am Acad Dermatol* 41:555-563, 1999
104. Leyden J et al: Finasteride in the treatment of men with frontal male pattern hair loss. *J Am Acad Dermatol* 40:930-937, 1999
105. McClellan KJ, Markham A: Finasteride: A review of its use in male pattern hair loss. *Drugs* 57:111-126, 1999
106. Bolduc C, Shapiro J: Management of androgenetic alopecia. *Am J Clin Dermatol* 1:151-158, 2000
107. Trial RC: Efficacy and tolerability of finasteride 1 mg in men aged 41 to 60 years with male pattern hair loss. *Eur J Dermatol* 13:150-160, 2003
108. Kaufman KD et al: Finasteride in the treatment of men with androgenetic alopecia. Finasteride Male Pattern Hair Loss Study Group. *J Am Acad Dermatol* 39:578-589, 1998
109. Price VH: Treatment of hair loss. *N Engl J Med* 341:964-973, 1999
110. Overstreet JW et al: Chronic treatment with finasteride daily does not affect spermatogenesis or semen production in young men. *J Urol* 162:1295-1300, 1999
111. Pannek J et al: Influence of finasteride on free and total serum prostate specific antigen levels in men with benign prostatic hyperplasia. *J Urol* 159:449-453, 1998
112. Alsantali A, Shapiro J: Androgens and hair loss. *Curr Opin Endocrinol Diabetes Obes* 16:246-253, 2009
113. Avram M, Rogers N: Contemporary hair transplantation. *Dermatol Surg* 35:1705-1719, 2009
114. Rathnayake D, Sinclair R: Male androgenetic alopecia. *Expert Opin Pharmacother* 11:1295-1304, 2010
115. Rogers NE, Avram MR: Medical treatments for male and female pattern hair loss. *J Am Acad Dermatol* 59:547-566, 2008
116. Reismann P et al: Pharmacological options for treatment of hyperandrogenic disorders. *Mini Rev Med Chem* 9:1113-1126, 2009
117. Karrer-Voegeli S et al: Androgen dependence of hirsutism, acne, and alopecia in women: Retrospective analysis of 228 patients investigated for hyperandrogenism. *Medicine (Baltimore)* 88:32-45, 2009
118. Camacho-Martínez FM: Hair loss in women. *Semin Cutan Med Surg* 28:19-32, 2009
119. Hoffmann R et al: 17alpha-estradiol induces aromatase activity in intact human anagen hair follicles ex vivo. *Exp Dermatol* 11:376-380, 2002
120. Niiyama S, Happle R, Hoffmann R: Influence of estrogens on the androgen metabolism in different subunits of human hair follicles. *Eur J Dermatol* 11:195-198, 2001

121. Ohnemus U et al: The hair follicle as an estrogen target and source. *Endocr Rev* 27:677-706, 2006
122. Avram MR et al: The current role of laser/light sources in the treatment of male and female pattern hair loss. *J Cosmet Laser Ther* 9:27-28, 2007
123. Avram MR, Rogers NE: The use of low-level light for hair growth: Part I. *J Cosmet Laser Ther* 11:110-117, 2009
124. Leavitt M et al: HairMax LaserComb laser phototherapy device in the treatment of male androgenetic alopecia: A randomized, double-blind, sham device-controlled, multicentre trial. *Clin Drug Investig* 29:283-292, 2009
125. Bernstein RM, Rassman WR, Stough D: In support of follicular unit transplantation. *Dermatol Surg* 26:160-162, 2000
126. Stough D, Whitworth JM: Methodology of follicular unit hair transplantation. *Dermatol Clin* 17:297-306, 1999
127. Davalos NO et al: A non-sense mutation in the corneodesmosin gene in a Mexican family with hypotrichosis simplex of the scalp. *Br J Dermatol* 153:1216-1219, 2005
128. Naeem M, Jelani M, Lee K et al: Ectodermal dysplasia of hair and nail type: Mapping of a novel locus to chromosome 17p12-q21.2. *Br J Dermatol* 155:1184-1190, 2006
129. Cui CY et al: Ectodysplasin regulates the lymphotoxin-beta pathway for hair differentiation. *Proc Natl Acad Sci USA* 103:9142-9147, 2006
130. Millar SE: An ideal society? Neighbors of diverse origins interact to create and maintain complex mini-organs in the skin. *PLoS Bio* 3:e372, 2005
131. Schmidt-Ullrich R, Paus R: Molecular principles of hair follicle induction and morphogenesis. *Bioessays* 27:247, 2005
132. Damste TJ, Prakken JR: Atrichia with papular lesions: Variant of congenital ectodermal dysplasia. *Dermatologica* 108:114, 1954
133. Ocella C et al: Noonan syndrome and keratosis pilaris atrophicans faciei. Significance of dermatologic changes. *Minerva Pediatr* 37:181-186, 1985
134. Sadick NS: Clinical and laboratory evaluation of AIDS trichopathy. *Int J Dermatol* 32:33-38, 1993
135. Kligman AM: Pathologic dynamics of human hair loss. I. Telogen effluvium. *Arch Dermatol* 83:175-198, 1961
136. Headington JT: Telogen effluvium. New concepts and review. *Arch Dermatol* 129:356-363, 1993
137. Lynfield YL: Effect of pregnancy on the human hair cycle. *J Invest Dermatol* 35:323-327, 1960
138. Conde J et al: A case of imiquimod-induced alopecia. *J Dermatolog Treat* 1:1-3, 2009
139. Graeber CW, Lapkin RA: Metoprolol and alopecia. *Cutis* 28:633-634, 1981
140. Hilder RJ. Propranolol and alopecia. *Cutis* 24:63-64, 1979
141. Leaker B, Whitworth JA: Alopecia associated with captopril treatment. *Aust N Z J Med* 14:866, 1984
142. Dawber R, Comaish S. Scanning electron microscopy of normal and abnormal hair shafts. *Arch Dermatol* 101:316, 1970
143. Marshall A, Williams MJ: Alopecia and levodopa. *Br Med J* 2:47, 1971
144. Holowach J, Sanden HV: Alopecia as a side effect of treatment of epilepsy with trimethadione. Report of two cases. *N Engl J Med* 263:1187, 1960
145. Blum I, Leiba S: Increased hair loss as a side effect of bromocriptine treatment. *N Engl J Med* 303:1418, 1980
146. Berth-Jones J, Shuttleworth D, Hutchinson PE: A study of etretinate alopecia. *Br J Dermatol* 122:751-755, 1990
147. Whiting DA: Chronic telogen effluvium: Increased scalp hair shedding in middle-aged women. *J Am Acad Dermatol* 35:899-906, 1996
148. Alhaj E, Alhaj N, Alhaj NE: Diffuse alopecia in a child due to dietary zinc deficiency. *Skinmed* 6:199-200, 2007
149. Deloche C et al: Low iron stores: A risk factor for excessive hair loss in non-menopausal women. *Eur J Dermatol* 17:507-512, 2007
150. Trost LB, Bergfeld WF, Calogeras E: The diagnosis and treatment of iron deficiency and its potential relationship to hair loss. *J Am Acad Dermatol* 54:824-844, 2006
151. Rushton DH et al: Iron and hair loss in women; what is deficiency? This is the real question! author reply 519 (Comment on: *J Am Acad Dermatol* 54(5):824-844, 2006). *J Am Acad Dermatol* 56:518-519, 2007
152. Shrivastava SB: Diffuse hair loss in an adult female: Approach to diagnosis and management. *Indian J Dermatol Venereol Leprol* 75:20-27, 2009
153. Shapiro J: Clinical practice. Hair loss in women. *N Engl J Med* 357:1620-1630, 2007
154. Price VH: Alopecia areata: Clinical aspects. *J Invest Dermatol* 96:68S, 1991
155. Safavi K: Prevalence of alopecia areata in the First National Health and Nutrition Examination Survey. *Arch Dermatol* 128:702, 1992

156. Gilhar A, Kalish RS: Alopecia areata: A tissue specific autoimmune disease of the hair follicle. *Autoimmun Rev* 5:64, 2006
157. Gilhar A, Paus R, Kalish R: Lymphocytes, neuro-peptides, and genes involved in alopecia areata. *J Clin Invest* 111:2019, 2007
158. McDonagh AJG, Messenger AG: The pathogenesis of alopecia areata. *Dermatol Clin* 14:661, 1996
159. Paus R, Nickoloff BJ, Ito T: A 'hairy' privilege. *Trends Immunol* 26:32, 2005
160. Paus R et al: A murine model for inducing and manipulating hair follicle regression (catagen): Effects of dexamethasone and cyclosporin A. *J Invest Dermatol* 103:143-147, 1994
161. Shellow WV, Edwards JE, Koo JY: Profile of alopecia areata: A questionnaire analysis of patient and family. *Int J Dermatol* 31:186-189, 1992
162. Price VH, Colombe BW: Heritable factors distinguish two types of alopecia areata. *Dermatol Clin* 14:679-689, 1996
163. Petukhova L et al: Genome-wide association study in alopecia areata implicates both innate and adaptive immunity. *Nature* 466(7302):113-117, 2010. PMID: 20596022
164. Allbritton J et al: Cronkhite-Canada syndrome: Report of two cases, biopsy findings in the associated alopecia, and a new treatment option. *Cutis* 61:229-232, 1998
165. Sethuraman G, Malhotra AK, Sharma VK: Alopecia universalis in Down syndrome: Response to therapy. *Indian J Dermatol Venereol Leprol* 72:454-455, 2006
166. Alkhalifah A et al: Alopecia areata update: Part I. Clinical picture, histopathology, and pathogenesis. *J Am Acad Dermatol* 62:177-188, 2010
167. Alkhalifah A et al: Alopecia areata update: Part II. Treatment. *J Am Acad Dermatol* 62:191-202, 2010
168. Shapiro J Alopecia areata. Update on therapy. *Dermatol Clin* 11:35-46, 1993
169. Friedli A et al: Pulse methylprednisolone therapy for severe alopecia areata: An open prospective study of 45 patients. *J Am Acad Dermatol* 39:597-602, 1998
170. Fiedler VC: Alopecia areata: Current therapy. *J Invest Dermatol* 96: 695-705, 1991
171. Whiting DA: The treatment of alopecia areata. *Cutis* 40:247-250, 1987
172. Price VH: Topical minoxidil in extensive alopecia areata, including 3-year follow-up. *Dermatologica* 175(Suppl. 2):36-41, 1987
173. Price VH: Double-blind, placebo-controlled evaluation of topical minoxidil in extensive alopecia areata. *J Am Acad Dermatol* 16:730-736, 1987
174. Morhenn VB et al: Inhibition of a Langerhans cell-mediated immune response by treatment modalities useful in psoriasis. *J Invest Dermatol* 81:23-27, 1983
175. Fiedler-Weiss VC, Buys CM: Evaluation of anthralin in the treatment of alopecia areata. *Arch Dermatol* 123:1491-1493, 1987
176. Schmoeckel C et al: Treatment of alopecia areata by anthralin-induced dermatitis. *Arch Dermatol* 115:1254-1255, 1979
177. Happle R, Klein HM, Macher E: Topical immunotherapy changes the composition of the peribulbar infiltrate in alopecia areata. *Arch Dermatol Res* 278:214-218, 1986
178. MacDonald N, Wiseman MC, Shapiro J: Alopecia areata: Topical immunotherapy—Application and practical problems. *J Cutan Med Surg* 3(Suppl. 3): S36-S40, 1999
179. Shapiro J et al: Alopecia areata-like hair loss in C3H/HeJ mice and DEBR rats can be reversed using topical diphencyprone. *J Invest Dermatol Symp Proc* 4:239, 1999
180. Krook G: Treatment of alopecia areata with Kromayer's ultra-violet lamp. *Acta Derm Venereol* 41:178-181, 1961
181. Mitchell AJ, Douglass MC: Topical photochemotherapy for alopecia areata. *J Am Acad Dermatol* 12:644-649, 1985
182. Gupta AK et al: Oral cyclosporine for the treatment of alopecia areata. A clinical and immunohistochemical analysis. *J Am Acad Dermatol* 22:242-250, 1990
183. Elmer KB, George RM: Congenital triangular alopecia: A case report and review. *Cutis* 4:255-256, 2002
184. Feuerman EJ: Congenital temporal triangular alopecia. *Cutis* 28(2):196-197, 1981
185. Kubba R, Rook A: Congenital triangular alopecia. *Br J Dermatol* 95(6):657-659, 1976
186. Bargman H: Congenital temporal triangular alopecia. *Can Med Assoc* 15;131(10):1253-1254, 1984
187. Kikuchi I, Okazaki M: Congenital temporal alopecia in phakomatosis pigmentovascularis. *J Dermatol* 9(6):485-487, 1982
188. Minars N: Congenital temporal alopecia. *Arch Dermatol* 109(3):395-396, 1974
189. Tosti A: Congenital triangular alopecia. *J Am Acad Dermatol* 16(5 pt 1):991-993, 1987

190. Trakimas C, Sperling LC, Skelton HG 3rd, Smith KJ, Buker JL: Clinical and histologic findings in temporal triangular alopecia. *J Am Acad Dermatol* 31(2 pt 1):205-209, 1994
191. Wu WY et al: Successful treatment of temporal triangular alopecia by hair restoration surgery using follicular unit transplantation. *Dermatol Surg* 35:1307-1310, 2009
192. Cuzzo DW et al: Essential syphilitic alopecia revisited. *J Am Acad Dermatol* 32:840-843, 1995
193. Olsen E SK et al: Update on cicatricial alopecia. *J Investig Dermatol Symp Proc* 8:18-19, 2003
194. Whiting DA: Cicatricial alopecia: Clinico-pathological findings and treatment. *Clin Dermatol* 19:211-215, 2001
195. Sellheyer K, Bergfeld WF: Histopathologic evaluation of alopecias. *Am J Dermatopathol* 28:236-259, 2006
196. Tan E MM, Ball N, Shapiro J: Primary cicatricial alopecias: Clinicopathology of 112 cases. *J Am Acad Dermatol* 50:25-32, 2004
197. Taylor G LM et al: Involvement of follicular stem cells in forming not only the follicle but also the epidermis. *Cell* 102:451-461, 2000
198. Ross EK TE, Shapiro J: Update on primary cicatricial alopecias. *J Am Acad Dermatol* 53:1-37, 2005
199. Otberg N et al: Diagnosis and management of primary cicatricial alopecia: Part I. *Skinmed* 7:19-26, 2008
200. Wu WY et al: Diagnosis and management of primary cicatricial alopecia: Part II. *Skinmed* 7:78-83, 2008
201. Callen JP: Chronic cutaneous lupus erythematosus. Clinical, laboratory, therapeutic, and prognostic examination of 62 patients. *Arch Dermatol* 118:412-416, 1982
202. Wilson CL et al: Scarring alopecia in discoid lupus erythematosus. *Br J Dermatol* 126:307-314, 1992
203. George PM, Tunnessen WW, Jr: Childhood discoid lupus erythematosus. *Arch Dermatol* 129:613-617, 1993
204. Moises-Alfaro C B-PR et al: Discoid lupus erythematosus in children: Clinical, histopathologic, and follow-up features in 27 cases. *Pediatr Dermatol* 20:103-107, 2003
205. Meyers DC WJ, Reddick RL: Verruciform xanthoma in association with discoid lupus erythematosus. *J Cutan Pathol* 19:156-158, 1992
206. Headington JT: Cicatricial alopecia. *Dermatol Clin* 14:773-782, 1996
207. Kossard S: Lymphocytic mediated alopecia: Histological classification by pattern analysis. *Clin Dermatol* 19:201-210, 2001
208. Solomon AR: The transversely sectioned scalp biopsy specimen: The technique and an algorithm for its use in the diagnosis of alopecia. *Adv Dermatol* 9:127-157, 1994
209. Templeton SF SA: Scarring alopecia: A classification based on microscopic criteria. *J Cutan Pathol* 21:97-109, 1994
210. Ruzicka T et al: Treatment of cutaneous lupus erythematosus with acitretin and hydroxychloroquine. *Br J Dermatol* 127:513-518, 1992
211. Newton RC et al: Mechanism-oriented assessment of isotretinoin in chronic or subacute cutaneous lupus erythematosus. *Arch Dermatol* 122:170-176, 1986
212. Hamilton T et al: Successful hair re-growth with multimodal treatment of early cicatricial alopecia in discoid lupus erythematosus. *Acta Derm Venereol* 89:417-418, 2009
213. Eisen D: The evaluation of cutaneous, genital, scalp, nail, esophageal, and ocular involvement in patients with oral lichen planus. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 88:431-436, 1999
214. Chierigato C et al: Lichen planopilaris: Report of 30 cases and review of the literature. *Int J Dermatol* 74:784-786, 2003
215. Phillips WG et al: Captopril-induced lichenoid eruption. *Clin Exp Dermatol* 19:17-20, 1994
216. Katta R: Lichen planus. *Am Fam Physician* 61:3319-3324, 27-28, 2000
217. Kang H et al: Lichen planopilaris. *Dermatol Ther* 21:249-56, 2008
218. Mehregan DA, Van Hale HM, Muller SA: Lichen planopilaris: Clinical and pathologic study of forty-five patients. *J Am Acad Dermatol* 27:935-942, 1992
219. Ott F BW, Geiger JM: Efficacy of oral low-dose tretinoin (all-trans-retinoic acid) in lichen planus. *Dermatology* 192:334-336, 1997
220. Mirmirani P WA, Price VH: Short course of oral cyclosporine in lichen planopilaris. *J Am Acad Dermatol* 49:667-671, 2003
221. Cribier B, Frances C, Chosidow O: Treatment of lichen planus. An evidence-based medicine analysis of efficacy. *Arch Dermatol* 134:1521-1530, 1998
222. Massa MC, Rogers RS, 3rd: Griseofulvin therapy of lichen planus. *Acta Derm Venereol* 61:547-550, 1981

223. Ronchese F: Pseudopelade. *Arch Dermatol* **82**:336-343, 1960
224. Elston DM et al: Elastic tissue in scars and alopecia. *J Cutan Pathol* **27**:147-152, 2000
225. Bulengo-Ransby SM, Headington JT: Pseudopelade of Brocq in a child. *J Am Acad Dermatol* **23**:944-945, 1990
226. Alzolibani AA et al: Pseudopelade of Brocq. *Dermatol Ther* **21**:257-263, 2008
227. Sperling LC, Sau P: The follicular degeneration syndrome in black patients. 'Hot comb alopecia' revisited and revised. *Arch Dermatol* **128**:68-74, 1992
228. Callender VD, McMichael AJ, Cohen GF: Medical and surgical therapies for alopecias in black women. *Dermatol Ther* **17**:164-176, 2004
229. Gibson LE MS, Peters MS: Follicular mucinosis of childhood and adolescence. *Pediatr Dermatol* **5**:231-235, 1988
230. van Doorn R SE, Willemze R: Follicular mycosis fungoides, a distinct disease entity with or without associated follicular mucinosis: A clinicopathologic and follow-up study of 51 patients. *Arch Dermatol* **138**:191-198, 2002
231. Boer A, Guo Y, Ackerman AB: Alopecia mucinosa is mycosis fungoides. *Am J Dermatopathol* **26**(1):33-55, 2004
232. Emmerson RW: Follicular mucinosis. A study of 47 patients. *Br J Dermatol* **81**:395, 1969
233. Baden HP BH: Clinical findings, cutaneous pathology, and response to therapy in 21 patients with keratosis pilaris atrophicans. *Arch Dermatol* **130**:469-475, 1994
234. Powell JJ, Dawber RP GK: Folliculitis decalvans including tufted folliculitis: Clinical, histological and therapeutic findings. *Br J Dermatol* **140**:328-333, 1999
235. Powell J DR: Successful treatment regime for folliculitis decalvans despite uncertainty of all aetiological factors. *Br J Dermatol* **144**:428-429, 2001
236. Brooke RCC, Griffiths CEM: Folliculitis decalvans. *Clin Exp Dermatol* **26**:20-22, 2001
237. Brozena SJ, Cohen LE, Fenske NA: Folliculitis decalvans: Response to rifampin. *Cutis* **42**:512-515, 1988
238. Abeck D, Korting HC, Braun-Falco O: Folliculitis decalvans. Long-lasting response to combined therapy with fusidic acid and zinc. *Acta Derm Venereol* **72**:143-145, 1992
239. Sivakumaran S MP, Burrows NP: Dissecting folliculitis of the scalp with marginal keratitis. *Clin Exp Dermatol* **26**:490-492, 2001
240. Ramasastry SS et al: Severe perifolliculitis capitis with osteomyelitis. *Ann Plast Surg* **18**:241-244, 1987
241. Ongchi DR FM, Harris CA: Sternocostoclavicular hyperostosis: Two cases with differing dermatologic syndromes. *J Rheumatol* **17**:1415-1418, 1990
242. Libow LF, Friar DA: Arthropathy associated with cystic acne, hidradenitis suppurativa, and perifolliculitis capitis abscedens et suffodiens: Treatment with isotretinoin. *Cutis* **64**(2):87-99, 1999
243. Curry SS GD, King LEJ: Squamous cell carcinoma arising in dissecting perifolliculitis of the scalp. A case report and review of secondary squamous cell carcinomas. *J Am Acad Dermatol* **4**:673-678, 1981
244. Boyd AS, Zemtsov A: A case of pyoderma vegetans and the follicular occlusion triad. *J Dermatol* **19**:61-63, 1992
245. Bergeron JR, Stone OJ: Follicular occlusion triad in a follicular blocking disease (pityriasis rubra pilaris). *Dermatologica* **136**:362-367, 1968
246. Scheinfeld NS: A case of dissecting cellulitis and a review of the literature. *Dermatol Online J* **9**:8, 2003
247. Goldsmith PC DP: Successful therapy of the follicular occlusion triad in a young woman with high dose oral antiandrogens and minocycline. *J R Soc Med* **86**:729-730, 1993
248. Adrian RM AK: Perifolliculitis capitis: Successful control with alternate-day corticosteroids. *Ann Plast Surg* **4**:166-169, 1980
249. Scerri L WH, Allen BR: Dissecting cellulitis of the scalp: Response to isotretinoin. *Br J Dermatol* **134**:1105-1108, 1996
250. Koca R AH, Ozen OI, Tekin NS: Dissecting cellulitis in a white male: Response to isotretinoin. *Int J Dermatol* **41**:509-513, 2002
251. Stites PC BA: Dissecting cellulitis in a white male: A case report and review of the literature. *Cutis* **67**:37-40, 2001
252. Otberg N et al: Folliculitis decalvans. *Dermatol Ther* **21**:238-244, 2008
253. Halder RM: Pseudofolliculitis barbae and related disorders. *Dermatol Clin* **6**:407-412, 1988
254. Dinehart SM HA, Kerns BJ, Pollack SV: Acne keloidalis: A review. *J Dermatol Surg Oncol* **15**:642-647, 1989

255. Stritzler C FR, Loveman AB: Acne necrotica; relation to acne necrotica miliaris and response to penicillin and other antibiotics. *Arch Derm Syphilol* **64**:464-469, 1951
256. Kossard S CA, McCrossin I: Necrotizing lymphocytic folliculitis: The early lesion of acne necrotica (varioliformis). *J Am Acad Dermatol* **16**:1007-1014, 1987
257. Maibach HI: Acne necroticans (varioliformis) versus Propionibacterium acnes folliculitis. *J Am Acad Dermatol* **21**:323, 1989
258. Grattan CE PR, Boon A: Evidence for a role of local trauma in the pathogenesis of erosive pustular dermatosis of the scalp. *Clin Exp Dermatol* **13**:7-10, 1988
259. Ena P LM, Doneddu GM, Campus GV: Erosive pustular dermatosis of the scalp in skin grafts: Report of three cases. *Dermatology* **194**:80-84, 1997
260. Pye RJ PR, Burton JL: Erosive pustular dermatosis of the scalp. *Br J Dermatol* **100**:559-566, 1979
261. Finner AM, Otberg N, Shapiro J: Secondary cicatricial and other permanent alopecias. *Dermatol Ther* **21**:279-294, 2008
262. Rogers GE *The Biology of Wool and Hair*, vol. 1, London, Chapman & Hall, 1989
263. Restrepo I et al: Two sisters, two different hair shaft abnormalities. *Br J Dermatol* **161**:479-480, 2009
264. Tümer Z et al: Early copper-histidine treatment for Menkes disease. *Nat Genet* **12**:11-13, 1996
265. Schweizer J: More than one gene involved in monilethrix: Intracellular but also extracellular players. *J Invest Dermatol* **126**:1216, 2006
266. Zlotogorski A et al: An autosomal recessive form of monilethrix is caused by mutations in DSG4: Clinical overlap with localized autosomal recessive hypotrichosis. *J Invest Dermatol* **126**:1292-1296, 2006
267. Schaffer JV et al: Mutations in the desmoglein 4 gene underlie localized autosomal recessive hypotrichosis with monilethrix hairs and congenital scalp erosions. *J Invest Dermatol* **126**:1286-1291, 2006
268. Garty B et al: Uncombable hair: A condition with autosomal dominant inheritance. *Arch Dis Child* **57**:710-712, 1982
269. Dupre A et al: Etude en lumiere polarisee des dysplasies pilaires: Essai d'actualisation de la nomenclature. *Ann Dermatol Venereol* **105**:627-630, 1978
270. Calderon P, Otberg N, Shapiro J: Uncombable hair syndrome. *J Am Acad Dermatol* **61**:512-515, 2009
271. Wise F: Woolly hair nevus. A peculiar form of birthmark of hair of the scalp, hitherto undescribed, with report of two cases. *Med J Rec* **125**:545-547, 1927.
272. Hutchinson PE, Cairns RJ, Wells RS: Woolly hair: Clinical and general aspects. *Trans St. John's Hosp Derm Soc* **60**:160-177, 1974
273. Wen Y et al: Loss-of-function mutations of an inhibitory upstream ORF in the human hairless transcript cause Marie Unna hereditary hypotrichosis. *Nat Genet* **41**(2):228—233, 2009. PMID: 19122663
274. Yang S et al: Identification of a novel locus for Marie Unna hereditary hypotrichosis to a 17.5 cM interval at 1p21.1–1q21.3. *J Invest Dermatol* **125**:711-714, 2005
275. Orfanos CE, Happle R: *Hair and Hair Diseases*, vol. 1, Berlin, Springer-Verlag, 1990
276. Giehl KA et al: A gene locus responsible for the familial hair shaft abnormality pili annulati maps to chromosome 12q24.32–24.33. *J Invest Dermatol* **123**:1073-1077, 2004
277. Green J et al: A gene for pili annulati maps to the telomeric region of chromosome 12q. *J Invest Dermatol* **123**:1070-1072, 2004
278. Elewski BE: Tinea capitis: A current perspective. *J Am Acad Dermatol* **42**:1, 2000
279. Hebert AA: Tinea capitis. Current concepts. *Arch Dermatol* **124**:1554-1557, 1988
280. Tanz RR, Hebert AA, Esterly NB: Treating tinea capitis: Should ketoconazole replace griseofulvin? *J Pediatr* **112**:987-991, 1988
281. Fiedler L et al: Surgical and ketoconazole treatment of a Kerion Celsi caused by Trichophyton mentagrophytes and Candida tropicalis. *Mycoses* (Suppl. 1): 81-87, 1988
282. Kron C et al: Bulky superinfected tinea capitis of the scalp. Treatment by surgical resection and reconstruction by cutaneous expansion. *Arch Pediatr* **5**:992-995, 1998
283. Otberg N et al: Kerion due to Trichophyton mentagrophytes: Responsiveness to fluconazole versus terbinafine in a child. *Acta Derm Venereol* **81**:444-445, 2001
284. Thoma-Greber E et al: Surgical treatment of tinea capitis in childhood. *Mycoses* **46**:351-354, 2003
285. Trovato MJ, Schwartz RA, Janniger CK: Tinea capitis: Current concepts in clinical practice. *Cutis* **77**:93, 2006
286. Singh G: Traction alopecia in Sikh boys. *Br J Dermatol* **92**:232, 1975

287. Swedo SE, Leonard HL: Trichotillomania. An obsessive compulsive spectrum disorder? *Psychiatr Clin North Am* **15**:777-790, 1992
288. Winchel RM et al: Clinical characteristics of trichotillomania and its response to fluoxetine. *J Clin Psychiatry* **53**:304-308, 1992
289. Dell'Osso B et al: Epidemiologic and clinical updates on impulse control disorders: A critical review. *Eur Arch Psychiatry Clin Neurosci* **256**:464-475, 2006
290. Rothbaum BO, Ninan PT: The assessment of trichotillomania. *Behav Res Ther* **32**:651, 1994
291. Stein DJ et al: Trichotillomania and obsessive-compulsive disorder. *J Clin Psychiatry* **56**(Suppl. 4): 28-34, 1995
292. Rosenfield RL: Hirsutism and the variable response of the pilosebaceous unit to androgen. *J Invest Dermatol Symp Proc* **10**:205-208, 2005
293. Moll G Jr, Rosenfield R: Testosterone binding and free plasma androgen concentrations under physiologic conditions: Characterization by flow dialysis technique. *J Clin Endocrinol Metab* **49**:730-736, 1979
294. Rosner W: The functions of corticosteroid-binding globulin and sex hormone binding-globulin: Recent advances. *Endocrinol Rev* **11**:80-91, 1990
295. Nestler J et al: A direct effect of hyperinsulinemia on serum sex-hormone binding globulin levels in obese women with the polycystic ovary syndrome. *J Clin Endocrinol Metab* **72**:83-89, 1991
296. Hogeveen KN et al: Human sex hormone-binding globulin variants associated with hyperandrogenism and ovarian dysfunction. *J Clin Invest* **109**:973-981, 2002
297. Kaltsas GA et al: The value of the low-dose dexamethasone suppression test in the differential diagnosis of hyperandrogenism in women. *J Clin Endocrinol Metab* **88**:2634-2643, 2003
298. Nelson-DeGrave VL et al: Valproate potentiates androgen biosynthesis in human ovarian theca cells. *Endocrinology* **145**:799-808, 2004
299. Souter I et al: The prevalence of androgen excess among patients with minimal unwanted hair growth. *Am J Obstet Gynecol* **191**:1914-1920, 2004
300. Wajchenberg BL et al: Adrenocortical carcinoma: Clinical and laboratory observations. *Cancer* **88**:711-736, 2000
301. Bighton P: Congenital hypertrichosis lanuginosa. *Arch Dermatol* **101**:669, 1970
302. Bondeson J, Miles AE: The hairy family of Burma: A four generation pedigree of congenital hypertrichosis lanuginosa. *J R Soc Med* **89**:403, 1996
303. Belengeanu V et al: Ambras syndrome: Report on two affected siblings with no prior family history. *Clin Dysmorphol* **13**:265-267, 2004
304. Tadin-Strapps M et al: Cloning of the breakpoints of a de novo inversion of chromosome 8, inv (8) (p11.2q23.1) in a patient with Ambras syndrome. *Cytogenet Genome Res* **107**:68-76, 2004
305. Baumeister FA et al: Ambras syndrome: Delineation of a unique hypertrichosis universalis congenita and association with a balanced pericentric inversion (8) (p11.2; q22). *Clin Genet* **44**:121-128, 1993
306. Figuera LE et al: Mapping of the congenital generalized hypertrichosis locus to chromosome Xq24-q27.1. *Nat Genet* **10**:202-207, 1995