

Chapter 91

Abnormal Responses to Ultraviolet Radiation: Idiopathic, Probably Immunologic, and Photoexacerbated

Travis W. Vandergriff & Paul R. Bergstresser

REFERENCES

1. Rhodes LE et al: Polymorphic light eruption occurs in 18% of Europeans and does not show higher prevalence with increasing latitude: Multicenter survey of 6,895 individuals residing from the mediterranean to scandinavia. *J Invest Dermatol* **130**(2):626-628, 2010 [Epub Aug 20, 2009]
2. Morison WL, Stern RS: Polymorphous light eruption: A common reaction uncommonly recognized. *Acta Derm Venereol* **62**:237, 1982
3. Pao C et al: Polymorphic light eruption: Prevalence in Australia and England. *Br J Dermatol* **130**:62, 1994
4. Norris PG et al: Polymorphic light eruption: An immunopathological study of evolving lesions. *Br J Dermatol* **120**:173, 1989
5. Norris PG et al: Adhesion molecule expression in polymorphic light eruption. *J Invest Dermatol* **99**:504, 1992
6. Wolf P et al: New insights into the mechanisms of polymorphic light eruption: Resistance to ultraviolet radiation-induced immune suppression as an aetiological factor. *Exp Dermatol* **18**:350, 2009
7. Kolgen W et al: Differential expression of cytokines in UV-B-exposed skin of patients with polymorphous light eruption: Correlation with Langerhans cell migration and immunosuppression. *Arch Dermatol* **140**:295, 2004
8. Norris P et al: The expression of endothelial leukocyte adhesion molecule-1 (ELAM-1), intercellular adhesion molecule-1 (ICAM-1), and vascular cell adhesion molecule-1 (VCAM-1) in experimental cutaneous inflammation: A comparison of ultraviolet B erythema and delayed hypersensitivity. *J Invest Dermatol* **96**:763, 1991
9. van de Pas CB et al: Walker SL: Ultraviolet-radiation-induced erythema and suppression of contact hypersensitivity responses in patients with polymorphic light eruption. *J Invest Dermatol* **122**:295, 2004
10. Palmer RA, Friedmann PS: Ultraviolet radiation causes less immunosuppression in patients with polymorphic light eruption than in controls. *J Invest Dermatol* **122**:291, 2004
11. Palmer RA et al: The effect of solar-simulated radiation on the elicitation phase of contact hypersensitivity does not differ between controls and patients with polymorphic light eruption. *J Invest Dermatol* **124**:1308, 2005
12. Holzle E et al: Polymorphous light eruption. Experimental reproduction of skin lesions. *J Am Acad Dermatol* **7**:111, 1982
13. Janssens AS et al: Normalized ultraviolet (UV) induction of Langerhans cell depletion and neutrophil infiltrates after artificial UVB hardening of patients with polymorphic light eruption. *Br J Dermatol* **152**:1268, 2005
14. Lembo S et al: Polymorphic light eruption and skin cancer prevalence: Is one protective against the other? *Br J Dermatol* **159**:1342, 2008
15. Benanni B et al: Low incidence of polymorphous light eruption in renal transplant recipients. *Acta Derm Venereol* **87**:372, 2007
16. Ortel B et al: Polymorphous light eruption: Action spectrum and photoprotection. *J Am Acad Dermatol* **14**:748, 1986
17. Miyamoto C: Polymorphous light eruption: Successful reproduction of skin lesions, including papulovesicular light eruption, with ultraviolet B. *Photodermatol* **6**:69, 1989
18. Piletta PA et al: A pilot with an itchy rash. *Lancet* **348**:1142, 1996
19. McGregor JM et al: Genetic modeling of abnormal photosensitivity in families with polymorphic light eruption and actinic prurigo. *J Invest Dermatol* **115**:471, 2000
20. Hawk J: Juvenile spring eruption is a variant of polymorphic light eruption. *N Z Med J.* **109**:389, 1996
21. Dover JS, Hawk JL: Polymorphic light eruption sine eruption. *Br J Dermatol* **118**:73, 1988

22. Thomas P, Amblard P: Lucite estivale bénigne. In: *Photodermatologie et Photothérapie*, edited by P Thomas, P Amblard. Paris, Masson, 1988, p. 49
23. Hawk JLM, Calonje E. The photosensitivity disorders. In: *Lever's Histopathology of the Skin*, 9th edition, edited by DE Elder et al. Philadelphia, Lippincott Williams & Wilkins, 2005, p. 345
24. Tzaneva S et al: Antinuclear antibodies in patients with polymorphic light eruption: A long-term follow-up study. *Br J Dermatol* **158**:1050, 2008
25. Magnus IA: Studies with a monochromator in the common idiopathic photodermatoses. *Br J Dermatol* **76**:245, 1964
26. Murphy GM, Hawk JL: The prevalence of antinuclear antibodies in patients with apparent polymorphic light eruption. *Br J Dermatol* **125**:448, 1991
27. Richards HL et al: Evidence of high levels of anxiety and depression in polymorphic light eruption and their association with clinical and demographic variables. *Br J Dermatol* **159**:439, 2008
28. Jansen CT, Karvonen J: Polymorphous light eruption. A seven-year follow-up evaluation of 114 patients. *Arch Dermatol* **120**:862, 1984
29. Schleyer V et al: Prevention of polymorphic light eruption with a sunscreen of very high protection level against UVB and UVA radiation under standardized photodiagnostic conditions. *Acta Derm Venereol* **88**:555, 2008
30. Patel DC et al: Efficacy of short-course oral prednisolone in polymorphic light eruption: A randomized controlled trial. *Br J Dermatol* **143**:828, 2000
31. Murphy GM et al: Prophylactic PUVA and UVB therapy in polymorphic light eruption—A controlled trial. *Br J Dermatol*. **116**:531, 1987
32. Bilsland D et al: A comparison of narrow band phototherapy (TL-01) and photochemotherapy (PUVA) in the management of polymorphic light eruption. *Br J Dermatol* **129**:708, 1993
33. Murphy GM, Hawk JL, Magnus IA: Hydroxychloroquine in polymorphic light eruption: A controlled trial with drug and visual sensitivity monitoring. *Br J Dermatol* **116**:379, 1987
34. Corbett MF et al: Controlled therapeutic trials in polymorphic light eruption. *Br J Dermatol* **107**:571, 1982
35. Neumann R, Rappold E, Pohl-Markl H: Treatment of polymorphous light eruption with nicotinamide: A pilot study. *Br J Dermatol* **115**:77, 1986
36. Rhodes LE et al: Dietary fish oil reduces basal and ultraviolet B-generated PGE2 levels in skin and increases the threshold to provocation of polymorphic light eruption. *J Invest Dermatol* **105**:532, 1995
37. Norris PG, Hawk JL: Successful treatment of severe polymorphous light eruption with azathioprine. *Arch Dermatol* **125**:1377, 1989
38. Shipley DR, Hewitt JB: Polymorphic light eruption treated with cyclosporin. *Br J Dermatol* **144**:446, 2001
39. Wiseman MC et al: Actinic prurigo: Clinical features and HLA associations in a Canadian Inuit population. *J Am Acad Dermatol* **44**:952, 2001
40. Arrese JE et al: Effectors of inflammation in actinic prurigo. *J Am Acad Dermatol* **44**:957, 2001
41. Hönigsmann H, Hojyo-Tomoka MT. Polymorphic light eruption, hydroa vacciniforme, and actinic prurigo. In: *Photodermatology*, edited by HW Lim, H Hönigsmann, JLM Hawk. New York, Informa Healthcare, 2007, p. 149
42. Ross G, Foley P, Baker C: Actinic prurigo. *Photodermatol Photoimmunol Photomed* **24**:272, 2008
43. Grabczynska SA, McGregor JM, Kondeatis E, Vaughan RW, Hawk JL: Actinic prurigo and polymorphic light eruption: Common pathogenesis and the importance of HLA-DR4/DRB1*0407. *Br J Dermatol* **140**:232, 1999
44. Birt AR, Davis RA: Hereditary polymorphic light eruption of American Indians. *Int J Dermatol* **14**:105, 1975
45. Perrett CM et al: Primary cutaneous B-cell lymphoma associated with actinic prurigo. *Br J Dermatol* **153**:186, 2005
46. Kuno Y et al: Actinic prurigo: A 10-year follow-up study by questionnaire. *Br J Dermatol* **149**:48, 2003
47. Crouch R, Foley P, Baker C: Actinic prurigo: A retrospective analysis of 21 cases referred to an Australian photobiology clinic. *Australas J Dermatol* **43**:128, 2002
48. Farr PM, Diffey BL: Treatment of actinic prurigo with PUVA: Mechanism of action. *Br J Dermatol* **120**:411, 1989
49. Sonnex TS, Hawk JL: Hydroa vacciniforme: A review of ten cases. *Br J Dermatol* **118**:101, 1988
50. Cho KH et al: Epstein-Barr virus-associated peripheral T-cell lymphoma in adults with hydroa vacciniforme-like lesions. *Clin Exp Dermatol* **26**:242, 2001

51. Iwatsuki K et al: Pathogenic link between hydroa vacciniforme and Epstein-Barr virus-associated hematologic disorders. *Arch Dermatol* **142**:587, 2006
52. Yamamoto T et al: A novel, noninvasive diagnostic probe for hydroa vacciniforme and related disorders: Detection of latency-associated Epstein-Barr virus transcripts in the crusts. *J Microbiol Methods* **68**:403, 2007
53. Verneuil L et al: Epstein-Barr virus involvement in the pathogenesis of hydroa vacciniforme: an assessment of seven adult patients with long-term follow-up. *Brit J Dermatol* **163**:174, 2010
54. Gupta G, Man I, Kemmett D: Hydroa vacciniforme: A clinical and follow-up study of 17 cases. *J Am Acad Dermatol* **42**:208, 2000
55. Yesudian PD, Sharpe GR: Hydroa vacciniforme with oral mucosal involvement. *Pediatr Dermatol* **21**:555, 2004
56. Jeng BH et al: Ocular findings as a presenting sign of hydroa vacciniforme. *Br J Ophthalmol* **88**:1478, 2004
57. Cho KH et al: Epstein-Barr virus-associated lymphoproliferative lesions presenting as a hydroa vacciniforme-like eruption: An analysis of six cases. *Br J Dermatol* **151**:372, 2004
58. Nitta Y et al: Fatal natural killer cell lymphoma arising in a patient with a crop of Epstein-Barr virus-associated disorders. *Eur J Dermatol* **15**:503, 2005
59. Yoon TY et al: Nodal marginal zone lymphoma in association with hydroa vacciniforme-like papulovesicular eruption, hypersensitivity to mosquito bites and insect bite-like reaction. *Br J Dermatol* **153**:210, 2005
60. Huggins RH et al: Quality of life assessment and disease experience of patient members of a web-based hydroa vacciniforme support group. *Photodermatol Photoimmunol Photomed* **25**:209, 2009
61. Jaschke E, Honigsmann H: [Hydroa vacciniforme - action spectrum. UV - tolerance following photochemotherapy]. *Hautarzt*. **32**:350, 1981
62. Lysell J et al: Antiviral therapy in children with hydroa vacciniforme. *Acta Derm Venereol* **89**:393, 2009
63. Haxthausen H: Persistent hypersensitivity to light after intravenous injection of trypanflavine. *Br J Dermatol* **45**, 1933
64. Wilkinson DS: Photodermatitis due to tetrachlorosalicylanilide. *Br J Dermatol* **73**:213, 1961
65. Jillson OF, Baughman RD: Contact Photodermatitis from Bithionol. *Arch Dermatol* **88**:409, 1963
66. Cronin E: Photosensitivity to musk ambrette. *Contact Dermatitis* **11**:88, 1984
67. Johnson BE et al: A study of the persistent light reactivity in quindoxin and quinine photosensitivity. *Br J Dermatol* **93**:21, 1975
68. Ive FA, Magnus IA, Warin RP, Jones EW: "Actinic reticuloid"; a chronic dermatosis associated with severe photosensitivity and the histological resemblance to lymphoma. *Br J Dermatol* **81**:469, 1969
69. Ramsay CA, Black AK: Photosensitive eczema. *Trans St Johns Hosp Dermatol Soc* **59**:152, 1973
70. Frain-Bell W et al: The syndrome of chronic photosensitivity dermatitis and actinic reticuloid. *Br J Dermatol* **91**:617, 1974
71. Hawk JL, Magnus IA: Chronic actinic dermatitis—An idiopathic photosensitivity syndrome including actinic reticuloid and photosensitive eczema [proceedings]. *Br J Dermatol* **101**(Suppl 17):24, 1979
72. Hawk JLM, Magnus IA: Resolution of actinic reticuloid with transition to photosensitive eczema. *J R Soc Med* **71**:608, 1978
73. Norris PG et al: Chronic actinic dermatitis: an immunohistologic and photobiologic study. *J Am Acad Dermatol* **21**:966, 1989
74. Menage Hdu P et al: A study of the kinetics and pattern of E-selectin, VCAM-1 and ICAM-1 expression in chronic actinic dermatitis. *Br J Dermatol*. **134**:262, 1996
75. Hawk JLM, Lim HW: Chronic actinic dermatitis. In: *Photodermatology*, edited by HW Lim, H Honigsmann, JLM Hawk. New York, Informa Healthcare, 2007 p. 169
76. Orbaneja JG et al: Lymphomatoid contact dermatitis: A syndrome produced by epicutaneous hypersensitivity with clinical features and a histopathologic picture similar to that of mycosis fungoides. *Contact Dermatitis* **2**:139, 1976
77. Hawk JL: Chronic actinic dermatitis. *Photodermatol Photoimmunol Photomed* **20**:312, 2004
78. Chew AL et al: Contact and photocontact sensitization in chronic actinic dermatitis: A changing picture. *Contact Dermatitis* **62**:42, 2010
79. Kyu-Won C et al: A Korean experience with chronic actinic dermatitis during an 18-year period: Meteorological and photoimmunological aspects. *Photodermatol Photoimmunol Photomed* **25**:286, 2009

80. Kochevar IE, Harber LC: Photoreactions of 3,3',4',5'-tetrachlorosalicylanilide with proteins. *J Invest Dermatol* **68**:151, 1977
81. Murphy GH, White IR, Hawk JL: Allergic airborne contact dermatitis to Compositae with photosensitivity—Chronic actinic dermatitis in evolution. *Photodermatol Photoimmunol Photomed* **7**:38, 1990
82. Menage H et al: Contact and photocontact sensitization in chronic actinic dermatitis: Sesquiterpene lactone mix is an important allergen. *Br J Dermatol* **132**:543, 1995
83. Creamer D et al: Chronic actinic dermatitis occurring in young patients with atopic dermatitis. *Br J Dermatol* **139**:1112, 1998
84. Kurumaji Y et al: Chronic actinic dermatitis in a young patient with atopic dermatitis. *J Am Acad Dermatol*. **31**:667, 1994
85. Robinson HN, Morison WL, Hood AF: Thiazide diuretic therapy and chronic photosensitivity. *Arch Dermatol* **121**:522, 1985
86. Meola T et al: Chronic actinic dermatitis associated with human immunodeficiency virus infection. *Br J Dermatol* **137**:431, 1997
87. Menage HD et al: The action spectrum for induction of chronic actinic dermatitis is similar to that for sunburn inflammation. *Photochem Photobiol* **62**:976, 1995
88. Patel DC et al: UVA associated eczematous photosensitivity and multiple contact allergies: A further form of Chronic actinic dermatitis? *Br J Dermatol* **139**, 1998
89. Yones SS et al: Exacerbation of presumed chronic actinic dermatitis by cockpit visible light in an airline pilot with atopic eczema. *Photodermatol Photoimmunol Photomed* **21**:152, 2005
90. Lim HW et al: Chronic actinic dermatitis. An analysis of 51 patients evaluated in the United States and Japan. *Arch Dermatol* **130**:1284, 1994
91. von den Driesch P, Fartasch M, Hornstein OP: Chronic actinic dermatitis with vitiligo-like depigmentation. *Clin Exp Dermatol* **17**:38, 1992
92. Chu AC et al: Immunologic differentiation of the Sezary syndrome due to cutaneous T-cell lymphoma and chronic actinic dermatitis. *J Invest Dermatol* **86**:134, 1986
93. Neild VS et al: Actinic reticuloid with Sezary cells. *Clin Exp Dermatol* **7**:143, 1982
94. Lowe JG, Ferguson J: A double blind control study to assess the effect of pre-treatment with a potent topical steroid on the phototest response of photosensitivity dermatitis and actinic reticuloid syndrome (PD/AR). *Scot Med J* **34**:509, 1989
95. Menagé H, Whittaker SJ, Ng YI: Analysis of T-cell receptor genes in chronic actinic dermatitis: No evidence of clonality. *J Invest Dermatol* **98**:546A, 1992
96. Heller P et al: Chronic actinic dermatitis. An immunohistochemical study of its T-cell antigenic profile, with comparison to cutaneous T-cell lymphoma. *Am J Dermatopathol* **16**(5):510–516, 1994
97. Dawe RS, Crombie IK, Ferguson J: The natural history of chronic actinic dermatitis. *Arch Dermatol* **136**:1215, 2000
98. Morris SD et al: Severe photosensitivity in four patients with erythrodermic cutaneous T-cell lymphoma. *Br J Dermatol* **147**:36, 2002
99. Uetsu N et al: Treatment of chronic actinic dermatitis with tacrolimus ointment. *J Am Acad Dermatol* **47**:881, 2002
100. Evans AV, Palmer RA, Hawk JL: Erythrodermic chronic actinic dermatitis responding only to topical tacrolimus. *Photodermatol Photoimmunol Photomed* **20**:59, 2004
101. Norris PG, Camp RD, Hawk JL: Actinic reticuloid: Response to cyclosporine. *J Am Acad Dermatol* **21**:307, 1989
102. Murphy GM et al: A double-blind controlled trial of azathioprine in chronic actinic dermatitis. *Br J Dermatol* **117**:16, 1987
103. Hindson C, Spiro J, Downey A: PUVA therapy of chronic actinic dermatitis. *Br J Dermatol* **113**:157, 1985
104. Agar N et al: Case report of four patients with erythrodermic cutaneous T-cell lymphoma and severe photosensitivity mimicking chronic actinic dermatitis. *Br J Dermatol* **160**:698, 2009
105. Beattie PE et al: Characteristics and prognosis of idiopathic solar urticaria: a cohort of 87 cases. *Arch Dermatol* **139**:1149, 2003
106. Botto NC, Warshaw EM: Solar urticaria. *J Am Acad Dermatol* **59**:909, 2008
107. Leenutaphong V, Holzle E, Plewig G: Pathogenesis and classification of solar urticaria: A new concept. *J Am Acad Dermatol* **21**:237, 1989
108. Fukunaga A et al: The inhibition spectrum of solar urticaria suppresses the wheal-flare response following intradermal injection with photo-acti-

- vated autologous serum but not with compound 48/80. *Photodermatol Photoimmunol Photomed* 22:129, 2006
109. Horio T, Fujigaki K: Augmentation spectrum in solar urticaria. *J Am Acad Dermatol* 18:1189, 1988
 110. Beattie PE et al: Co-existence of chronic actinic dermatitis and solar urticaria in three patients. *Br J Dermatol* 151:513, 2004
 111. Monfrecola G et al: Solar urticaria: A report on 57 cases. *Am J Contact Dermat* 11:89, 2000
 112. Wessendorf U et al: Fixed solar urticaria with delayed onset. *J Am Acad Dermatol* 60:695, 2009
 113. Roelandts R, Ryckaert S: Solar urticaria: The annoying photodermatosis. *Int J Dermatol* 38:411, 1999
 114. Kapoor R: Phototesting in solar urticaria. *J Am Acad Dermatol* 60:877, 2009
 115. Faurischou A, Wulf HC: Synergistic effect of broad-spectrum sunscreens and antihistamines in the control of idiopathic solar urticaria. *Arch Dermatol* 144:765, 2008
 116. Beissert S, Stander H, Schwarz T: UVA rush hardening for the treatment of solar urticaria. *J Am Acad Dermatol* 42:1030, 2000
 117. Duschet P et al: Solar urticaria—Effective treatment by plasmapheresis. *Clin Exp Dermatol* 12:185, 1987
 118. Bissonnette R et al: Treatment of refractory solar urticaria with plasma exchange. *J Cutan Med Surg* 3:236, 1999
 119. Darras S et al: [Treatment of solar urticaria by intravenous immunoglobulins and PUVA therapy]. *Ann Dermatol Venereol* 131:65, 2004
 120. Waibel KH et al: Partial improvement of solar urticaria after omalizumab. *J Allergy Clin Immunol* 125:490, 2010
 121. Palmer RA, Hawk JL: Light-induced seborrheic eczema: Severe photoprovocation from subclinical disease. *Photodermatol Photoimmunol Photomed* 20:62, 2004
 122. Norris PG, Hawk JL: Actinic folliculitis—Response to isotretinoin. *Clin Exp Dermatol* 14:69, 1989
 123. Hjorth N et al: Acne aestivalis—Mallorca acne. *Acta Derm Venereol* 52:61, 1972
 124. Nieboer C: Actinic superficial folliculitis; a new entity? *Br J Dermatol*. 112:603, 1985
 125. Verbov J: Actinic folliculitis. *Br J Dermatol*. 113:630, 1985
 126. Veysey EC, George S: Actinic folliculitis. *Clin Exp Dermatol* 30:659, 2005
 127. Lederman JS, Sober AJ, Lederman GS: Immunosuppression: A cause of porokeratosis? *J Am Acad Dermatol* 13:75, 1985
 128. D'Errico M et al: Characterization of the ultraviolet B and X-ray response of primary cultured epidermal cells from patients with disseminated superficial actinic porokeratosis. *Br J Dermatol* 150:47, 2004
 129. Kariniemi AL, Kotovirta ML, Stubb S: Disseminated superficial "actinic" porokeratosis. *Acta Derm Venereol* 59:82, 1979
 130. Raymond JL, Beani JC, Amblard P: Superficial actinic porokeratosis in a patient undergoing long-term PUVA therapy. *Acta Derm Venereol* 60:539, 1980
 131. Hazen PG et al: Disseminated superficial actinic porokeratosis: appearance associated with photochemotherapy for psoriasis. *J Am Acad Dermatol* 12:1077, 1985
 132. Wiltz H, Schwartz RA, Lambert WC: Disseminated superficial actinic porokeratosis: Appearance after suntan parlor exposure. *Photodermatol* 4:47, 1987
 133. Neumann RA et al: Disseminated superficial actinic porokeratosis: Experimental induction and exacerbation of skin lesions. *J Am Acad Dermatol* 21:1182, 1989
 134. Bedi TR: Summertime actinic lichenoid eruption. *Dermatologica* 157:115, 1978
 135. Verhagen AR, Koten JW: Lichenoid melanodermitis. A clinicopathological study of fifty-one Kenyan patients with so-called tropical lichen planus. *Br J Dermatol* 101:651, 1979
 136. van der Schroeff JG, Schothorst AA, Kanaar P: Induction of actinic lichen planus with artificial UV sources. *Arch Dermatol* 119:498, 1983
 137. Wackernagel A et al: Psoralen plus UVA vs. UVB-311 nm for the treatment of lichen planus. *Photodermatol Photoimmunol Photomed* 23:15, 2007
 138. Pavlotsky F et al: Ultraviolet-B treatment for cutaneous lichen planus: Our experience with 50 patients. *Photodermatol Photoimmunol Photomed* 24:83, 2008
 139. Kuhn A, Bijl M: Pathogenesis of cutaneous lupus erythematosus. *Lupus* 17:389, 2008
 140. Cheong WK et al: Cutaneous photosensitivity in dermatomyositis. *Br J Dermatol* 131:205, 1994
 141. Millard TP, Hawk JL, McGregor JM: Photosensitivity in lupus. *Lupus* 9:3, 2000

142. Orteu CH, Sontheimer RD, Dutz JP: The pathophysiology of photosensitivity in lupus erythematosus. *Photodermatol Photoimmunol Photomed*. 17:95, 2001
143. Lehmann P et al: Experimental reproduction of skin lesions in lupus erythematosus by UVA and UVB radiation. *J Am Acad Dermatol* 22:181, 1990
144. Perl S et al: Bullous pemphigoid induced by PUVA therapy. *Dermatology* 193:245, 1996
145. Lomholt G: Influence of sun and seabathing in psoriasis: Prevalence, spontaneous course and genetics: A census study on the prevalence of skin diseases on the Faroe Islands. Edited by. Copenhagen, GEC Gad, 1963 p. 113
146. Farber EM, Bright RD, Nall ML: Psoriasis. A questionnaire survey of 2,144 patients. *Arch Dermatol* 98:248, 1968
147. Ros AM, Eklund G: Photosensitive psoriasis. An epidemiologic study. *J Am Acad Dermatol* 17:752, 1987
148. Neumann NJ, Lehmann P. Photodiagnostic modalities. In: *Dermatological Phototherapy and Photodiagnostic Methods*, edited by J Krutmann et al. Berlin, Springer-Verlag, 2001, p. 329
149. Thune P et al: The Scandinavian multicenter photopatch study 1980–1985: Final report. *Photodermatol* 5:261, 1988
150. Bruynzeel DP et al: Photopatch testing: a consensus methodology for Europe. *J Eur Acad Dermatol Venereol* 18:679, 2004