

# Chapter 122

## Benign Neoplasias and Hyperplasias of Melanocytes

James M. Grichnik, Arthur R. Rhodes, & Arthur J. Sober

### REFERENCES

1. Walton RG et al: Pigmented lesions in newborn infants. *Br J Dermatol* **95**:389, 1976 [PMID: 974024]
2. Castilla EE et al: Epidemiology of congenital pigmented nevi; incidence rates and relative frequencies. *Br J Dermatol* **104**:307, 1981 [PMID: 7213564]
3. Bauer et al: Congenital melanocytic nevi frequently harbor NRAS mutations but not BRAF mutations. *J Invest Dermatol* **127**:179, 2007 [PMID: 16888631]
4. Ribuffo D et al: Divided nevus of the eyelid: a case report. *Ophthalmic Plast Reconstr Surg* **12**:186, 1996 [PMID: 8869974]
5. Hamming N: Anatomy and embryology of the eyelids: A review with special reference to the development of divided nevi. *Pediatr Dermatol* **1**:51, 1983 [PMID: 6387662]
6. Rhodes AR et al: Congenital nevomelanocytic nevi: Proportionate area expansion during infancy and early childhood. *J Am Acad Dermatol* **34**:51, 1996 [PMID: 8543695]
7. Crowe FW et al: *A Clinical, Pathological, and Genetic Study of Multiple Neurofibromatosis*. Springfield, IL, Charles C Thomas, 1956, p. 181
8. von Recklinghausen F: *Über die multiplen Fibrome der Haute und ihre Beziehung zu den multiplen Neurmen*. Berlin, August Hirschwald, 1882, p. 138
9. Reed WB et al: Giant pigmented nevi, melanoma, and leptomeningeal melanocytosis: a clinical and histopathological study. *Arch Dermatol* **91**:100, 1965 [PMID: 14237589]
10. Bastian BC et al: Genetic changes in neoplasms arising in congenital melanocytic nevi: Differences between nodular proliferations and melanomas. *Am J Pathol* **161**:1163, 2002 [PMID: 12368190]
11. Bittencourt FV et al: Large congenital melanocytic nevi and the risk for development of malignant melanoma and neurocutaneous melanosis. *Pediatrics* **106**:736, 2000 [PMID: 11015516]
12. Egan CL et al: Cutaneous melanoma risk and phenotypic changes in large congenital nevi: A follow-up study of 46 patients. *J Am Acad Dermatol* **39**:923, 1998 [PMID: 9843003]
13. Lorentzen M et al: The incidence of malignant transformation in giant pigmented nevi. *Scand J Plast Reconstr Surg* **11**:163, 1977 [PMID: 609899]
14. Harly S, Walsh N: A new look at melanomas. *Am J Dermatopathol* **18**:137, 1996
15. Betti R: Small congenital nevi associated with melanoma: Case reports and considerations. *J Dermatol* **27**:583, 2000 [PMID: 11052234]
16. Rhodes AR et al: The malignant potential of small congenital nevocellular nevi: An estimate of association based on a histologic study of 234 primary cutaneous melanomas. *J Am Acad Dermatol* **6**:230, 1982 [PMID: 7061746]
17. Hafner DG et al: Malignant melanoma in a large congenital melanocytic nevus 9 years after dermabrasion in childhood. *Dermatol* **212**:208, 2006 [PMID: 16484832]
18. Kun H et al: Pseudomelanoma after laser therapy. *Ann Plastic Surg* **48**:562, 2002
19. Kopf AW et al: Congenital nevus-like nevi, nevi spili, and cafe-au-lait spots in patients with malignant melanoma. *J Dermatol Surg Oncol* **11**:275, 1985 [PMID: 3973199]
20. Sato S et al: Divided nevus spilus and divided form of spotted grouped pigmented nevus. *J Cutan Pathol* **6**:507, 1977
21. Happle R: Speckled lentiginous nevi: no longer one single disorder. *Arch Dermatol* **146**(2):204, 2010
22. Rhodes AR, Mihm MC Jr: Origin of cutaneous melanoma in a congenital dysplastic nevus spilus. *Arch Dermatol* **126**:500, 1990 [PMID: 2321995]
23. Grinspan D et al: Melanoma on dysplastic nevus spilus. *Int J Dermatol* **36**:499, 1997 [PMID: 9268745]
24. MacKie RM et al: The number and distribution of benign pigmented moles (melanocytic naevi) in a healthy British population. *Br J Dermatol* **113**:167, 1985 [PMID: 4027184]

25. Nicholls EM: Development and elimination of pigmented moles, and the anatomical distribution of primary malignant melanoma. *Cancer* **32**:191, 1973 [PMID: 4716772]
26. Coleman WP et al: Nevi, lentiginos, and melanomas in blacks. *Arch Dermatol* **116**:548, 1980 [PMID: 7377786]
27. Green A et al: Melanocytic nevi in schoolchildren in Queensland. *J Am Acad Dermatol* **20**:1054, 1989 [PMID: 2754055]
28. Kelly JW et al: Sunlight: a major factor associated with the development of melanocytic nevi in Australian schoolchildren. *J Am Acad Dermatol* **30**:40, 1994 [PMID: 8277029]
29. Gallagher RP et al: Broad-spectrum sunscreen use and the development of new nevi in white children: A randomized controlled trial. *JAMA* **283**:2955, 2000 [PMID: 10865273]
30. Larsson P-A, Liden S: Prevalence of skin disease among adolescents 12–16 years of age. *Acta Derm Venereol (Stockh)* **60**:415, 1980 [PMID: 6162313]
31. Kopf AW et al: Broad spectrum of leukoderma acquisitum centrifugum. *Arch Dermatol* **92**:14, 1965 [PMID: 14321185]
32. Robinson WA et al: Human acquired naevi are clonal. *Melanoma Res* **8**:499, 1998 [PMID: 9918411]
33. Harada M et al: Clonality in nevocellular nevus and melanoma: An expression-based clonality analysis at the X-linked genes by polymerase chain reaction. *J Invest Dermatol* **109**:656, 1997 [PMID: 9347795]
34. Hui P et al: Assessment of clonality in melanocytic nevi. *J Cutan Pathol* **28**:140, 2001 [PMID: 11168766]
35. Gill MG, Celebi JT: B-RAF and melanocytic neoplasia. *J Am Acad Dermatol* **53**:108, 2005 [PMID: 15965430]
36. Lin J et al: Polyclonality of BRAF mutations in acquired melanocytic nevi. *J Natl Cancer Inst* **101**:1423, 2009
37. Grichnik JM et al: KIT expression reveals a population of precursor melanocytes in human skin. *J Invest Dermatol* **106**:967, 1996 [PMID: 8618059]
38. Grichnik JM: Melanoma, Nevogenesis, and Stem Cell Biology *J Invest Dermatol* **128**:2365, 2008
39. Nishimura EK et al: Dominant role of the niche in melanocyte stem-cell fate determination. *Nature* **414**:105, 2002
40. Banky JP et al: Incidence of new and changed nevi and melanomas detected using baseline images and dermoscopy in patients at high risk for melanoma. *Arch Dermatol* **141**:998, 2005 [PMID: 16103329]
41. Rhodes AR et al: Dysplastic melanocytic nevi: A reproducible histologic definition emphasizing cellular morphology. *Mod Pathol* **2**:306, 1989 [PMID: 2762287]
42. Rhodes AR et al: Increased intraepidermal melanocyte frequency and size in dysplastic melanocytic nevi and cutaneous melanoma: A comparative quantitative study of dysplastic melanocytic nevi, superficial spreading melanoma, nevocellular nevi, and solar lentiginos. *J Invest Dermatol* **80**:452, 1983 [PMID: 6341476]
43. Rhodes AR et al: A histologic comparison of congenital and acquired nevocellular nevi. *Arch Dermatol* **121**:1266, 1985 [PMID: 4037819]
44. Sterry W et al: Relative increase of Langerhans cells in "banal" and dysplastic melanocytic naevi. *Br J Dermatol* **116**:511, 1987 [PMID: 3580285]
45. Kornberg R, Ackerman AB: Pseudomelanoma: Recurrent melanocytic nevus following partial surgical removal. *Arch Dermatol* **111**:1588, 1975 [PMID: 1200664]
46. Park HK et al: Recurrent melanocytic nevi: Clinical and histologic review of 175 cases. *J Am Acad Dermatol* **17**:285, 1987 [PMID: 3624565]
47. Zeff RA et al: The immune response in halo nevi. *J Am Acad Dermatol* **37**:620, 1997 [PMID: 9344203]
48. Stegmaier OC: Natural regression of the melanocytic nevus. *J Invest Dermatol* **23**:413, 1959
49. Kantor GR, Wheeland RG: Transepidermal elimination of nevus cells: A possible mechanism of nevus involution. *Arch Dermatol* **123**:1371, 1987 [PMID: 3662570]
50. Pharis DB, Zitelli JA: Sunburn, trauma, and the timing of biopsies of melanocytic nevi. *Dermatol Surg* **27**:835, 2001 [PMID: 11553173]
51. Bastian BC et al: Classifying melanocytic tumors based on DNA copy number changes. *Am J Pathol* **163**:1765, 2003 [PMID: 14578177]
52. Tucker MA et al: Clinically recognized dysplastic nevi: A central risk factor for cutaneous melanoma. *JAMA* **277**:1439, 1997 [PMID: 9145715]
53. Weinstock MA et al: Moles and site-specific risk of nonfamilial cutaneous malignant melanoma in women. *J Natl Cancer Inst* **81**:948, 1989 [PMID: 2733040]

54. Swerdlow AJ et al: Benign melanocytic nevi as a risk factor for malignant melanoma. *Br Med J* **292**:1555, 1986 [PMID: 3087514]
55. Seykora J, Elder D: Dysplastic nevi and other risk markers for melanoma. *Semin Oncol* **23**:682, 1996 [PMID: 8970587]
56. Tsao H et al: The transformation rate of moles (melanocytic nevi) into cutaneous melanoma: A population-based estimate. *Arch Dermatol* **139**:282, 2003 [PMID: 12622618]
57. Bevona C et al: Cutaneous melanomas associated with nevi. *Arch Dermatol* **139**:1620, 2003 [PMID: 14676081]
58. Gartmann H: Transepidermale Ausscheidung von Nävus- und Melanomzellen. *Hautarzt* **33**:495, 1982 [PMID: 7174322]
59. Bovenschen HJ et al: Induction of eruptive benign naevi by immune suppressive agents, including biologicals. *Br J Dermatol* **154**:880, 2006 [PMID: 16634890]
60. Lucas CR et al: Early melanoma detection: Non-uniform dermoscopic features and growth. *J Am Acad Dermatol* **48**:663, 2003 [PMID: 12734494]
61. Okun MR, Bhawan J: Combined melanocytoma-mastocytoma in a case of nodular mastocytosis. *J Am Acad Dermatol* **1**:338, 1979 [PMID: 117029]
62. Patterson JW: Nevus cell aggregates in lymph nodes. *Am J Clin Pathol* **121**:13, 2004 [PMID: 14750235]
63. Van Raamsdonk CD et al: Frequent somatic mutations of GNAQ in uveal melanoma and blue nevi. *Nature* **457**:599, 2009
64. Smith K et al: CD-34 positive cellular blue nevi. *J Cutan Pathol* **28**:145, 2001 [PMID: 11168767]
65. Goncharuk V et al: Bendar tumor associated with dermal melanocytosis: Melanocyte colonization or neuroectodermal multidirectional differentiation? *J Cutan Pathol* **30**:147, 2003 [PMID: 12641795]
66. Kang DS, Chung KY: Common blue perivascular dissemination resulting in clinical resemblance to malignant melanoma. *Br J Dermatol* **141**:992, 1999
67. Saeb JA Jr et al: Deep penetrating nevus. *Am J Surg Pathol* **13**:39, 1989
68. Gartmann H, Müller HD: Über das gemeinsame Vorkommen von blauen Naevus und Naevuszell-naevus. *Z Hautkr* **52**:389, 1977 [PMID: 855398]
69. Busam KJ et al: Large plaque-type blue nevus with subcutaneous cellular nodules. *J Cutan Pathol* **24**:92, 2000 [PMID: 10632492]
70. High WA: Is melanocytic nevus with focal atypical epithelioid components (clonal nevus) a superficial variant of deep penetrating nevus? *J Am Acad Dermatol* **55**:460, 2006 [PMID: 16908352]
71. Carney JA, Ferreiro JA: The epithelioid blue nevus. A multicentric familial tumor with important associations, including cardiac myxoma and psammomatous melanotic schwannoma. *Am J Surg Pathol* **20**:259, 1996 [PMID: 8772778]
72. Moreno C et al: Epithelioid blue nevus: A rare variant of blue nevus not always associated with the Carney complex. *J Cutan Pathol* **27**:218, 2000 [PMID: 10847545]
73. Betti R et al: Agminate and plaque-type blue nevus combined with lentigo, associated with follicular cyst and eccrine changes: A variant of speckled lentiginous nevus. *Dermatology* **195**:387, 1997 [PMID: 9529564]
74. Sagebiel RW et al: Pigmented spindle cell nevus: Clinical and histologic review of 90 cases. *Am J Surg Pathol* **8**:645, 1984 [PMID: 6476194]
75. Sau P et al: Pigmented spindle cell nevus: A clinicopathologic analysis of ninety-five cases. *J Am Acad Dermatol* **28**:565, 1993 [PMID: 8463457]
76. Barnhill RS et al: The histologic spectrum of pigmented spindle cell nevus: A review of 120 cases with emphasis on atypical variants. *Hum Pathol* **22**:52, 1991 [PMID: 1985078]
77. Reed RJ et al: Common and uncommon melanocytic nevi and borderline melanomas. *Semin Oncol* **2**:119, 1975 [PMID: 1234372]
78. Pizzichetta MA et al: Morphologic changes of a pigmented Spitz nevus assessed by dermoscopy. *J Am Acad Dermatol* **47**:137, 2002 [PMID: 12077595]
79. Weedon D, Little JH: Spindle and epithelioid cell nevi in children and adults: A review of 211 cases of Spitz nevus. *Cancer* **40**:217, 1977 [PMID: 880553]
80. Kopf AW, Andrade R: Benign juvenile melanoma. In: *Yearbook of Dermatology 1965–1966*, edited by AW Kopf, R Andrade. Chicago, Year Book, 1966, p. 7
81. Allen AC: Juvenile melanomas. *Ann N Y Acad Sci* **100**:29, 1963 [PMID: 14012108]
82. Bastian BC et al: Mutations and copy number increase of HRAS in Spitz nevi with distinctive histopathological features. *Am J Pathol* **157**:967, 2000 [PMID: 10980135]
83. Bonnetblanc JM et al: Juvenile melanoma after BCG vaccination. *Dermatologica* **163**:195, 1981 [PMID: 7286358]

84. Spitz S: Melanomas of childhood. *Am J Pathol* 3:591, 1948
85. Smith SA et al: Eruptive widespread Spitz nevi. *J Am Acad Dermatol* 15:1155, 1986 [PMID: 3771869]
86. Harvell JD et al: Spitz's nevi with halo reaction: A histopathologic study of 17 cases. *J Cutan Pathol* 24:611, 1997 [PMID: 9449488]
87. Kamino H et al: Eosinophilic globules in Spitz's nevus: New findings and a diagnostic sign. *Am J Dermatopathol* 1:319, 1979 [PMID: 94511]
88. Al Dhaybi R et al: p16 Expression: A marker of differentiation between childhood malignant melanomas and Spitz nevi. *J Am Acad Dermatol* 65:357, 2011
89. Barnhill RL et al: Atypical Spitz nevi/tumors: Lack of consensus for diagnosis, discrimination from melanoma, and prediction of outcome. *Hum Pathol* 30:513, 1999 [PMID: 10333219]
90. Omura EF, Kheir SM: Recurrent Spitz's nevus. *Am J Dermatopathol* 6:207, 1984 [PMID: 6528921]
91. Stern J: Recurrent spindle and epithelial cell nevi. *Arch Dermatol* 119:849, 1983
92. Paties CT et al: Relapsing eruptive multiple Spitz nevi or metastatic Spitzoid malignant melanoma. *Am J Dermatopathol* 9:520, 1987 [PMID: 3445929]
93. Wick MR: Melanocytic lesions with features of Spitz nevus. *Human Pathol* 37:779, 2006 [PMID: 16784974]
94. Biddle et al: Intraparenchymal nevus cell aggregates in lymph nodes a possible diagnostic pitfall with malignant melanoma and carcinoma. *Am J Surg Pathol* 27:673, 2003 [PMID: 12717252]
95. Holt JB et al: Nodal melanocytic nevi in sentinel lymph nodes. Correlation with melanoma-associated cutaneous nevi. *Am J Clin Pathol* 121:58, 2004 [PMID: 14750241]
96. Fontaine D et al: Nevus cells in lymph nodes: An association with congenital cutaneous nevi. *Am J Dermatopathol* 24:1, 2002 [PMID: 11803273]
97. Howell BG: Intracapsular melanoma: A new pitfall for sentinel lymph node biopsy. *J Clin Pathol* 59:891, 2006 [PMID: 16873576]
98. Mihic-Probst D et al: Immunostaining for the tumor suppressor gene p16 product is a useful marker to differentiate melanoma metastasis from lymph-node nevus. *Virchows Arch* 443:745, 2003 [PMID: 14576937]
99. Tasaki K: On band or linear pigmentation of the nails. *Jpn J Dermatol* 33:568, 1983
100. Rhodes AR et al: Sun-induced freckles in children and young adults: A correlation of clinical and histopathologic features. *Cancer* 67:1990, 1991 [PMID: 2004316]
101. Hodgson C: Senile lentigo. *Arch Dermatol* 87:197, 1963 [PMID: 13963796]
102. Rhodes AR et al: The PUVA lentigo: An analysis of predisposing factors. *J Invest Dermatol* 81:459, 1983 [PMID: 6631058]
103. Kadunce DP et al: Persistent melanocytic lesions associated with cosmetic tanning bed use: "Sun-bed lentiginosities." *J Am Acad Dermatol* 23:1029, 1990 [PMID: 2229535]
104. Azizi E et al: Skin type, hair color, and freckles are predictors of decreased minimal erythema ultraviolet radiation dose. *J Am Acad Dermatol* 19:32, 1988 [PMID: 3403743]
105. Mackie RM: Personal risk-factor chart for cutaneous melanoma. *Lancet* 2:487, 1989
106. Wilson PD, Kligman AM: Experimental induction of freckles by ultraviolet-B. *Br J Dermatol* 106:401, 1982 [PMID: 7073964]
107. Konrad K et al: Ultrastructure of poikiloderma-like pigmentary changes after repeated experimental PUVA overdose. *J Cutan Pathol* 4:219, 1977
108. Takebe H et al: Melanoma and other skin cancers in xeroderma pigmentosum patients and mutation in their cells. *J Invest Dermatol* 92:236S, 1989
109. Rhodes AR et al: The PUVA-induced pigmented macule: A lentiginous proliferation of large, sometimes cytologically atypical, melanocytes. *J Am Acad Dermatol* 9:47, 1983 [PMID: 6411778]
110. Breathnach AS: Melanocyte distribution in forearm epidermis of freckled human subjects. *J Invest Dermatol* 29:253, 1957 [PMID: 13491888]
111. Montagna W et al: A reinvestigation of solar lentiginosities. *Arch Dermatol* 116:1151, 1980 [PMID: 7425661]
112. Nakagawa H et al: Morphologic alterations of epidermal melanocytes and melanosomes in PUVA lentiginosities: A comparative ultrastructural investigation of lentiginosities induced by PUVA and sunlight. *J Invest Dermatol* 82:101, 1984 [PMID: 6690626]
113. Barranco VP: Multiple benign lichenoid keratosis simulating photodermatoses: Evolution from senile lentiginosities and their spontaneous resolution. *J Am Acad Dermatol* 13:201, 1985 [PMID: 4044948]
114. Stern RS: The risk of melanoma in association with long-term exposure to PUVA. *J Am Acad Dermatol* 44:755, 2001 [PMID: 11312420]