

Chapter 126

Vascular Tumors

Erin F. Mathes & Ilona J. Frieden

REFERENCES

1. Mulliken JB, Fishman SJ, Burrows PE: Vascular anomalies. *Curr Probl Surg* 37:517, 2000
2. Enjolras O, Mulliken JB: Vascular tumors and vascular malformations: New issues. *Adv Dermatol* 13:375, 1997
3. Hand JL, Frieden IJ: Vascular birthmarks of infancy: Resolving nosologic confusion. *Am J Med Genet* 108:257, 2002
4. Frieden IJ et al: Infantile hemangiomas: Current knowledge, future directions. Proceedings of a research workshop on infantile hemangiomas, April 7–9, 2005, Bethesda, Maryland, USA. *Pediatr Dermatol* 22:383, 2005
5. Kilcline C, Frieden IJ: Infantile hemangiomas: How common are they? A systematic review of the literature. *Pediatr Dermatol* 25:168, 2008
6. Haggstrom AN et al: Prospective study of infantile hemangiomas: Demographic, prenatal, and perinatal characteristics. *J Pediatr* 150:291, 2007
7. Drolet BA, Swanson EA, Frieden IJ: Infantile hemangiomas: An emerging health issue linked to an increased rate of low birth weight infants. *J Pediatr* 153:712, 2008
8. Garzon MC et al: Comparison of infantile hemangiomas in preterm and term infants: A prospective study. *Arch Dermatol* 144:1231, 2008
9. Boye E, Jinnin M, Olsen BR: Infantile hemangioma: Challenges, new insights, and therapeutic promise. *J Craniofac Surg* 20(Suppl 1):678, 2009
10. Bischoff J: Progenitor cells in infantile hemangioma. *J Craniofac Surg* 20(Suppl 1):695, 2009
11. Boscolo E, Bischoff J: Vasculogenesis in infantile hemangioma. *Angiogenesis* 12:197, 2009
12. Chang EI et al: Hypoxia, hormones, and endothelial progenitor cells in hemangioma. *Lymphat Res Biol* 5:237, 2007
13. Barnés CM, Christison-Lagay EA, Folkman J: The placenta theory and the origin of infantile hemangioma. *Lymphat Res Biol* 5:245, 2007
14. Haggstrom AN et al: Patterns of infantile hemangiomas: New clues to hemangioma pathogenesis and embryonic facial development. *Pediatrics* 117:698, 2006
15. North PE et al: GLUT1: A newly discovered immunohistochemical marker for juvenile hemangiomas. *Hum Pathol* 31:11, 2000
16. North PE et al: A unique microvascular phenotype shared by juvenile hemangiomas and human placenta. *Arch Dermatol* 137:559, 2001
17. Barnes CM et al: Evidence by molecular profiling for a placental origin of infantile hemangioma. *Proc Natl Acad Sci USA* 102:19097, 2005
18. Bree AF et al: Infantile hemangiomas: Speculation on placental trophoblastic origin. *Arch Dermatol* 137:573, 2001
19. Pittman KM et al: No evidence for maternal-fetal microchimerism in infantile hemangioma: A molecular genetic investigation. *J Invest Dermatol* 126:2533, 2006
20. Dadras SS et al: Infantile hemangiomas are arrested in an early developmental vascular differentiation state. *Mod Pathol* 17:1068, 2004
21. Kleinman ME et al: Hypoxia-induced mediators of stem/progenitor cell trafficking are increased in children with hemangioma. *Arterioscler Thromb Vasc Biol* 27:2664, 2007
22. Yu Y et al: Endothelial progenitor cells in infantile hemangioma. *Blood* 103:1373, 2004
23. Khan ZA et al: Multipotential stem cells recapitulate human infantile hemangioma in immunodeficient mice. *J Clin Invest* 118:2592, 2008
24. Walter JW, North PE, Waner M: Somatic mutation of vascular endothelial growth factor receptors in juvenile hemangioma. *Genes Chromosomes Cancer* 33:295, 2002
25. Jinnin M et al: Suppressed NFAT-dependent VEGFR1 expression and constitutive VEGFR2 signaling in infantile hemangioma. *Nat Med* 14:1236, 2008
26. Boye E et al: Clonality and altered behavior of endothelial cells from hemangiomas. *J Clin Invest* 107:745, 2001
27. Berg JN et al: Evidence for loss of heterozygosity of 5q in sporadic haemangiomas: Are somatic mutations involved in haemangioma formation? *J Clin Pathol* 54:249, 2001
28. Bruckner AL, Frieden IJ: Hemangiomas of infancy. *J Am Acad Dermatol* 48:477, 2003

29. Chang LC et al: Growth characteristics of infantile hemangiomas: Implications for management. *Pediatrics* **122**:360, 2008
30. Brandling-Bennett HA et al: Infantile hemangiomas with unusually prolonged growth phase. *Arch Dermatol* **144**:1632, 2008
31. Waner M et al: The nonrandom distribution of facial hemangiomas. *Arch Dermatol* **139**:869, 2003
32. Chiller KG, Passaro D, Frieden IJ: Hemangiomas of infancy: Clinical characteristics, morphologic subtypes, and their relationship to race, ethnicity, and sex. *Arch Dermatol* **138**:1567, 2002
33. Happle R: Superimposed segmental hemangioma of infancy. *Dermatology* **220**:180, 2010
34. Haggstrom AN et al: Prospective study of infantile hemangiomas: Clinical characteristics predicting complications and treatment. *Pediatrics* **118**:882, 2006
35. Corella F et al: Abortive or minimal-growth hemangiomas: Immunohistochemical evidence that they represent true infantile hemangiomas. *J Am Acad Dermatol* **58**:685, 2008
36. Suh KY, Frieden IJ: Infantile hemangiomas with minimal or arrested growth: a retrospective case series. *Arch Dermatol* **146**(9):971-976, 2010
37. Frieden IJ, Reese V, Cohen D: PHACE syndrome. *Arch Dermatol* **132**:307, 1996
38. Metry DW et al: PHACE syndrome: Current knowledge, future directions. *Pediatr Dermatol* **26**:381, 2009
39. Metry D et al: Consensus statement on diagnostic criteria for PHACE syndrome. *Pediatrics* **124**:1447, 2009
40. Metry DW et al: The many faces of PHACE syndrome. *J Pediatr* **139**:117, 2001
41. Bhattacharya JJ et al: PHACES syndrome: A review of eight previously unreported cases with late arterial occlusions. *Neuroradiology* **46**:227, 2004
42. Drolet BA, Dohil M, Golomb MR: Early stroke and cerebral vasculopathy in children with facial hemangiomas and PHACE Association. *Pediatrics* **117**:959, 2006
43. Burrows PE et al: Cerebral vasculopathy and neurologic sequelae in infants with cervicofacial hemangioma: Report of eight patients. *Radiology* **207**:601, 1998
44. Ceisler EJ, Santos L, Blei F: Periocular hemangiomas: What every physician should know. *Pediatr Dermatol* **21**:1, 2004
45. Schwartz SR et al: Risk factors for amblyopia in children with capillary hemangiomas of the eyelids and orbit. *J AAPOS* **10**:262, 2006
46. Orlow SJ, Isakoff MS, Blei F: Increased risk of symptomatic hemangiomas of the airway in association with cutaneous hemangiomas in a "beard" distribution. *J Pediatr* **131**:643, 1997
47. Rahbar R et al: The biology and management of subglottic hemangioma: Past, present, future. *Laryngoscope* **114**:1880, 2004
48. Greene AK, Rogers GF, Mulliken JB: Management of parotid hemangioma in 100 children. *Plast Reconstr Surg* **113**:53, 2004
49. Reinisch JF, Kim RY, Harshbarger RJ: Surgical management of parotid hemangioma. *Plast Reconstr Surg* **113**:1940, 2004
50. Girard C et al: PELVIS syndrome. *Arch Dermatol* **142**:884, 2006
51. Stockman A et al: SACRAL syndrome: Spinal dysraphism, anogenital, cutaneous, renal and urologic anomalies, associated with an angioma of lumbosacral localization. *Dermatology* **214**:40, 2007
52. Tubbs RS et al: Isolated flat capillary midline lumbosacral hemangiomas as indicators of occult spinal dysraphism. *J Neurosurg Spine* **100**:86, 2004
53. Metry DW et al: Association of solitary, segmental hemangiomas of the skin with visceral hemangiomas. *Arch Dermatol* **140**:591, 2004
54. Hughes JA et al: Cutaneous hemangioma: Prevalence and sonographic characteristics of associated hepatic haemangioma. *Clin Radiol* **59**:273, 2004
55. Christison-Lagay ER et al: Hepatic hemangiomas: Subtype classification and development of a clinical practice algorithm and registry. *J Pediatr Surg* **42**:62, 2007
56. Kassirjian A, Dubois J, Burrows PE: Angiographic classification of hepatic hemangiomas in infants. *Radiology* **222**:693, 2002
57. Kassirjian A et al: Infantile hepatic hemangiomas: Clinical and imaging findings and their correlation with therapy. *Am J Radiol* **182**:785, 2004
58. Ho J et al: New insight into the pathophysiology of severe hypothyroidism in an infant with multiple hepatic hemangiomas. *J Pediatr Endocrinol Metab* **18**:511, 2005
59. Ayling RM et al: Hepatic hemangioendothelioma associated with production of humoral thyrotropin-like factor. *J Pediatr* **138**:932, 2001

60. Konrad D, Ellis G, Perlman K: Spontaneous regression of severe acquired infantile hypothyroidism associated with multiple liver hemangiomas. *J Pediatr* **112**:1424, 2003
61. Huang SA et al: Severe hypothyroidism caused by type 3 iodothyronine deiodinase in infantile hemangiomas. *N Engl J Med* **343**:185, 1994
62. Poindexter G et al: PHACE syndrome with intracerebral hemangiomas, heterotopia, and endocrine dysfunction. *Pediatr Neurol* **36**:402, 2007
63. Chamlin S et al: Multicenter prospective study of ulcerated hemangiomas. *J Pediatr* **151**:684, 2007
64. Kim HJ, Colombo M, Frieden IJ: Ulcerated hemangiomas: Clinical characteristics and response to therapy. *J Am Acad Dermatol* **44**:962, 2001
65. Brook I: Microbiology of infected hemangiomas in children. *Pediatr Dermatol* **21**:113, 2004
66. Oranje AP et al: Treatment and pain relief of ulcerative hemangiomas with a polyurethane film. *Dermatology* **200**:31, 2000
67. Yan A: Pain management for ulcerated hemangiomas. *Pediatr Dermatol* **25**:586, 2008
68. Sugarman JL, Mauro TM, Frieden IJ: Treatment of an ulcerated hemangioma with recombinant platelet-derived growth factor. *Arch Dermatol* **138**:314, 2002
69. Metz BJ et al: Response of ulcerated perineal hemangiomas of infancy to becaplermin gel, a recombinant human platelet-derived growth factor. *Arch Dermatol* **140**:867, 2004
70. Metry DW: Potential complications of segmental hemangiomas of infancy. *Semin Cutan Med Surg* **23**:107, 2004
71. Tanner JL, Dechert MP, Frieden IJ: Growing up with a facial hemangioma; parent and child coping and adaptation. *Pediatrics* **101**:446, 1998
72. Williams EF 3rd et al: A psychological profile of children with hemangiomas and their families. *Arch Facial Plast Surg* **5**:229, 2003
73. Gleason T: Summer's strawberry. *J Am Acad Dermatol* **51**:S53, 2004
74. Greig AV, Harris DL: A study of perceptions of facial hemangiomas in professionals involved in child abuse surveillance. *Pediatr Dermatol* **20**:1, 2003
75. Al-Sebeih K, Manoukian J: Systemic steroids for the management of obstructive subglottic hemangioma. *J Otolaryngol* **29**:361, 2000
76. Hasan Q et al: Altered mitochondrial cytochrome b gene expression during the regression of hemangioma. *Plast Reconstr Surg* **108**:1471, 2001
77. Hasan Q et al: Steroid therapy of a proliferating hemangioma: Histochemical and molecular changes. *Pediatrics* **105**:117, 2000
78. Hasan Q et al: Effects of five commonly used glucocorticoids on haemangioma in vitro. *Clin Exp Pharmacol Physiol* **30**:140, 2003
79. Bennett ML et al: Oral corticosteroid use is effective for cutaneous hemangiomas. *Arch Dermatol* **137**:1208, 2001
80. Boon LM, MacDonald DM, Mulliken JB: Complications of systemic corticosteroid therapy for problematic hemangiomas. *Plast Reconstr Surg* **104**:1616, 1999
81. Lomenick JP, Backeljauw PF, Lucky AW: Growth, bone mineral accretion, and adrenal function in glucocorticoid-treated infants with hemangiomas—A retrospective study. *Pediatr Dermatol* **23**:169, 2006
82. Lomenick JP et al: Prevalence of adrenal insufficiency following systemic glucocorticoid therapy in infants with hemangiomas. *Arch Dermatol* **145**:262, 2009
83. George ME et al: Adverse effects of systemic glucocorticosteroid therapy in infants with hemangiomas. *Arch Dermatol* **140**:963, 2004
84. Aviles R, Boyce TG, Thompson DM: Pneumocystis carinii pneumonia in a 3-month-old infant receiving high-dose corticosteroid therapy for airway hemangiomas. *Mayo Clin Proc* **79**:243, 2004
85. Maronn ML, Corden T, Drolet BA: Pneumocystis carinii pneumonia in infant treated with oral steroids for hemangioma. *Arch Dermatol* **143**:1224, 2007
86. O'Keefe M, Lanigan B, Byrne SA: Capillary haemangioma of the eyelids and orbit: A clinical review of the safety and efficacy of intralesional steroid. *Acta Ophthalmol Scand* **81**:294, 2003
87. Egbert JE et al: High injection pressure during intralesional injection of corticosteroids into capillary hemangiomas. *Arch Ophthalmol* **119**:677, 2001
88. Chen MT, Yeong EK, Horng SY: Intralesional corticosteroid therapy in proliferating head and neck hemangiomas: A review of 155 cases. *J Pediatr Surg* **35**:420, 2000
89. Cruz OA, Zarnegar SR, Myers SE: Treatment of periocular capillary hemangioma with topical clobetasol propionate. *Ophthalmology* **102**:2012, 1995
90. Garzon MC et al: Ultrapotent topical corticosteroid treatment of hemangiomas of infancy. *J Am Acad Dermatol* **52**:281, 2005

91. Léauté-Labrèze C et al: Propranolol for severe hemangiomas of infancy. *N Engl J Med* **358**:2649, 2008
92. Hogeling M, Adams S, Wargon O: A randomized controlled trial of propranolol for infantile hemangiomas. *Pediatrics* **128**(2):e259-266, 2011
93. Price CJ, Lattouf C, Baum B, McLeod M, Schachner LA, Duarte AM, Connelly EA: Propranolol vs Corticosteroids for Infantile Hemangiomas: A Multicenter Retrospective Analysis. *Arch Dermatol* **2011 Aug 15**. [PMID: 21844428]
94. Lawley LP, Siegfried E, Todd JL: Propranolol treatment for hemangioma of infancy: Risks and recommendations. *Pediatr Dermatol* **26**:610, 2009
95. Frieden IJ, Drolet BA: Propranolol for infantile hemangiomas: Promise, peril, pathogenesis. *Pediatr Dermatol* **26**:642, 2009
96. Marsciani A et al: Massive response of severe infantile hepatic hemangioma to propranolol. *Pediatr Blood Cancer* **54**:176, 2010
97. Fay A et al: Propranolol for isolated orbital infantile hemangioma. *Arch Ophthalmol* **128**:256, 2010
98. Buckmiller L, Dyamenahalli U, Richter GT: Propranolol for airway hemangiomas: Case report of novel treatment. *Laryngoscope* **119**:2051, 2009
99. Storch CH, Hoeger PH: Propranolol for infantile haemangiomas: insights into the molecular mechanisms of action. *Br J Dermatol* **163**(2):269-274, 2010
100. Guo S, Ni N: Topical treatment for capillary hemangioma of the eyelid using β -blocker solution. *Arch Ophthalmol* **128**:255, 2010
101. Ni N, Langer P, Wagner R, Guo S: Topical timolol for periocular hemangioma: report of further study. *Arch Ophthalmol* **129**(3):377-379, 2011
102. Pope E, Chakkittakandiyil A: Topical timolol gel for infantile hemangiomas: a pilot study. *Arch Dermatol* **146**(5):564-565, 2010
103. Michaud AP et al: Spastic diplegia and other motor disturbances in infants receiving interferon-alpha. *Laryngoscope* **114**:1231, 2004
104. Perez J, Pardo J, Gomez C: Vincristine—An effective treatment of corticoid-resistant life-threatening infantile hemangiomas. *Acta Oncol* **41**:197, 2002
105. Fawcett SL et al: Vincristine as a treatment for a large haemangioma threatening vital functions. *Br J Plast Surg* **57**:168, 2004
106. Moore J et al: Effective therapy of a vascular tumor of infancy with vincristine. *J Ped Surg* **36**:1273, 2001
107. Hurvitz SA et al: Successful treatment with cyclophosphamide of life-threatening diffuse hemangiomas involving the liver. *J Pediatr Hematol Oncol* **22**:527, 2000
108. McCuaig CC et al: A phase II, open-label study of the efficacy and safety of imiquimod in the treatment of superficial and mixed infantile hemangioma. *Pediatr Dermatol* **26**:203, 2009
109. Ho NT, Lansang P, Pope E: Topical imiquimod in the treatment of infantile hemangiomas: A retrospective study. *J Am Acad Dermatol* **56**:63, 2007
110. Morelli JG et al: Treatment of ulcerated hemangiomas in infancy. *Arch Pediatr Adolesc Med* **148**:1104, 1994
111. Batta K et al: Randomized controlled study of early pulsed dye laser treatment of uncomplicated childhood haemangiomas: Results of a 1-year analysis. *Lancet* **320**:521, 2002
112. David LR, Malek MM, Argenta LC: Efficacy of pulse dye laser therapy for the treatment of ulcerated haemangiomas: A review of 78 patients. *Br J Plast Surg* **56**:317, 2003
113. Michel JL: Treatment of hemangiomas with 595 nm pulsed dye laser dermobeam. *Eur J Dermatol* **13**:136, 2003
114. Hohenleutner U, Landthaler M: Laser treatment of childhood haemangioma: Progress or not? *Lancet* **360**:502, 2002
115. Kolde G: Early pulsed-dye laser treatment of childhood haemangiomas. *Lancet* **361**:348, 2003
116. Kono T et al: Comparison study of a traditional pulsed dye laser versus a long-pulsed dye laser in the treatment of early childhood hemangiomas. *Lasers Surg Med* **38**:112, 2006
117. Rizzo C et al: Outcomes of childhood hemangiomas treated with the pulsed-dye laser with dynamic cooling: A retrospective chart analysis. *Dermatol Surg* **35**:1947, 2009
118. Witman PM et al: Complications following pulsed dye laser treatment of superficial hemangiomas. *Lasers Surg Med* **38**:116, 2006
119. Anderson RR: Infant hemangiomas: A controversy worth solving. *Lasers Surg Med* **38**:92, 2006
120. McHeik JN et al: Surgical treatment of haemangioma in infants. *Br J Plast Surg* **58**:1067, 2005
121. Demiri EC et al: Treatment of facial haemangiomas: The present status of surgery. *Br J Plast Surg* **54**:665, 2001
122. Denk MJ et al: Surgical treatment of nasal hemangiomas. *Ann Plast Surg* **48**:489, 2002

123. Hochman M, Mascareno A: Management of nasal hemangiomas. *Arch Facial Plast Surg* 7:295, 2005
124. Faguer K et al: Early surgical treatment of Cyrano-nose haemangiomas with rethi incision. *Br J Plast Surg* 55:498, 2002
125. McCarthy JG, Borud LJ, Schreiber JS: Hemangiomas of the nasal tip. *Plast Reconstr Surg* 109:31, 2002
126. Warren SM, Longaker MT, Zide BM: The subunit approach to nasal tip hemangiomas. *Plast Reconstr Surg* 109:25, 2002
127. Mulliken JB, Rogers GF, Marler JJ: Circular excision of hemangioma and purse-string closure: The smallest possible scar. *Plast Reconstr Surg* 109:1544, 2002
128. Requena L, Sanguenza OP: Cutaneous vascular proliferation. Part II. Hyperplasias and benign neoplasms. *J Am Acad Dermatol* 37:887, 1997
129. Weiss SW, Goldblum JR: Benign tumors and tumor-like lesions of blood vessels. In: *Enzinger and Weiss's Soft Tissue Tumors*, 4th edition, edited by SW Weiss, JR Goldblum. St Louis, Mosby Inc, 2001 p. 837 and 891
130. Weiss SW, Goldblum JR: Hemangioendothelioma: Vascular tumors of intermediate malignancy. In: *Enzinger and Weiss's Soft Tissue Tumors*, 4th edition, edited by SW Weiss, JR Goldblum. St Louis, Mosby Inc, 2001, p. 891
131. Krol A, MacArthur CJ: Congenital hemangiomas: Rapidly involuting and noninvoluting congenital hemangiomas. *Arch Facial Plast Surg* 307:11, 2005
132. Berenguer B et al: Rapidly involuting congenital hemangioma: Clinical and histopathologic features. *Pediatr Dev Pathol* 6:495, 2003
133. North PE et al: Congenital nonprogressive hemangioma: A distinct clinicopathologic entity unlike infantile hemangioma. *Arch Dermatol* 137:1607, 2001
134. Boon LM, Enjolras O, Mulliken JB: Congenital hemangioma: Evidence of accelerated involution. *J Pediatr* 128:329, 1996
135. Ozcan UA: Rapidly involuting congenital hemangioma: A case of complete prenatal involution. *J Clin Ultrasound* 38:85, 2010
136. Maronn M, Chamlin S, Metry D: Multifocal tufted angiomas in 2 infants. *Arch Dermatol* 145:847, 2009
137. Ishikawa K et al: The spontaneous regression of tufted angioma. A case of regression after two recurrences and a review of 27 cases reported in the literature. *Dermatology* 210:346, 2005
138. Wilson-Jones E, Orkin M: Tufted angioma (angio-blastoma): A benign progressive angioma not to be confused with Kaposi's sarcoma or low grade angiosarcoma. *J Am Acad Dermatol* 20:214, 1989
139. Arai E et al: Usefulness of D2–40 immunohistochemistry for differentiation between kaposiform hemangioendothelioma and tufted angioma. *J Cutan Pathol* 33:492, 2006
140. Browning J et al: Congenital, self-regressing tufted angioma. *Arch Dermatol* 142:749, 2006
141. O'Regan GM et al: Mediastinal and neck kaposiform hemangioendothelioma: Report of three cases. *Pediatr Dermatol* 26:331, 2009
142. Gruman A et al: Kaposiform hemangioendothelioma without Kasabach-Merritt phenomenon. *J Am Acad Dermatol* 52:616, 2005
143. Lyons LL et al: Kaposiform hemangioendothelioma. A study of 33 cases emphasizing its pathologic, immunophenotypic, and biologic uniqueness from juvenile hemangioma. *Am J Surg Pathol* 28:559, 2004
144. Folpe AL et al: Vascular endothelial growth factor receptor-3 (VEGFR-3): A marker of vascular tumors with presumed lymphatic differentiation, including Kaposi's sarcoma, kaposiform and Dabska-type hemangioendotheliomas, and a subset of angiosarcomas. *Mod Pathol* 13:180, 2000
145. Debelenko LV et al: D2–40 immunohistochemical analysis of pediatric vascular tumors reveals positivity in kaposiform hemangioendothelioma. *Mod Pathol* 18:1454, 2005
146. Enjolras O et al: Infants with Kasabach-Merritt syndrome do not have "true" hemangiomas. *J Pediatr* 130:631, 1997
147. Sarkar M et al: Thrombocytopenic coagulopathy (Kasabach-Merritt phenomenon) is associated with kaposiform hemangioendothelioma and not with common infantile hemangioma. *Plast Reconstr Surg* 100:1377, 1997
148. Mazoyer E et al: Coagulation abnormalities associated with extensive venous malformations of the limbs: Differentiation from Kasabach-Merritt syndrome. *Clin Lab Haematol* 24:243, 2002
149. Enjolras O et al: Residual lesions after Kasabach-Merritt phenomenon in 41 patients. *J Am Acad Dermatol* 42:225, 2000
150. Hauer J et al: Effective treatment of kaposiform hemangioendotheliomas associated with Kasabach-Merritt phenomenon using four-drug regimen. *Pediatr Blood Cancer* 49:852, 2007

151. Haisley-Royster C et al: Kasabach-Merritt phenomenon: A retrospective study of treatment with vincristine. *J Pediatr Hematol Oncol* **24**:459, 2002
152. Drucker AM et al: Vincristine and corticosteroids as first-line treatment of Kasabach-Merritt syndrome in kaposiform hemangioendothelioma. *J Cutan Med Surg* **13**:155, 2009
153. López V et al: Successful management of kaposiform hemangioendothelioma with kasabach-merritt phenomenon using vincristine and ticlopidine. *Pediatr Dermatol* **26**:365, 2009
154. Rodriguez V et al: Kasabach-merritt phenomenon: Case series and retrospective review of the mayo clinic experience. *J Pediatr Hematol Oncol* **31**:522, 2009
155. Maronn M et al: Expanding the phenotype of multifocal lymphangioendotheliomatosis with thrombocytopenia. *Pediatr Blood Cancer* **52**:531, 2009
156. North PE et al: Multifocal lymphangioendotheliomatosis with thrombocytopenia: A newly recognized clinicopathological entity. *Arch Dermatol* **140**:599, 2004
157. Prasad V et al: Cutaneovisceral angiomatosis with thrombocytopenia. *Pediatr Dev Pathol* **8**:407, 2005
158. Kline RM, Buck LM: Bevacizumab treatment in multifocal lymphangioendotheliomatosis with thrombocytopenia. *Pediatr Blood Cancer* **52**:534, 2009
159. Perkins P, Weiss SW: Spindle cell hemangioendothelioma: An analysis of 78 cases with reassessment of its pathogenesis and biologic behavior. *Am J Surg Pathol* **20**:1196, 1996
160. Nakatsui TC et al: Eccrine angiomatous hamartoma: Report of a case and literature review. *J Am Acad Dermatol* **41**:109, 1999
161. Frieden IJ, Esterly NB: Pyogenic granulomas of infancy masquerading as strawberry hemangiomas. *Pediatrics* **90**:989, 1992
162. Tritton SM et al: Pyogenic granuloma in ten children treated with topical imiquimod. *Pediatr Dermatol* **26**:269, 2009
163. Patrice SJ, Wiss K, Mulliken JB: Pyogenic granuloma (lobular capillary hemangioma): A clinicopathologic study of 178 cases. *Pediatr Dermatol* **8**:267, 1991
164. Pagliai KA, Cohen BA: Pyogenic granuloma in children. *Pediatr Dermatol* **21**:10, 2004