

# Chapter 129

## Neoplasms of Subcutaneous Fat

Thomas Brenn

### REFERENCES

1. Nielsen GP et al: Lipoma: World Health Organization Classification of Tumours. In: *Pathology and Genetics of Tumours of Soft Tissue and Bone*, edited by CDM Fletcher, KK Unni, F Mertens. Lyon, IARC Press, 2002
2. Sandberg AA: Updates on the cytogenetics and molecular genetics of bone and soft tissue tumors: Lipoma. *Cancer Genet Cytogenet* **150**:93-115, 2004
3. Willen H et al: Comparison of chromosomal patterns with clinical features in 165 lipomas: A report of the CHAMP study group. *Cancer Genet Cytogenet* **102**:46-49, 1998
4. Sreekantaiah C et al: Cytogenetic profile of 109 lipomas. *Cancer Res* **51**:422-33, 1991
5. Leffell DJ, Braverman IM: Familial multiple lipomatosis. Report of a case and a review of the literature. *J Am Acad Dermatol* **15**:275-279, 1986
6. Bannayan GA: Lipomatosis, angiomatosis, and macrocephalia. A previously undescribed congenital syndrome. *Arch Pathol* **92**:1-5, 1971
7. Zonana J, Rimoin DL, Davis DC: Macrocephaly with multiple lipomas and hemangiomas. *J Pediatr* **89**:600-603, 1976
8. Fagnoli MC et al: Clinicopathologic findings in the Bannayan-Riley-Ruvalcaba syndrome. *Arch Dermatol* **132**:1214-1218, 1996
9. Gorlin RJ et al: Bannayan-Riley-Ruvalcaba syndrome. *Am J Med Genet* **44**:307-314, 1992
10. Sansal I, Sellers WR: The biology and clinical relevance of the PTEN tumor suppressor pathway. *J Clin Oncol* **22**:2954-2963, 2004
11. Eng C: PTEN: One gene, many syndromes. *Hum Mutat* **22**:183-198, 2003
12. Wanner M, Celebi JT, Peacocke M: Identification of a PTEN mutation in a family with Cowden syndrome and Bannayan-Zonana syndrome. *J Am Acad Dermatol* **44**:183-187, 2001
13. Tok Celebi J et al: Identification of PTEN mutations in five families with Bannayan-Zonana syndrome. *Exp Dermatol* **8**:134-139, 1999
14. Longy M et al: Mutations of PTEN in patients with Bannayan-Riley-Ruvalcaba phenotype. *J Med Genet* **35**:886-889, 1998
15. Marsh DJ et al: Germline mutations in PTEN are present in Bannayan-Zonana syndrome. *Nat Genet* **16**:333-334, 1997
16. Fletcher CD, Martin-Bates E: Intramuscular and intermuscular lipoma: Neglected diagnoses. *Histopathology* **12**:275-287, 1988
17. Kindblom LG et al: Intermuscular and intramuscular lipomas and hibernomas. A clinical, roentgenologic, histologic, and prognostic study of 46 cases. *Cancer* **33**:754-762, 1974
18. Worle B et al: Lipoma of the forehead. *Hautarzt* **51**:661, 2000
19. Salasche SJ et al: Frontalis-associated lipoma of the forehead. *J Am Acad Dermatol* **20**:462, 1989
20. Chi MJ et al: A case of orbital lipoma with exophthalmos and visual disturbance. *Jpn J Ophthalmol* **53**:442-444, 2009
21. Shah NB et al: Orbital lipoma: 2 cases and review of literature. *Ophthal Plast Reconstr Surg* **23**:202-205, 2007
22. Koganei Y et al: Orbital lipoma. *Ann Plast Surg* **20**:173-182, 1988
23. Lee HW et al: Two cases of angiomyxolipoma (vascular myxolipoma) of subcutaneous tissue. *J Cutan Pathol* **32**:379-382, 2005
24. Tardío JC, Martín-Fragueiro LM: Angiomyxolipoma (vascular myxolipoma) of subcutaneous tissue. *Am J Dermatopathol* **26**:222-224, 2004
25. Hitchcock MG, Hurt MA, Santa Cruz DJ: Adenolipoma of the skin: A report of nine cases. *J Am Acad Dermatol* **29**:82-85, 1993
26. Antúñez P et al: Cutaneous apocrine cystic adenolipoma. *Am J Dermatopathol* **27**:240-242, 2005
27. Kindblom LG, Moller-Nielsen J: Diffuse lipomatosis in the leg after poliomyelitis. *Acta Pathol Microbiol Scand [A]* **83**:339-344, 1975
28. Punia RS et al: Recurrent diffuse lipomatosis of the neck—A case report. *Indian J Pathol Microbiol* **47**:41-42, 2004

29. Guilemany JM, Romero E, Blanch JL: An aesthetic deformity: Madelung's disease. *Acta Otolaryngol* **125**:328-330, 2005
30. Fernandez-Vozmediano J, Armario-Hita J: Benign symmetric lipomatosis (Launois-Bensaude syndrome). *Int J Dermatol* **44**:236-237, 2005
31. Gonzalez-Garcia R et al: Benign symmetric lipomatosis (Madelung's disease): Case reports and current management. *Aesthetic Plast Surg* **28**:108-112, 2004
32. Busetto L, Strater D, Enzi G: Differential clinical expression of multiple symmetric lipomatosis in men and women. *Int J Obes Relat Metab Disord* **27**:1419-1422, 2003
33. Lee HW et al: Multiple symmetric lipomatosis: Korean experience. *Dermatol Surg* **29**:235-240, 2003
34. Nisoli E et al: Multiple symmetric lipomatosis may be the consequence of defective noradrenergic modulation of proliferation and differentiation of brown fat cells. *J Pathol* **198**:378-387, 2002
35. Enzi G, Busetto L, Ceschin E: Multiple symmetric lipomatosis: Clinical aspects and outcome in a long-term longitudinal study. *Int J Obes Relat Metab Disord* **26**:253-261, 2002
36. Ujjal M, Nemeth ZS, Reichwein A: Long-term results following surgical treatment of benign symmetric lipomatosis (BSL). *Int J Oral Maxillofac Surg* **30**:479-483, 2001
37. Masumori N, Tsukamoto T: Pelvic lipomatosis associated with proliferative cystitis: Case report and review of the Japanese literature. *Int J Urol* **6**:44-49, 1999
38. Heyns CF: Pelvic lipomatosis: A review of its diagnosis and management. *J Urol* **146**:267-273, 1991
39. Klein FA, Smith MJ, Kasenetz I: Pelvic lipomatosis: 35-year experience. *J Urol* **139**:998-1001, 1988
40. Grimmitt GM, Hall MG Jr, Aird CC: Pelvic lipomatosis. *Am J Surg* **125**:347-349, 1973
41. Campen R, Mankin H, Louis DN: Familial occurrence of adiposis dolorosa. *J Am Acad Dermatol* **44**:132-136, 2001
42. Reece PH, Wyatt M, O'Flynn P: Dercum's disease (adiposis dolorosa). *J Laryngol Otol* **113**:174-176, 1999
43. Devillers AC, Oranje AP: Treatment of pain in adiposis dolorosa (Dercum's disease) with intravenous lidocaine: A case report with a 10-year follow-up. *Clin Exp Dermatol* **24**:240-241, 1999
44. Brodovsky S et al: Adiposis dolorosa (Dercum's disease): 10-year follow-up. *Ann Plast Surg* **33**:664-668, 1994
45. DeFranzo AJ, Hall JH Jr, Herring SM: Adiposis dolorosa (Dercum's disease): Liposuction as an effective form of treatment. *Plast Reconstr Surg* **85**:289-292, 1990
46. Held JL, Andrew JA, Kohn SR: Surgical amelioration of Dercum's disease: A report and review. *J Dermatol Surg Oncol* **15**:1294-1296, 1989
47. Juhlin L: Long-standing pain relief of adiposis dolorosa (Dercum's disease) after intravenous infusion of lidocaine. *J Am Acad Dermatol* **15**:383-385, 1986
48. Cantu JM et al: Autosomal dominant inheritance in adiposis dolorosa (Dercum's disease). *Human-genetik* **18**:89-91, 1973
49. Carr A et al: HIV Lipodystrophy Case Definition Study Group. An objective case definition of lipodystrophy in HIV-infected adults: A case-control study. *Lancet* **361**:726-735, 2003
50. Bornhove E et al: Multiple circumscribed subcutaneous lipomas associated with use of human immunodeficiency virus protease inhibitors? *Br J Dermatol* **143**:1113-1114, 2000
51. Behrens GM, Stoll M, Schmidt RE: Lipodystrophy syndrome in HIV infection: What is it, what causes it and how can it be managed? *Drug Saf* **23**:57-76, 2000
52. Brinkman K et al: Mitochondrial toxicity induced by nucleoside-analogue reverse-transcriptase inhibitors is a key factor in the pathogenesis of antiretroviral-therapy-related lipodystrophy. *Lancet* **354**:1112-1115, 1999
53. Hengel RL, Watts NB, Lennox JL: Benign symmetric lipomatosis associated with protease inhibitors. *Lancet* **350**:1596, 1997
54. Silverman TA, Enzinger FM: Fibrolipomatous hamartoma of nerve. A clinicopathologic analysis of 26 cases. *Am J Surg Pathol* **9**:7-14, 1985
55. Price AJ, Compson JP, Calonje E: Fibrolipomatous hamartoma of nerve arising in the brachial plexus. *J Hand Surg [Br]* **20**:16-18, 1995
56. Berti E, Roncaroli F: Fibrolipomatous hamartoma of a cranial nerve. *Histopathology* **24**:391-392, 1994
57. Drut R: Ossifying fibrolipomatous hamartoma of the ulnar nerve. *Pediatr Pathol* **8**:179-184, 1988
58. Dotz W, Prioleau PG: Nevus lipomatosus cutaneus superficialis. A light and electron microscopic study. *Arch Dermatol* **120**:376-379, 1984
59. Hendricks WM, Limber GK: Nevus lipomatosus cutaneus superficialis. *Cutis* **29**:183-185, 1982

60. Jones EW, Marks R, Pongsehirun D: Naevus superficialis lipomatosus. A clinicopathological report of twenty cases. *Br J Dermatol* **93**:121-133, 1975
61. Mehregan AH, Tavafoghi V, Ghandchi A: Nevus lipomatosus cutaneus superficialis (Hoffmann-Zurhelle). *J Cutan Pathol* **2**:307-313, 1975
62. Finley AG, Musso LA: Naevus lipomatosus cutaneus superficialis (Hoffman-Zurhelle). *Br J Dermatol* **87**:557-564, 1972
63. Burgdorf WH, Doran CK, Worret WI: Folded skin with scarring: Michelin tire baby syndrome? *J Am Acad Dermatol* **7**:90-93, 1982
64. Ross CM: Generalized folded skin with an underlying lipomatous nevus. "The Michelin Tire baby". *Arch Dermatol* **100**:320-323, 1969
65. Kohn SR, Blasi JM: Piezogenic pedal papules. *Arch Dermatol* **106**:597-598, 1972
66. Schlappner OL et al: Painful and nonpainful piezogenic pedal papules. *Arch Dermatol* **106**:729-733, 1972
67. Harman RR, Matthews CN: Painful piezogenic pedal papules. *Br J Dermatol* **90**:573-574, 1974
68. Kahana M et al: Painful piezogenic pedal papules in patients with Ehlers-Danlos syndrome. *J Am Acad Dermatol* **17**:205-209, 1987
69. Laing VB, Fleischer AB Jr: Piezogenic wrist papules: A common and asymptomatic finding. *J Am Acad Dermatol* **24**:415-417, 1991
70. Ortega-Monzó C et al: Precalcaneal congenital fibrolipomatous hamartoma: A report of four cases. *Pediatr Dermatol* **17**:429-431, 2000
71. Warren RB, Verbov JL, Ashworth M: Precalcaneal congenital fibrolipomatous hamartoma. *Pediatr Dermatol* **24**:74-75, 2007
72. Howard WR, Helwig EB: Angiolipoma. *Arch Dermatol* **82**:924-931, 1960
73. Dixon AY, McGregor DH, Lee SH: Angiolipomas: An ultrastructural and clinicopathological study. *Hum Pathol* **12**:739-747, 1981
74. Sciot R et al: Cytogenetic analysis of subcutaneous angiolipoma: Further evidence supporting its difference from ordinary pure lipomas: A report of the CHAMP Study Group. *Am J Surg Pathol* **21**:441-444, 1997
75. Kanter WR, Wolfort FG: Multiple familial angiolipomatosis: Treatment of liposuction. *Ann Plast Surg* **20**:277-279, 1988
76. Kahng HC et al: Cellular angiolipoma of the breast: Immunohistochemical study and review of the literature. *Breast J* **8**:47-49, 2002
77. Kanik AB, Oh CH, Bhawan J: Cellular angiolipoma. *Am J Dermatopathol* **17**:312-315, 1995
78. Hunt SJ, Santa Cruz DJ, Barr RJ: Cellular angiolipoma. *Am J Surg Pathol* **14**:75-81, 1990
79. Mandahl N et al: A new cytogenetic subgroup in lipomas: Loss of chromosome 16 material in spindle cell and pleomorphic lipomas. *J Cancer Res Clin Oncol* **120**:707-711, 1994
80. Fletcher CDM, Martin-Bates E: Spindle cell lipoma: A clinicopathologic study with some original observations. *Histopathology* **11**:803-817, 1987
81. Angervall L et al: Spindle cell lipoma. *Acta Pathol Microbiol Scand* **84**:477-487, 1976
82. Azzopardi JG, Iocco J, Salm R: Pleomorphic lipoma: A tumor simulating liposarcoma. *Histopathology* **7**:511-23, 1983
83. Beham A et al: Spindle cell and pleomorphic lipoma: An immunohistochemical study and histogenetic analysis. *J Pathol* **158**:219-222, 1989
84. Bolen JW, Thorning D: Spindle cell lipoma: A clinical, light-, and electron-microscopical study. *Am J Surg Pathol* **5**:435-441, 1981
85. Enzinger FM, Harvey DA: Spindle cell lipoma. *Cancer* **36**:1852-1859, 1975
86. Pitt MA, Roberts ISD, Curry A: Spindle cell and pleomorphic lipoma: An ultrastructural study. *Ultrastruct Pathol* **19**:475-480, 1995
87. Shmookler BM, Enzinger FM: Pleomorphic lipoma: A benign tumor simulating liposarcoma. A clinicopathologic analysis of 48 cases. *Cancer* **47**:126-133, 1981
88. Mandahl N et al: Cytogenetic aberrations in 188 benign and borderline adipose tissue tumors. *Genes Chromosomes Cancer* **9**:207-215, 1994
89. Dal Cin P et al: Lesions of 13q may occur independently of deletion of 16q in spindle cell/pleomorphic lipomas. *Histopathology* **31**:222-225, 1997
90. Fletcher CDM et al: Correlation between clinicopathological features and karyotype in lipomatous tumors. *Am J Pathol* **148**:623-630, 1996
91. Billings SD et al: Spindle cell lipoma of the oral cavity. *Am J Dermatopathol* **28**:28-31, 2006
92. Mehregan DR et al: Spindle cell lipomas. A report of two cases: One with multiple lesions. *Dermatol Surg* **21**:796-798, 1995
93. Fanburg-Smith JC et al: Multiple spindle cell lipomas: A report of 7 familial and 11 nonfamilial cases. *Am J Surg Pathol* **22**:40-48, 1998

94. Hawley IC et al: Spindle cell lipoma—a pseudoangiomatic variant. *Histopathology* **24**:565-569, 1994
95. French CA et al: Intradermal spindle cell/pleomorphic lipoma: A distinct subset. *Am J Dermatopathol* **22**:496-502, 2000
96. Meis JM, Enzinger FM: Chondroid lipoma. A unique tumor simulating liposarcoma and myxoid chondrosarcoma. *Am J Surg Pathol* **17**:1103-1112, 1993
97. Nielsen GP et al: Chondroid lipoma, a tumor of white fat cells. A brief report of two cases with ultrastructural analysis. *Am J Surg Pathol* **19**:1272-1276, 1995
98. Thomson TA, Horsman D, Bainbridge TC: Cytogenetic and cytologic features of chondroid lipoma of soft tissue. *Mod Pathol* **12**:88-91, 1999
99. Gisselsson D et al: Unique cytological features and chromosome aberrations in chondroid lipoma: A case report based on fine-needle aspiration cytology, histopathology, electron microscopy, chromosome banding, and molecular cytogenetics. *Am J Surg Pathol* **23**:1300-1304, 1999
100. Darling MR, Daley TD: Intraoral chondroid lipoma: A case report and immunohistochemical investigation. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* **99**:331-333, 2005
101. Furlong MA, Fanburg-Smith JC, Childers EL: Lipoma of the oral and maxillofacial region: Site and subclassification of 125 cases. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* **98**:441-450, 2004
102. Boets A et al: Chondroid lipoma of the trunk: MRI appearance and pathologic correlation. *Skeletal Radiol* **33**:666-669, 2004
103. Green RA, Cannon SR, Flanagan AM: Chondroid lipoma: Correlation of imaging findings and histopathology of an unusual benign lesion. *Skeletal Radiol* **33**:670-673, 2004
104. Logan PM et al: Chondroid lipoma: MRI appearances with clinical and histologic correlation. *Skeletal Radiol* **25**:592-595, 1996
105. Kindblom LG, Meis-Kindblom JM: Chondroid lipoma: An ultrastructural and immunohistochemical analysis with further observations regarding its differentiation. *Hum Pathol* **26**:706-715, 1995
106. Meis JM, Enzinger FM: Myolipoma of soft tissue. *Am J Surg Pathol* **15**:121-125, 1991
107. Furlong MA, Fanburg-Smith JC, Miettinen M: The morphologic spectrum of hibernoma: A clinicopathologic study of 170 cases. *Am J Surg Pathol* **25**:809-814, 2001
108. Maire G et al: 11q13 alterations in two cases of hibernoma: Large heterozygous deletions and rearrangement breakpoints near GARP in 11q13.5. *Genes Chromosomes Cancer* **37**:389-395, 2003
109. Mertens F et al: Hibernomas are characterized by rearrangements of chromosome bands 11q13-21. *Int J Cancer* **58**:503-505, 1994
110. Mrozek K, Karakousis CP, Bloomfield CD: Band 11q13 is nonrandomly rearranged in hibernomas. *Genes Chromosomes Cancer* **9**:145-147, 1994
111. Dal Cin P et al: Chromosome changes in a case of hibernoma. *Genes Chromosomes Cancer* **5**:178-180, 1992
112. Baldi A et al: Mediastinal hibernoma: A case report. *J Clin Pathol* **57**:993-994, 2004
113. Baskurt E, Padgett DM, Matsumoto JA: Multiple hibernomas in a 1-month-old female infant. *AJNR Am J Neuroradiol* **25**:1443-1445, 2004
114. Harges J et al: Sonographic findings of hibernoma. A report of two cases. *J Clin Ultrasound* **33**:298-301, 2005
115. Chatterton BE et al: Hibernoma: Intense uptake seen on Tc-99m tetrofosmin and FDG positron emission tomographic scanning. *Clin Nucl Med* **27**:369-370, 2002
116. Anderson SE et al: Hibernoma: Imaging characteristics of a rare benign soft tissue tumor. *Skeletal Radiol* **30**:590-595, 2001
117. Mugel T et al: MR and CT findings in a case of hibernoma of the thigh extending into the pelvis. *Eur Radiol* **8**:476-478, 1998
118. Jung SM et al: Lipoblastoma/lipoblastomatosis: A clinicopathologic study of 16 cases in Taiwan. *Pediatr Surg Int* **21**:809-812, 2005
119. Hicks J et al: Lipoblastoma and lipoblastomatosis in infancy and childhood: Histopathologic, ultrastructural, and cytogenetic features. *Ultrastruct Pathol* **25**:321-333, 2001
120. Collins MH, Chatten J: Lipoblastoma/lipoblastomatosis: A clinicopathologic study of 25 tumors. *Am J Surg Pathol* **21**:1131-1137, 1997
121. Mentzel T, Calonje E, Fletcher CD: Lipoblastoma and lipoblastomatosis: A clinicopathological study of 14 cases. *Histopathology* **23**:527-533, 1993
122. Mahour GH, Bryan BJ, Isaacs H Jr: Lipoblastoma and lipoblastomatosis—A report of six cases. *Surgery* **104**:577-579, 1988
123. Chung EB, Enzinger FM: Benign lipoblastomatosis. An analysis of 35 cases. *Cancer* **32**:482-492, 1973



124. Coffin CM, Lowichik A, Putnam A: Lipoblastoma (LPB): A clinicopathologic and immunohistochemical analysis of 59 cases. *Am J Surg Pathol* **33**:1705-1712, 2009
125. de Saint Aubain Somerhausen N et al: Lipoblastoma in adolescents and young adults: Report of six cases with FISH analysis. *Histopathology* **52**:294-298, 2008
126. Harrer J et al: Lipoblastoma and lipoblastomatosis: A report of two cases and review of the literature. *Eur J Pediatr Surg* **11**:342-349, 2001
127. Calobrisi SD et al: Congenital lipoblastomatosis of the lower extremity in a neonate. *Pediatr Dermatol* **15**:210-213, 1998
128. Chang PF et al: Lipoblastomatosis in a newborn: Case report. *Pediatr Surg Int* **12**:71-72, 1997
129. Chen Z et al: Evidence by spectral karyotyping that 8q11.2 is nonrandomly involved in lipoblastoma. *J Mol Diagn* **2**:73-77, 2000
130. Dal Cin P et al: New discriminative chromosomal marker in adipose tissue tumors. The chromosome 8q11-q13 region in lipoblastoma. *Cancer Genet Cytogenet* **78**:232-235, 1994
131. Fletcher JA et al: Cytogenetic findings in pediatric adipose tumors: Consistent rearrangement of chromosome 8 in lipoblastoma. *Genes Chromosomes Cancer* **6**:24-29, 1993
132. Morerio C et al: PLAG1-HAS2 fusion in lipoblastoma with masked 8q intrachromosomal rearrangement. *Cancer Genet Cytogenet* **156**:183-184, 2005
133. Gisselsson D et al: PLAG1 alterations in lipoblastoma: Involvement in varied mesenchymal cell types and evidence for alternative oncogenic mechanisms. *Am J Pathol* **159**:955-962, 2001
134. Hibbard MK et al: PLAG1 fusion oncogenes in lipoblastoma. *Cancer Res* **60**:4869-4872, 2000
135. Bartuma H et al: Cytogenetic and molecular cytogenetic findings in lipoblastoma. *Cancer Genet Cytogenet* **183**:60-63, 2008
136. Alba Greco M, Garcia RL, Vuletin JC: Benign lipoblastomatosis: Ultrastructure and histogenesis. *Cancer* **45**:511-515, 1980
137. Marshall-Taylor C, Fanburg-Smith JC: Hemosiderotic fibrohistiocytic lipomatous lesion: Ten cases of a previously undescribed fatty lesion of the foot/ankle. *Mod Pathol* **13**:1192-1199, 2000
138. Browne T-J, Fletcher CDM: Haemosiderotic fibro-lipomatous tumour (so-called haemosiderotic fibrohistiocytic lipomatous tumour): Analysis of 13 new cases in support of a distinct entity. *Histopathology* **48**:453-461, 2006
139. Kazakov DV, Sima R, Michal M: Hemosiderotic fibrohistiocytic lipomatous lesion: Clinical correlation with venous stasis. *Virchows Arch* **447**:103-106, 2005
140. Folpe AL, Weiss SW: Pleomorphic hyalinizing angiectatic tumor: Analysis of 41 cases supporting evolution from a distinctive precursor lesion. *Am J Surg Pathol* **28**:1417-1425, 2004
141. Sasaki D et al: Lipofibromatosis arising in a pediatric forearm—A case report. *Ups J Med Sci* **110**:259-266, 2005
142. Teo HE et al: Infantile lipofibromatosis of the upper limb. *Skeletal Radiol* **34**:799-802, 2005
143. Herrmann BW, Dehner LP, Forsen JW Jr: Lipofibromatosis presenting as a pediatric neck mass. *Int J Pediatr Otorhinolaryngol* **68**:1545-1549, 2004
144. Fetsch JF et al: A clinicopathologic study of 45 pediatric soft tissue tumors with an admixture of adipose tissue and fibroblastic elements, and a proposal for classification as lipofibromatosis. *Am J Surg Pathol* **24**:1491-500, 2000
145. Enterline HT et al: Liposarcoma. A clinical and pathological study of 53 cases. *Cancer* **13**:932-950, 1960
146. Kindblom LG, Angervall L, Svendsen P: Liposarcoma a clinicopathologic, radiographic and prognostic study. *Acta Pathol Microbiol Scand* (253):1-71, 1975
147. Enzinger FM, Winslow DJ: Liposarcoma. A study of 103 cases. *Virchows Arch Pathol Anat Physiol Klin Med* **335**:367-388, 1962
148. Kindblom LG, Angervall L, Fassina AS: Atypical lipoma. *Acta Pathol Microbiol Immunol Scand [A]* **90**:27-36, 1982
149. Lucas DR et al: Well-differentiated liposarcoma. The Mayo Clinic experience with 58 cases. *Am J Clin Pathol* **102**:677-683, 1994
150. Evans HL: Liposarcoma: A study of 55 cases with a reassessment of its classification. *Am J Surg Pathol* **3**:507-523, 1979
151. Evans HL, Soule EH, Winkelmann RK: Atypical lipoma, atypical intramuscular lipoma, and well differentiated retroperitoneal liposarcoma: A reappraisal of 30 cases formerly classified as well differentiated liposarcoma. *Cancer* **43**:574-584, 1979
152. Weiss SW, Rao VK: Well-differentiated liposarcoma (atypical lipoma) of deep soft tissue of the extremities, retroperitoneum, and miscellaneous sites. A follow-up study of 92 cases with analysis of the incidence of "dedifferentiation". *Am J Surg Pathol* **16**:1051-1058, 1992

153. Rosai J et al: Combined morphologic and karyotypic study of 59 atypical lipomatous tumors. Evaluation of their relationship and differential diagnosis with other adipose tissue tumors (a report of the CHAMP Study Group). *Am J Surg Pathol* **20**:1182-1189, 1996
154. Dei Tos AP et al: Coordinated expression and amplification of the MDM2, CDK4, and HMGI-C genes in atypical lipomatous tumours. *J Pathol* **190**:531-536, 2000
155. Tallini G et al: Expression of HMGI-C and HMGI(Y) in ordinary lipoma and atypical lipomatous tumors: Immunohistochemical reactivity correlates with karyotypic alterations. *Am J Pathol* **151**:37-43, 1997
156. Hostein I et al: Evaluation of MDM2 and CDK4 amplification by real-time PCR on paraffin wax-embedded material: A potential tool for the diagnosis of atypical lipomatous tumours/well-differentiated liposarcomas. *J Pathol* **202**:95-102, 2004
157. Pilotti S et al: The expression of MDM2/CDK4 gene product in the differential diagnosis of well differentiated liposarcoma and large deep-seated lipoma. *Br J Cancer* **82**:1271-1275, 2000
158. Pilotti S et al: Molecular abnormalities in liposarcoma: Role of MDM2 and CDK4-containing amplicons at 12q13-22. *J Pathol* **185**:188-190, 1998
159. Pedeutour F et al: Structure of the supernumerary ring and giant rod chromosomes in adipose tissue tumors. *Genes Chromosomes Cancer* **24**:30-41, 1999
160. Binh MB et al: MDM2 and CDK4 immunostainings are useful adjuncts in diagnosing well-differentiated and dedifferentiated liposarcoma subtypes: A comparative analysis of 559 soft tissue neoplasms with genetic data. *Am J Surg Pathol* **29**:1340-1347, 2005
161. Nascimento AF, McMenamin ME, Fletcher CD: Liposarcomas/atypical lipomatous tumors of the oral cavity: A clinicopathologic study of 23 cases. *Ann Diagn Pathol* **6**:83-93, 2002
162. Cai YC et al: Primary liposarcoma of the orbit: A clinicopathologic study of seven cases. *Ann Diagn Pathol* **5**:255-266, 2001
163. Nucci MR, Fletcher CD: Liposarcoma (atypical lipomatous tumors) of the vulva: A clinicopathologic study of six cases. *Int J Gynecol Pathol* **17**:17-23, 1998
164. Wenig BM, Weiss SW, Gnepp DR: Laryngeal and hypopharyngeal liposarcoma. A clinicopathologic study of 10 cases with a comparison to soft-tissue counterparts. *Am J Surg Pathol* **14**:134-141, 1990
165. Kraus MD, Guillou L, Fletcher CD: Well-differentiated inflammatory liposarcoma: An uncommon and easily overlooked variant of a common sarcoma. *Am J Surg Pathol* **21**:518-527, 1997
166. Dei Tos AP et al: Spindle cell liposarcoma, a hitherto unrecognized variant of liposarcoma. Analysis of six cases. *Am J Surg Pathol* **18**:913-921, 1994
167. Sirvent N et al: Detection of MDM2-CDK4 amplification by fluorescence in situ hybridization in 200 paraffin-embedded tumor samples: Utility in diagnosing adipocyte lesions and comparison with immunohistochemistry and real-time PCR. *Am J Surg Pathol* **31**:1476-1489, 2007
168. Evans HL: Atypical lipomatous tumor, its variants, and its combined forms: A study of 61 cases, with a minimum follow-up of 10 years. *Am J Surg Pathol* **31**:1-14, 2007
169. Dei Tos AP et al: Atypical lipomatous tumour/well differentiated liposarcoma: World Health Organization Classification of Tumours. In: *Pathology and Genetics of Tumours of Soft Tissue and Bone*, edited by CDM Fletcher, KK Unna, F Mertens. Lyon, IARC Press, 2002
170. Nascimento AG: Dedifferentiated liposarcoma. *Semin Diagn Pathol* **18**:263-266, 2001
171. Henricks WH et al: Dedifferentiated liposarcoma: A clinicopathological analysis of 155 cases with a proposal for an expanded definition of dedifferentiation. *Am J Surg Pathol* **21**:271-281, 1997
172. McCormick D et al: Dedifferentiated liposarcoma. Clinicopathologic analysis of 32 cases suggesting a better prognostic subgroup among pleomorphic sarcomas. *Am J Surg Pathol* **18**:1213-1223, 1994
173. Sandberg AA: Updates on the cytogenetics and molecular genetics of bone and soft tissue tumors: Liposarcoma. *Cancer Genet Cytogenet* **155**:1-24, 2004
174. Yoshikawa H et al: Dedifferentiated liposarcoma of the subcutis. *Am J Surg Pathol* **20**:1525-1530, 1996
175. Hisaoka M et al: Retroperitoneal liposarcoma with combined well-differentiated and myxoid malignant fibrous histiocytoma-like myxoid areas. *Am J Surg Pathol* **23**:1480-1492, 1999
176. Fanburg-Smith JC et al: Liposarcoma with meningotheial-like whorls: A study of 17 cases of a distinctive histological pattern associated with dedifferentiated liposarcoma. *Histopathology* **33**:414-424, 1998

177. Nascimento AG et al: Dedifferentiated liposarcoma: A report of nine cases with a peculiar neural-like whorling pattern associated with metaplastic bone formation. *Am J Surg Pathol* 22:945-955, 1998
178. Tallini G et al: Combined morphologic and karyotypic study of 28 myxoid liposarcomas. Implications for a revised morphologic typing, (a report from the CHAMP Group). *Am J Surg Pathol* 20:1047-1055, 1996
179. Kilpatrick SE et al: The clinicopathologic spectrum of myxoid and round cell liposarcoma. A study of 95 cases. *Cancer* 77:1450-1458, 1996
180. Antonescu CR et al: Prognostic impact of P53 status, TLS-CHOP fusion transcript structure, and histological grade in myxoid liposarcoma: A molecular and clinicopathologic study of 82 cases. *Clin Cancer Res* 7:3977-3987, 2001
181. Antonescu CR et al: Specificity of TLS-CHOP rearrangement for classic myxoid/round cell liposarcoma: Absence in predominantly myxoid well-differentiated liposarcomas. *J Mol Diagn* 2:132-138, 2000
182. Crozat A et al: Fusion of CHOP to a novel RNA-binding protein in human myxoid liposarcoma. *Nature* 363:640-644, 1993
183. Rabbitts TH et al: Fusion of the dominant negative transcription regulator CHOP with a novel gene FUS by translocation t(12;16) in malignant liposarcoma. *Nat Genet* 4:175-180, 1993
184. Knight JC et al: Translocation t(12;16)(q13;p11) in myxoid liposarcoma and round cell liposarcoma: Molecular and cytogenetic analysis. *Cancer Res* 55:24-27, 1995
185. Antonescu CR et al: Monoclonality of multifocal myxoid liposarcoma: Confirmation by analysis of TLS-CHOP or EWS-CHOP rearrangements. *Clin Cancer Res* 6:2788-2793, 2000
186. Panagopoulos I et al: Characteristic sequence motifs at the breakpoints of the hybrid genes FUS/CHOP, EWS/CHOP and FUS/ERG in myxoid liposarcoma and acute myeloid leukemia. *Oncogene* 15:1357-1362, 1997
187. Dal Cin P et al: Additional evidence of a variant translocation t(12;22) with EWS/CHOP fusion in myxoid liposarcoma: Clinicopathological features. *J Pathol* 182:437-441, 1997
188. Smith TA, Easley KA, Goldblum JR: Myxoid/round cell liposarcoma of the extremities. A clinicopathologic study of 29 cases with particular attention to extent of round cell liposarcoma. *Am J Surg Pathol* 20:171-180, 1996
189. ten Heuvel SE et al: Clinicopathologic prognostic factors in myxoid liposarcoma: A retrospective study of 49 patients with long-term follow-up. *Ann Surg Oncol* 14:222-229, 2007
190. Azumi N et al: Atypical and malignant neoplasms showing lipomatous differentiation. A study of 111 cases. *Am J Surg Pathol* 11:161-183, 1987
191. Fletcher CD: Pleomorphic malignant fibrous histiocytoma: Fact or fiction? A critical reappraisal based on 159 tumors diagnosed as pleomorphic sarcoma. *Am J Surg Pathol* 16:213-228, 1992
192. Hornick JL et al: Pleomorphic liposarcoma: Clinicopathologic analysis of 57 cases. *Am J Surg Pathol* 28:1257-1267, 2004
193. Gebhard S et al: Pleomorphic liposarcoma: Clinicopathologic, immunohistochemical, and follow-up analysis of 63 cases: A study from the French Federation of Cancer Centers Sarcoma Group. *Am J Surg Pathol* 26:601-616, 2002
194. Downes KA et al: Pleomorphic liposarcoma: A clinicopathologic analysis of 19 cases. *Mod Pathol* 14:179-184, 2001
195. Dei Tos AP, Mentzel T, Fletcher CD: Primary liposarcoma of the skin: A rare neoplasm with unusual high grade features. *Am J Dermatopathol* 20:332-338, 1998
196. Huang HY, Antonescu CR: Epithelioid variant of pleomorphic liposarcoma: A comparative immunohistochemical and ultrastructural analysis of six cases with emphasis on overlapping features with epithelial malignancies. *Ultrastruct Pathol* 26:299-308, 2002
197. Miettinen M, Enzinger FM: Epithelioid variant of pleomorphic liposarcoma: A study of 12 cases of a distinctive variant of high-grade liposarcoma. *Mod Pathol* 12:722-728, 1999
198. Mertens F et al: Cytogenetic analysis of 46 pleomorphic soft tissue sarcomas and correlation with morphologic and clinical features: A report of the CHAMP Study Group. Chromosomes and Morphology. *Genes Chromosomes Cancer* 22:16-25, 1998

