

# Chapter 142

## Ectodermal Dysplasias

Alanna F. Bree, Nnenna Agim,  
& Virginia P. Sybert

### REFERENCES

1. Freire-Maia N, Pinheiro M: *Ectodermal dysplasias: a clinical and genetic study*. New York: Alan R. Liss, p. 251, 1984
2. Freire-Maia N, Pinheiro M: Ectodermal dysplasias: A clinical classification and a causal review. *Am J Med Genet* **53**:153, 1994 [PMID: 7856640]
3. Lamartine J: Towards a new classification of ectodermal dysplasias. *Clin Exp Dermatol* **28**:351, 2003 [PMID: 12823289]
4. Priolo M, Lagana C: Ectodermal dysplasias: A new clinical-genetic classification. *J Med Genet* **38**:579, 2001 [PMID: 11546825]
5. Irvine AD: Towards a unified classification of the ectodermal dysplasias: opportunities outweigh challenges. *Am J Med Genet A*. **149A**(9):1970-2, 2009.
6. Thurnam, J. Two cases in which the skin, hair and teeth were very imperfectly developed. *Proc. R. M. Chir. Soc. London* **31**: 71-82, 1848.
7. Stevenson AC, Kerr CB: On the distribution of frequencies of mutations to genes determining harmful traits in man. *Mutat Res* **4**:339, 1967 [PMID: 6051835]
8. Kere J et al: X-linked anhidrotic (hypohidrotic) ectodermal dysplasia is caused by a mutation in a novel transmembrane protein. *Nature Genet* **13**:409, 1996 [PMID: 8696334]
9. Vincent MC et al: Mutational spectrum of the ED1 gene in X-linked hypohidrotic ectodermal dysplasia. *Eur J Hum Genet* **9**:355, 2001 [PMID: 11378824]
10. Monreal AW et al: Mutations in the human homologue of mouse dl cause autosomal recessive and autosomal dominant hypohidrotic ectodermal dysplasia. *Nature Genet* **22**:366, 1999 [PMID: 10431241]
11. Headon DJ et al: Gene defect in ectodermal dysplasia implicates a death domain adaptor in development. *Nature* **414**:913, 2001 [PMID: 11780064]
12. Bal, E.; Baala, L.; Cluzeau, C.; El Kerch, F.; Ouldim, K.; Hadj-Rabia, S.; Bodemer, C.; Munnich, A.; Courtois, G.; Sefiani, A.; Smahi, A.: *Autosomal dominant anhidrotic ectodermal dysplasias at the EDARADD locus*. *Hum. Mutat.* **28**: 703-709, 2007.
13. Aradhya S et al: Atypical forms of incontinentia pigmenti result from mutations of a cytosine tract in exon 10 of NEMO (IKK-). *Am J Hum Genet* **68**:765, 2001 [PMID: 11179023]
14. Berlin AL, Paller AS, Chan LS: Incontinentia pigmenti: A review and update on the molecular basis of pathophysiology. *J Am Acad Dermatol* **47**:169, 2002 [PMID: 12140463]
15. The Executive and Scientific Advisory Boards of the National Foundation for Ectodermal Dysplasias: Scaling skin in the neonate: A clue to the early diagnosis of X-linked hypohidrotic ectodermal dysplasia (Christ-Siemens-Touraine syndrome). *J Pediatr* **114**:600, 1989
16. Clarke A et al: Clinical aspects of X-linked hypohidrotic ectodermal dysplasia. *Arch Dis Child* **62**:989, 1987 [PMID: 2445301]
17. Sybert V: *Genetic Skin Disorders*. New York, Oxford University Press, 1997
18. Zankl, A.; Addor, M.-C.; Cousin, P.; Gaide, A.-C.; Gudinchet, F.; Schorderet, D. F.: Fatal outcome in a female monozygotic twin with X-linked hypohidrotic (sic) ectodermal dysplasia (XLHED) due to a de novo t(X;9) translocation with probable disruption of the EDA gene. *Europ. J. Pediatr.* **160**: 296-299, 2001.
19. Motil KJ et al: Growth characteristics of children with ectodermal dysplasia syndromes. *Pediatrics* **116**:e229, 2005
20. Rouse C, Siegfried E, Breer W, Nahass G. Hair and sweat glands in families with hypohidrotic ectodermal dysplasia: further characterization. *Arch Dermatol.* **140**(7):850-5, 2004. xxx. Publication submitted and in review for publication in the *BJD*.
21. Gaide O, Schneider P. Permanent correction of an inherited ectodermal dysplasia with recombinant EDA. *Nat Med.* **9**(5):614-8, 2003.
22. Casal ML, Lewis JR, Mauldin EA et al. Significant correction of disease after postnatal administration of recombinant ectodysplasin A in canine X-linked ectodermal dysplasia. *Am J Hum Genet.* **81**(5):1050-6, 2007.

23. Mauldin EA, Gaide O, Schneider P, Casal ML. Neonatal treatment with recombinant ectodysplasin prevents respiratory disease in dogs with X-linked ectodermal dysplasia. *Am J Med Genet A*. **149A**(9):2045-9, 2009.
24. Clouston HR: A hereditary ectodermal dysplasia. *Can Med Assoc J* **21**:18, 1929
25. Lamartine J et al: Mutations in GJB6 cause hidrotic ectodermal dysplasia. *Nature Genet* **26**:142, 2000 [PMID: 11017065]
26. Hay RJ, Wells RS: The syndrome of ankyloblepharon, ectodermal defects and cleft lip and palate: An autosomal dominant condition. *Br J Dermatol* **94**:277, 1976 [PMID: 946410]
27. Kannu P, Savarirayan R, Ozoemena L, White SM, McGrath JA. Rapp-Hodgkin ectodermal dysplasia syndrome: the clinical and molecular overlap with Hay-Wells syndrome. *Am J Med Genet A*. **140**(8):887-91, 2006.
28. Sorasio L, Ferrero GB, Garelli E et al. AEC syndrome: further evidence of a common genetic etiology with Rapp-Hodgkin syndrome. *Eur J Med Genet*. **49**(6):520-2, 2006.
29. Lo Iacono N, Mantero S, Chiarelli A, Regulation of Dlx5 and Dlx6 gene expression by p63 is involved in EEC and SHFM congenital limb defects. *Development*. **135**(7):1377-88, 2008.
30. Kannu P et al: Rapp-Hodgkin ectodermal dysplasia syndrome: The clinical and molecular overlap with Hay-Wells syndrome. *Am J Med Genet A* **140**:887, 2006 [PMID: 16532463]
31. McGrath JA et al: Hay-Wells syndrome is caused by heterozygous missense mutations in the SAM domain of p63. *Hum Mol Gene* **10**:221, 2001 [PMID: 11159940]
32. van Bokhoven H, McKeon F: Mutations in the p53 homolog p63: Allele-specific developmental syndromes in humans. *Trends Mol Med* **8**:133, 2002
33. Vanderhooft SV, Stephan MJ, Sybert VP: Severe skin erosions and scalp infections in AEC syndrome. *Pediatr Dermatol* **10**:334, 1993 [PMID: 8302735]
34. Julapalli MR, Siegfried EC, Sybert VP, Scher RK, Bree AF. Dermatological findings of AEC syndrome. *Am J Med Genet A*. **149A**(9):1900-06, 2009.
35. Berk DR, Crone K, Bayliss SJ. AEC syndrome caused by a novel p63 mutation and demonstrating erythroderma followed by extensive depigmentation. *Pediatr Dermatol*.; **26**(5):617-8, 2009.
36. Sutton VR, Plunkett K, Dang DZ et al. Craniofacial and anthropometric phenotype in ankyloblepharon-ectodermal dysplasia-cleft lip/palate syndrome (Hay-Wells Syndrome) in a cohort of 17 patients. *Am J Med Genet A*. **149A**(9):1916-21, 2009.
37. Chiu YE, Drolet BA, Duffy KJ, Holland KE A Case of Ankyloblepharon, Ectodermal Dysplasia, and Cleft Lip/Palate Syndrome with Ectrodactyly: Are the p63 Syndromes Distinct After All? *Pediatr Dermatol*. 2009 Oct 1. [Epub ahead of print]
38. Schroeder HW Jr, Sybert VP: Rapp-Hodgkin ectodermal dysplasia. *J Pediatr* **110**:72, 1987 [PMID: 3794888]
39. Walpole IR, Goldblatt J: Rapp-Hodgkin hypohidrotic ectodermal dysplasia syndrome. *Clin Genet* **39**:114, 1991 [PMID: 2015692]
40. Cole P, Hatef DA, Kaufman Y et al. Facial clefting and orofacial pathway manifestations in ankyloblepharon-ectodermal defects-cleft lip/palate (AEC) syndrome. *Am J Med Genet A*. **149A**(9):1910-15, 2009.
41. Farrington F, Lausten L. Oral findings in ankyloblepharon-ectodermal dysplasia-cleft lip/palate (AEC) syndrome. *Am J Med Genet A*. **149A**(9):1907-9, 2009.
42. Dishop MK, Bree AF, Hicks MJ. Pathologic features of skin and hair in ankyloblepharon-ectodermal defects-cleft lip/palate (AEC) syndrome. *Am J Med Genet A*. **149A**(9):1935-41, 2009.
43. Celli J et al: Heterozygous germline mutations in the p53 homolog p63 are the cause of EEC syndrome. *Cell* **99**:143, 1999 [PMID: 10535733]
44. Van Bokhoven H et al: p63 gene mutations in EEC syndrome, limb-mammary syndrome and isolated split hand-split foot malformation suggest a genotype-phenotype correlation. *Am J Hum Genet* **69**:481, 2001
45. Ianakiev P, Kilpatrick MW, Toudjarska I et al. Split-hand/split-foot malformation is caused by mutations in the p63 gene on 3q27. *Am J Hum Genet*. **67**(1):59-66, 2000.
46. Rinne T et al: Delineation of the ADULT syndrome phenotype due to arginine 298 mutations of the p63 gene. *Eur J Hum Genet* **14**(8):904-910, 2006; [Epub 2006 May 17, 2006]
47. Buss PW et al: Twenty-four cases of the EEC syndrome: Clinical presentation and management. *J Med Genet* **32**:716, 1995 [PMID: 8544192]
48. Roelfsema NM, Cobben JM: The EEC syndrome: A literature study. *Clin Dysmorphol* **5**:115, 1996 [PMID: 8723561]
49. Witkop, C. J., Jr. Genetic disease of the oral cavity. In: Tiecke, R. W.: Oral Pathology. New York: McGraw-Hill (pub.) 1965. Pp. 810-814.

50. Hudson, C. D.; Witkop, C. J., Jr. Autosomal dominant hypodontia with nail dysgenesis. *Oral Surg.* 39: 409-423, 1975.
51. Hudson CD, Witkop CJ Jr: Autosomal dominant hypodontia with nail dysgenesis: Report of 29 cases in six families. *Oral Pathol* 39:409, 1975 [PMID: 1054139]
52. Jumlongras D et al: A nonsense mutation in MSX1 causes Witkop syndrome. *Am J Hum Genet* 69:67, 2001 [PMID: 11369996]
53. Goltz RW: Focal dermal hypoplasia syndrome. An update. *Arch Dermatol* 128:1108, 1992 [PMID: 1497368]
54. Grzeschik K et al: Deficiency of PORCN, a regulator of WNT signaling, is associated with focal dermal hypoplasia. *Nat Genet* 39:833, 2007
55. Wang X et al: Focal dermal hypoplasia (Goltz syndrome) is caused by loss-of-function mutations in X-linked PORCN, encoding the human homolog of *Drosophila* Porcupine, a regulator of Wnt signaling. *Nat Genet* 39:836, 2007 [PMID: 17546030]

