

Chapter 162

Endothelium in Inflammation and Angiogenesis

Peter Petzelbauer, Robert Loewe,
& Jordan S. Pober

REFERENCES

1. Braverman IM: Ultrastructure and organization of the cutaneous microvasculature in normal and pathologic states. *J Invest Dermatol* **93**:2S-9S, 1989
2. Braverman IM, Yen A: Ultrastructure of the human dermal microcirculation. II. The capillary loops of the dermal papillae. *J Invest Dermatol* **68**:44-52, 1977
3. Yen A, Braverman IM: Ultrastructure of the human dermal microcirculation: The horizontal plexus of the papillary dermis. *J Invest Dermatol* **66**:131-142, 1976
4. Remuzzi A et al: Orientation of endothelial cells in shear fields in vitro. *Biorheology* **21**:617-630, 1984
5. Rogers KA, Kalnins VI: Comparison of the cytoskeleton in aortic endothelial cells in situ and in vitro. *Lab Invest* **49**:650-654, 1983
6. Bradley JR, Pober JS: Prolonged cytokine exposure causes a dynamic redistribution of endothelial cell adhesion molecules to intercellular junctions. *Lab Invest* **75**:463-472, 1996
7. Bonfanti R et al: PADGEM (GMP140) is a component of Weibel-Palade bodies of human endothelial cells. *Blood* **73**:1109-1112, 1989
8. Vischer UM, Wagner DD: CD63 is a component of Weibel-Palade bodies of human endothelial cells. *Blood* **82**:1184-1191, 1993
9. Schnyder-Candrian S et al: Localization of alpha 1,3-fucosyltransferase VI in Weibel-Palade bodies of human endothelial cells. *Proc Natl Acad Sci USA* **97**:8369-8374, 2000
10. Wolff B et al: Endothelial cell "memory" of inflammatory stimulation: Human venular endothelial cells store interleukin 8 in Weibel-Palade bodies. *J Exp Med* **188**:1757-1762, 1998
11. Fiedler U et al: Angiopoietin-2 sensitizes endothelial cells to TNF-alpha and has a crucial role in the induction of inflammation. *Nat Med* **12**:235-239, 2006
12. Wisse E et al: Structure and function of sinusoidal lining cells in the liver. *Toxicol Pathol* **24**:100-111, 1996
13. Sbaa E et al: The double regulation of endothelial nitric oxide synthase by caveolae and caveolin: A paradox solved through the study of angiogenesis. *Trends in Cardiovascular Medicine* **15**:157-216, 2005
14. Drab M et al: Loss of caveolae, vascular dysfunction, and pulmonary defects in caveolin-1 gene-disrupted mice. *Science* **293**:2449-2452, 2001
15. Pike LJ: Growth factor receptors, lipid rafts and caveolae: An evolving story. *Biochim Biophys Acta* **1746**:260-273, 2005
16. D'Alessio A et al: Caveolae participate in tumor necrosis factor receptor 1 signaling and internalization in a human endothelial cell line. *Am J Pathol* **166**:1273-1282, 2005
17. Chang SH et al: Vascular permeability and pathological angiogenesis in caveolin-1-null mice. *Am J Pathol* **175**:1768-1776, 2009
18. Shivers RR et al: Isolated rat brain capillaries possess intact, structurally complex, interendothelial tight junctions; freeze-fracture verification of tight junction integrity. *Brain Res* **324**:313-322, 1984
19. Bazzoni G: Endothelial tight junctions: Permeable barriers of the vessel wall. *Thromb Haemost* **95**:36-42, 2006
20. Matsumura T et al: Endothelial cell tube formation depends on cadherin 5 and CD31 interactions with filamentous actin. *J Immunol* **158**:3408-3416, 1997
21. Vittet D et al: Targeted null-mutation in the vascular endothelial-cadherin gene impairs the organization of vascular-like structures in embryoid bodies. *Proc Natl Acad Sci USA* **94**:6273-6278, 1997
22. Baumer S et al: Vascular endothelial cell-specific phosphotyrosine phosphatase (VE-PTP) activity is required for blood vessel development. *Blood* **107**:4754-4762, 2006

23. Grinnell KL et al: Role of protein tyrosine phosphatase SHP2 in barrier function of pulmonary endothelium. *Am J Physiol Lung Cell Mol Physiol* **L361-L370**, 2009
24. Groger M et al: Peptide Bbeta(15-42) preserves endothelial barrier function in shock. *PLoS One* **4:e5391**, 2009
25. Dejana E et al: The role of adherens junctions and VE-cadherin in the control of vascular permeability. *J Cell Sci* **121**:2115-2122, 2008
26. Rudini N et al: VE-cadherin is a critical endothelial regulator of TGF-beta signalling. *EMBO J* **27**:993-1004, 2008
27. Beckers CM et al: Driving Rho GTPase activity in endothelial cells regulates barrier integrity. *Thromb Haemost* **103**:40-55, 2010
28. Gavard J et al: Angiopoietin-1 prevents VEGF-induced endothelial permeability by sequestering Src through mDia. *Dev Cell* **14**:25-36, 2008
29. Winderlich M et al: VE-PTP controls blood vessel development by balancing Tie-2 activity. *J Cell Biol* **185**:657-671, 2009
30. Grant DS et al: Interaction of endothelial cells with a laminin A chain peptide (SIKVAV) in vitro and induction of angiogenic behavior in vivo. *J Cell Physiol* **153**:614-625, 1992
31. O'Reilly MS et al: Endostatin: An endogenous inhibitor of angiogenesis and tumor growth. *Cell* **88**:277-285, 1997
32. Miyamoto S et al: Integrin function: Molecular hierarchies of cytoskeletal and signaling molecules. *J Cell Biol* **131**:791-805, 1995
33. Detmar M: Tumor angiogenesis. *J Investig Dermatol Symp Proc* **5**:20-23, 2000
34. Petzelbauer P et al: Heterogeneity of dermal microvascular endothelial cell antigen expression and cytokine responsiveness in situ and in cell culture. *J Immunol* **151**:5062-5072, 1993
35. Febbraio M et al: CD36: A class B scavenger receptor involved in angiogenesis, atherosclerosis, inflammation, and lipid metabolism. *J Clin Invest* **108**:785-791, 2001
36. Niemela H et al: Molecular identification of PAL-E, a widely used endothelial-cell marker. *Blood* **106**:3405-3409, 2005
37. Groger M et al: IL-3 induces expression of lymphatic markers Prox-1 and podoplanin in human endothelial cells. *Journal of Immunology* **173**:7161, 2004
38. Groger M et al: A previously unknown dermal blood vessel phenotype in skin inflammation. *J Invest Dermatol* **127**:2893, 2007
39. Kaipainen A et al: Expression of the fms-like tyrosine kinase 4 gene becomes restricted to lymphatic endothelium during development. *Proc Natl Acad Sci U S A* **92**:3566, 1995
40. Hirakawa S et al: Identification of vascular lineage-specific genes by transcriptional profiling of isolated blood vascular and lymphatic endothelial cells. *Am J Pathol* **162**:575, 2003
41. Kriehuber E et al: Isolation and characterization of dermal lymphatic and blood endothelial cells reveal stable and functionally specialized cell lineages. *J Exp Med* **194**:797, 2001
42. Hong YK et al: VEGF-A promotes tissue repair-associated lymphatic vessel formation via VEGFR-2 and the alpha1beta1 and alpha2beta1 integrins. *Faseb J* **18**:1111, 2004
43. Yuan L et al: Abnormal lymphatic vessel development in neuropilin 2 mutant mice. *Development* **129**:4797, 2002
44. Groger M et al: Dermal microvascular endothelial cells express CD32 receptors in vivo and in vitro. *J Immunol* **156**:1549-1556, 1996
45. Vora M et al: Antigen presentation by human dermal microvascular endothelial cells. Immuno-regulatory effect of IFN-gamma and IL-10. *J Immunol* **152**:5734-5741, 1994
46. Mitchell JA et al: Role of pattern-recognition receptors in cardiovascular health and disease. *Biochem Soc Trans* **35**:1449, 2007
47. Dauphinee SM, Karsan A: Lipopolysaccharide signaling in endothelial cells. *Lab Invest* **86**:9-22, 2006
48. Faure E et al: Bacterial lipopolysaccharide activates NF-kappa B through toll-like receptor 4 (TLR-4) in cultured human dermal endothelial cells. Differential expression of TLR-4 and TLR-2 in endothelial cells. *J Biol Chem* **275**:11058-11063, 2000
49. Grote K et al: Toll-like receptor 2/6 stimulation promotes angiogenesis via GM-CSF as a potential strategy for immune defense and tissue regeneration. *Blood* **115**(12):2543-2552, 2010
50. Jimenez R et al: Role of Toll-like receptors 2 and 4 in the induction of cyclooxygenase-2 in vascular smooth muscle. *Proc Natl Acad Sci U S A* **102**:4637, 2005

51. Cartwright N et al: Elucidation of toll-like receptor and adapter protein signaling in vascular dysfunction induced by gram-positive *Staphylococcus aureus* or gram-negative *Escherichia coli*. *Shock* 27:40, 2007
52. Newby AC, Henderson AH: Stimulus-secretion coupling in vascular endothelial cells. *Annu Rev Physiol* 52:661-674, 1990
53. Rosenkranz-Weiss P et al: Regulation of nitric oxide synthesis by proinflammatory cytokines in human umbilical vein endothelial cells. Elevations in tetrahydrobiopterin levels enhance endothelial nitric oxide synthase specific activity. *J Clin Invest* 93:2236, 1994
54. Pober JS, Cotran RS: Immunologic interactions of T lymphocytes with vascular endothelium. *Adv Immunol* 50:261-302, 1991
55. Lawrence MB et al: Neutrophil tethering to and rolling on E-selectin are separable by requirement for L-selectin. *Immunity* 1:137-145, 1994
56. Springer TA: Adhesion receptors of the immune system. *Nature* 346:425-434, 1990
57. Johnson P et al: A role for the cell adhesion molecule CD44 and sulfation in leukocyte-endothelial cell adhesion during an inflammatory response? *Biochemical Pharmacology* 59:455, 2000
58. Banerji S et al: LYVE-1, a New Homologue of the CD44 Glycoprotein, is a lymph-specific receptor for hyaluronan. *J Cell Biol* 144:789, 1999
59. Jackson DG: Immunological functions of hyaluronan and its receptors in the lymphatics. *Immunol Rev* 230:216, 2009
60. Lechleitner S et al: Interferon enhances tumor necrosis factor-induced vascular cell adhesion molecule 1 (CD106) expression in human endothelial cells by an interferon-related factor 1-dependent pathway. *J Exp Med* 187:1998
61. Albelda SM et al: Adhesion molecules and inflammatory injury. *Faseb J* 8:504-512, 1994
62. Hasstedt SJ et al: Cell adhesion molecule 1: A novel risk factor for venous thrombosis. *Blood* 114:3084, 2009
63. Matsukawa A et al: Chemokines and innate immunity. *Rev Immunogenet* 2:339-358, 2000
64. Umehara H et al: Fractalkine and vascular injury. *Trends Immunol* 22:602-607, 2001
65. Yoshie O et al: Chemokines in immunity. *Adv Immunol* 78:57-110, 2001
66. Mamdouh Z et al: Transcellular migration of leukocytes is mediated by the endothelial lateral border recycling compartment. *J Exp Med* 206:2795, 2009
67. Alcaide P et al: p120-Catenin regulates leukocyte transmigration through an effect on VE-cadherin phosphorylation. *Blood* 112:2770, 2008
68. Petzelbauer P et al: The fibrin-derived peptide Bbeta15-42 protects the myocardium against ischemia-reperfusion injury. *Nat Med* 11:298-304, 2005
69. Madri JA et al: The roles of adhesion molecules and proteases in lymphocyte transendothelial migration. *Biochem Cell Biol* 74:749-757, 1996
70. Manes TD, Pober JS: Antigen presentation by human microvascular endothelial cells triggers ICAM-1-dependent transendothelial protrusion by, and fractalkine-dependent transendothelial migration of, effector memory CD4+ T cells. *J Immunol* 180:8386, 2008
71. Bach FH et al: Accommodation of vascularized xenografts: expression of "protective genes" by donor endothelial cells in a host Th2 cytokine environment. *Nat Med* 3:196-204, 1997
72. Collins T et al: Immune interferon activates multiple class II major histocompatibility complex genes and the associated invariant chain gene in human endothelial cells and dermal fibroblasts. *Proc Natl Acad Sci USA* 81:4917-4921, 1984
73. Choi J et al: T lymphocyte-endothelial cell interactions. *Annu Rev Immunol* 22:683-709, 2004
74. Page C et al: Antigenic heterogeneity of vascular endothelium. *Am J Pathol* 141:673-683, 1992
75. Amatschek S et al: Blood and lymphatic endothelial cell-specific differentiation programs are stringently controlled by the tissue environment. *Blood* 109:4777, 2007
76. Pober JS et al: Can graft endothelial cells initiate a host anti-graft immune response? *Transplantation* 61:343-349, 1996
77. Shiao SL et al: Memory T cells and their co-stimulators in human allograft injury. *J Immunol* 175:4886, 2005
78. Suarez Y et al: Alloimmunity to human endothelial cells derived from cord blood progenitors. *J Immunol* 179:7488, 2007
79. Khayyamian S et al: ICOS-ligand, expressed on human endothelial cells, costimulates Th1 and Th2 cytokine secretion by memory CD4+ T cells. *Proc Natl Acad Sci USA* 99:6198, 2002

80. Krupnick AS et al: Murine vascular endothelium activates and induces the generation of allogeneic CD4+25+Foxp3+ regulatory T cells. *J Immunol* **175**:6265-6270, 2005
81. Keir H et al: Human TH17 lymphocytes promote blood-brain barrier disruption and central nervous system inflammation. *Nat Med* **13**:1173, 2007
82. Huppert J et al: Cellular mechanisms of IL-17-induced blood-brain barrier disruption. *FASEB J* **24**(4):1023-1034, 2010; [Epub 2009]
83. Kolls JK, Linden A: Interleukin-17 family members and inflammation. *Immunity* **21**:467, 2004
84. Oble DA et al: Focus on TILs: Prognostic significance of tumor infiltrating lymphocytes in human melanoma. *Cancer Immun* **9**:3, 2009
85. Corthay A: How do regulatory T cells work? *Scand J Immunol* **70**:326, 2009
86. Nummer D et al: Role of tumor endothelium in CD4+CD25+ regulatory t cell infiltration of human pancreatic carcinoma. *J Natl Cancer Inst* **99**:1188-1199, 2007
87. Austrup F et al: P- and E-selectin mediate recruitment of T-helper-1 but not T-helper-2 cells into inflamed tissues. *Nature* **385**:81-83, 1997
88. Hirata T et al: P-Selectin glycoprotein ligand 1 (PSGL-1) is a physiological ligand for E-selectin in mediating T helper 1 lymphocyte migration. *J Exp Med* **192**:1669-1676, 2000
89. Das PK et al: Differential expression of ICAM-1, E-selectin and VCAM-1 by endothelial cells in psoriasis and contact dermatitis. *Acta Derm Venereol Suppl (Stockh)* **186**:21-22, 1994
90. Petzelbauer P et al: Inducibility and expression of microvascular endothelial adhesion molecules in lesional, perilesional, and uninvolved skin of psoriatic patients. *J Invest Dermatol* **103**:300-305, 1994
91. Schechner JS et al: Integrins alpha4beta7 and alphaEbeta7 are expressed on epidermotropic T cells in cutaneous T cell lymphoma and spongiotic dermatitis. *Lab Invest* **79**:601-607, 1999
92. Berg EL et al: The cutaneous lymphocyte antigen is a skin lymphocyte homing receptor for the vascular lectin endothelial cell-leukocyte adhesion molecule 1. *J Exp Med* **174**:1461-1466, 1991
93. Picker LJ et al: A unique phenotype of skin-associated lymphocytes in humans. Preferential expression of the HECA-452 epitope by benign and malignant T cells at cutaneous sites. *Am J Pathol* **136**:1053-1068, 1990
94. Fuhlbrigge RC et al: Cutaneous lymphocyte antigen is a specialized form of PSGL-1 expressed on skin-homing T cells. *Nature* **389**:978-981, 1997
95. Kunstfeld R et al: HECA-452+ T cells migrate through superficial vascular plexus but not through deep vascular plexus endothelium. *J Invest Dermatol* **108**:343-348, 1997
96. Leung DY et al: Expression of endothelial-leukocyte adhesion molecule-1 in elicited late phase allergic reactions. *J Clin Invest* **87**:1805-1809, 1991
97. Lechleitner S et al: Peripheral lymph node addressins are expressed on skin endothelial cells. *J Invest Dermatol* **113**:410-414, 1999
98. Hamann A et al: Role of alpha 4-integrins in lymphocyte homing to mucosal tissues in vivo. *J Immunol* **152**:3282-3293, 1994
99. Pober JS et al: Human endothelial cell presentation of antigen and the homing of memory/effector T cells to skin. *Ann NY Acad Sci* **941**:12-25, 2001
100. Furuta C et al: Discordant developmental waves of angioblasts and hemangioblasts in the early gastrulating mouse embryo. *Development* **133**:2771-2779, 2006
101. Risau W, Flamme I: Vasculogenesis. *Annu Rev Cell Dev Biol* **11**:73-91, 1995
102. Asahara T et al: Isolation of putative progenitor endothelial cells for angiogenesis. *Science* **275**:964-967, 1997
103. Ribatti D et al: Endothelial progenitor cells in health and disease. *Histol Histopathol* **20**:1351-1358, 2005
104. Lyden D et al: Impaired recruitment of bone-marrow-derived endothelial and hematopoietic precursor cells blocks tumor angiogenesis and growth. *Nat Med* **7**:1194, 2001
105. Rafi S, Lyden D: Cancer. A few to flip the angiogenic switch. *Science* **319**:163, 2008
106. Gao D et al: Endothelial progenitor cells control the angiogenic switch in mouse lung metastasis. *Science* **319**:195, 2008
107. Yancopoulos GD et al: Vascular-specific growth factors and blood vessel formation. *Nature* **407**:242-248, 2000
108. Alessandri G et al: Human vasculogenesis ex vivo: Embryonal aorta as a tool for isolation of endothelial cell progenitors. *Lab Invest* **81**:875, 2001
109. Pacilli A, Pasquinelli G: Vascular wall resident progenitor cells: A review. *Experimental Cell Research* **315**:901, 2009

110. Karkkainen MJ et al: A model for gene therapy of human hereditary lymphedema. *Proc Natl Acad Sci USA* **98**:12677-12682, 2001
111. Makinen T et al: Inhibition of lymphangiogenesis with resulting lymphedema in transgenic mice expressing soluble VEGF receptor-3. *Nat Med* **7**:199-205, 2001
112. Fernig DG, Gallagher JT: Fibroblast growth factors and their receptors: An information network controlling tissue growth, morphogenesis and repair. *Prog Growth Factor Res* **5**:353-377, 1994
113. Gospodarowicz D et al: Control of proliferation of human vascular endothelial cells. Characterization of the response of human umbilical vein endothelial cells to fibroblast growth factor, epidermal growth factor, and thrombin. *J Cell Biol* **77**:774-788, 1978
114. Ushiro S et al: Heparin-binding epidermal growth factor-like growth factor: p91 activation induction of plasminogen activator/inhibitor, and tubular morphogenesis in human microvascular endothelial cells. *Jpn J Cancer Res* **87**:68-77, 1996
115. Grant DS et al: Scatter factor induces blood vessel formation in vivo. *Proc Natl Acad Sci USA* **90**:1937-1941, 1993
116. Maisonpierre PC et al: Angiopoietin-2, a natural antagonist for Tie2 that disrupts in vivo angiogenesis. *Science* **277**:55-60, 1997
117. Jones N et al: Rescue of the early vascular defects in Tek/Tie2 null mice reveals an essential survival function. *EMBO Rep* **2**:438-445, 2001
118. Adachi H et al: Expression cloning of a novel scavenger receptor from human endothelial cells. *J Biol Chem* **272**:31217-31220, 1997
119. Gale NW et al: Ephrin-B2 selectively marks arterial vessels and neovascularization sites in the adult, with expression in both endothelial and smooth-muscle cells. *Dev Biol* **230**:151-160, 2001
120. Janzer RC, Raff MC: Astrocytes induce blood-brain barrier properties in endothelial cells. *Nature* **325**:253-257, 1987
121. McAllister KA et al: Endoglin, a TGF-beta binding protein of endothelial cells, is the gene for hereditary haemorrhagic telangiectasia type 1. *Nat Genet* **8**:345-351, 1994
122. Beck L, Jr., D'Amore, PA: Vascular development: cellular and molecular regulation. *Faseb J* **11**:365-373, 1997
123. Carmeliet P et al: Role of tissue factor in embryonic blood vessel development. *Nature* **383**:73-75, 1996
124. Brown LF et al: Expression of vascular permeability factor (vascular endothelial growth factor) by epidermal keratinocytes during wound healing. *J Exp Med* **176**:1375-1379, 1992
125. Detmar M et al: Hypoxia regulates the expression of vascular permeability factor/vascular endothelial growth factor (VPF/VEGF) and its receptors in human skin. *J Invest Dermatol* **108**:263-268, 1997
126. Lichtenberger BM et al: Autocrine VEGF signaling synergizes with EGFR in tumor cells to promote epithelial cancer development. *Cell* **140**:268, 2010
127. Detmar M et al: Keratinocyte-derived vascular permeability factor (vascular endothelial growth factor) is a potent mitogen for dermal microvascular endothelial cells. *J Invest Dermatol* **105**:44-50, 1995
128. Broadley KN et al: Monospecific antibodies implicate basic fibroblast growth factor in normal wound repair. *Lab Invest* **61**:571-575, 1989
129. Christofidou-Solomidou M et al: Expression and function of endothelial cell alpha v integrin receptors in wound-induced human angiogenesis in human skin/SCID mice chimeras. *Am J Pathol* **151**:975-983, 1997
130. Reynolds LE et al: Accelerated re-epithelialization in beta3-integrin-deficient-mice is associated with enhanced TGF-beta1 signaling. *Nat Med* **11**:167-174, 2005
131. Leek RD et al: Cytokine networks in solid human tumors: Regulation of angiogenesis. *J Leukoc Biol* **56**:423-435, 1994
132. Naidu YM et al: Role of scatter factor in the pathogenesis of AIDS-related Kaposi sarcoma. *Proc Natl Acad Sci USA* **91**:5281-5285, 1994
133. Braverman IM, Sibley J: Role of the microcirculation in the treatment and pathogenesis of psoriasis. *J Invest Dermatol* **78**:12-17, 1982
134. Brody I: Dermal and epidermal involvement in the evolution of acute eruptive guttate psoriasis vulgaris. *J Invest Dermatol* **82**:465-470, 1984
135. Detmar M et al: Overexpression of vascular permeability factor/vascular endothelial growth factor and its receptors in psoriasis. *J Exp Med* **180**:1141-1146, 1994
136. Lange-Asschenfeldt B et al: Increased and prolonged inflammation and angiogenesis in delayed-type hypersensitivity reactions elicited in the skin of thrombospondin-2-deficient mice. *Blood* **99**:538-545, 2002
137. Eming SA et al: Regulation of angiogenesis: Wound healing as a model. *Progress in Histochemistry and Cytochemistry* **42**:115, 2007

138. Bao P et al: The role of vascular endothelial growth factor in wound healing. *Journal of Surgical Research* **153**:347, 2009
139. Lerman OZ et al: Cellular dysfunction in the diabetic fibroblast: Impairment in migration, vascular endothelial growth factor production, and response to hypoxia. *Am J Pathol* **162**:303, 2003
140. Liu ZJ, Velazquez OC: Hyperoxia, endothelial progenitor cell mobilization, and diabetic wound healing. *Antioxid Redox Signal* **10**:1869, 2008