

Chapter 163

Cutaneous Necrotizing Venulitis

Nicholas A. Soter

REFERENCES

1. Hunder GG et al: The American College of Rheumatology 1990 criteria for the classification of vasculitis. Introduction. *Arthritis Rheum* **33**:1065, 1990
2. Jennette JC et al: Nomenclature of systemic vasculitides. Proposal of an international consensus conference. *37*:187, 1994
3. Gardner-Medwin JM et al: Incidence of Henoch-Schönlein purpura, Kawasaki disease, and rare vasculitides in children of different ethnic origins. *Lancet* **360**:1197, 2002
4. Gupta S et al: Cutaneous vasculitides: Clinico-pathological correlation. *Indian J Dermatol Venereol Leprol* **75**:356, 2009
5. Watts RA et al: What is known about the epidemiology of the vasculitides? *Best Pract Res Clin Rheumatol* **19**:191, 2005
6. Ghersetich I et al: Cellular steps in pathogenesis of cutaneous necrotizing vasculitis. *Clin Dermatol* **17**: 597, 1999
7. Banno S et al: Apoptotic cell death of neutrophils in development of skin lesions of patients with anaphylactoid purpura. *J Dermatol* **24**:94, 1997
8. van Rossum AP et al: Abundance of the long pentraxin PTX3 at sites of leukocytoclastic lesions in patients with small-vessel vasculitis. *Arthritis Rheum* **54**:986, 2006
9. Lotti TM et al: Langerhans' cells and cutaneous necrotizing vasculitis. *Clin Dermatol* **17**:591, 1999
10. Pacheco LS, Sotto MN: Factor XIIIa+ dermal dendrocytes in erythema elevation diutinum and ordinary cutaneous leukocytoclastic vasculitis lesions. *J Cutan Pathol* **27**:136, 2000
11. Comacchi C et al: γ/δ T lymphocytes and infection: Pathogenesis of leukocytoclastic cutaneous necrotizing vasculitis. *Clin Dermatol* **17**:603, 1999
12. Soter NA et al: Cutaneous necrotizing venulitis: A sequential analysis of the morphological alterations occurring after mast cell degranulation in a patient with a unique syndrome. *Clin Exp Immunol* **32**:46, 1978
13. Kano Y et al: Cellular and molecular dynamics in exercise-induced urticarial vasculitis lesions. *Arch Dermatol* **134**:62, 1998
14. Sais G et al: Adhesion molecule expression and endothelial cell activation in cutaneous leukocytoclastic vasculitis: An immunohistologic and clinical study of 42 patients. *Arch Dermatol* **133**:443, 1997
15. Fessatou S et al: Endothelial 1 levels in relation to clinical presentation and outcome of Henoch-Schönlein purpura. *BMC Pediatr* **8**:33, 2008
16. Yildiz B et al: Increased serum levels of insulin-like growth factor (IGF)-I and IGF-binding protein-3 in Henoch-Schönlein purpura. *Tohoku J Exp Med* **214**:333, 2008
17. Zou CC et al: Plasma levels of matrix metalloproteinase-9 in Henoch-Schönlein purpura. *Scand J Rheumatol* **35**:52, 2006
18. Wang L-J et al: Levels of intracellular adhesion molecule-1 and vascular cell adhesion molecule-1 in children with Henoch-Schönlein purpura. *J Microbiol Immunol Infect* **39**:109, 2006
19. Lin C-Y et al: Thrombopoietin and interleukin-6 levels in Henoch-Schönlein purpura. *J Microbiol Immunol Infect* **39**: 476, 2006
20. Yang Y-H et al: The immunobiology of Henoch-Schönlein purpura. *Autoimmun Rev* **7**:179, 2008
21. Tahan F et al: The role of chemokines in Henoch Schonlein purpura. *Rheumatol Int* **27**:955, 2007
22. Yang Y-H et al: Circulating IgA from acute state of childhood Henoch-Schönlein purpura can enhance endothelial interleukin (IL)-8 production through MEK/ERK signalling pathway. *Clin Exp Immunol* **144**:247, 2006
23. Besbas N et al: Thrombomodulin, tissue plasminogen activator, and plasminogen activator inhibitor-1 in Henoch-Schönlein purpura. *Clin Exp Rheumatol* **16**:95, 1998
24. Prandota J et al: Impaired activation of the fibrinolytic system in children with Henoch-Schönlein purpura: Beneficial effect of hydrocortisone plus Sigma-aminocaproic acid therapy on disappearance rate of cutaneous vasculitis and fibrinolysis. *Am J Ther* **8**:11, 2001

25. Bahrami S et al: Tissue eosinophilia as an indicator of drug-induced cutaneous small-vessel vasculitis. *Arch Dermatol* **142**:155, 2006
26. Amoli MM et al: Henoch-Schönlein purpura and cutaneous leukocytoclastic angiitis exhibit different HLA-DRB1 associations. *J Rheumatol* **29**:945, 2002
27. Ramos-Casals M et al: Vasculitis in systemic lupus erythematosus: Prevalence and clinical characteristics in 670 patients. *Medicine (Baltimore)* **85**:95, 2006
28. Fukuda MV et al: Anti-Ro antibody and cutaneous vasculitis in systemic lupus erythematosus. *Clin Rheumatol* **28**:301, 2009
29. Ramos-Casals M et al: Cutaneous vasculitis in primary Sjögren syndrome: Classification and clinical significance of 52 patients. *Medicine (Baltimore)* **83**:96, 2004
30. Solans-Laqué R et al: Paraneoplastic vasculitis in patients with solid tumors: Report of 15 cases. *J Rheumatol* **35**:294, 2008
31. Cohen P, Guillemin L: Vascularites associées aux infections virales. *Presse Med* **33**:1371, 2004
32. Trejo O et al: Cryoglobulinemia: Study of etiologic factors and clinical and immunologic features in 443 patients from a single center. *Medicine (Baltimore)* **80**:252, 2001
33. Chen K-R et al: Cutaneous vasculitis in Behçet's disease: A clinical and histopathologic study of 20 patients. *J Am Acad Dermatol* **36**:689, 1997
34. Kawakami T et al: Clinical and histopathologic features of 8 patients with microscopic polyangiitis including two with a slowly progressive clinical course. *J Am Acad Dermatol* **57**:840, 2007
35. Niiyama S et al: Dermatological manifestations associated with microscopic polyangiitis. *Rheumatol Int* **28**:593, 2008
36. Irvine AD et al: Microscopic polyangiitis: Delineation of a cutaneous-limited variant associated with antimyeloperoxidase autoantibody. *Arch Dermatol* **133**:474, 1997
37. Burden AD et al: IgA class anticardiolipin antibodies in cutaneous leukocytoclastic vasculitis. *J Am Acad Dermatol* **35**:411, 1996
38. Kawakami T et al: High titer of serum antiphospholipid antibody levels in adult Henoch-Schönlein purpura and cutaneous leukocytoclastic angiitis. *Arthritis Rheum* **59**:561, 2008.
39. Acland KM et al: Livedoid vasculitis: A manifestation of antiphospholipid syndrome? *Br J Dermatol* **140**:131, 1999
40. ten Holder SM, Joy MS, Falk RJ: Cutaneous and systemic manifestations of drug-induced vasculitis. *Ann Pharmacother* **36**:130, 2002
41. Chastain MA et al: Propylthiouracil hypersensitivity: Report of two patients with vasculitis and review of the literature. *J Am Acad Dermatol* **41**:757, 1999
42. Ramos-Casals M et al: Autoimmune diseases induced by TNF-targeted therapies: Analysis of 233 cases. *Medicine (Baltimore)* **86**:242, 2007
43. Ramos-Casals M et al: Vasculitis induced by tumor necrosis factor-targeted therapies. *Curr Rheumatol Rep* **10**:442, 2008
44. Trapani S et al: Henoch Schönlein purpura in childhood: Epidemiological and clinical analysis of 150 cases over a 5-year period and review of literature. *Semin Arthritis Rheum* **35**:143, 2005
45. Diehl MP, Harrington T, Oleginski T: Elderly-onset Henoch Schonlein purpura: A case series and review of the literature. *J A Geriatr Soc* **56**:2157, 2008
46. Peru H, et al: Henoch Schonlein in childhood: Clinical analysis of 254 cases over a 3-year period. *Clin Rheumatol* **27**:1087, 2008
47. Al Sufyani MA: Acute hemorrhagic edema of infancy: Unusual scarring and review of the English language literature. *Int J Dermatol* **48**:617, 2009
48. Soter NA: Urticarial venulitis/vasculitis. In: *Urticaria and Angiodema*, edited by AP Kaplan, MW Greaves. New York, Informa Healthcare, 2009, p. 373
49. Davis MD et al: Clinicopathologic correlation of hypocomplementemic and normocomplementemic urticarial vasculitis. *J Am Acad Dermatol* **38**:899, 1998
50. Dincy CV et al: Clinicopathologic profile of normocomplementemic and hypocomplementemic urticarial vasculitis: A study from South India. *J Eur Acad Dermatol Venereol* **22**:789, 2008
51. Lipsker D et al: The Schnitzler syndrome: Four new cases and review of the literature. *Medicine (Baltimore)* **80**:37, 2001
52. Baselga E et al: Detection of *Mycobacterium tuberculosis* DNA in lobular granulomatous panniculitis (erythema induratum-nodular vasculitis). *Arch Dermatol* **133**:457, 1997
53. Schneider JW, Jordaán HF: The histopathologic spectrum of erythema induratum of Bazin. *Am J Dermatopathol* **19**:323, 1997
54. Fernandes SS et al: Erythema induration and chronic hepatitis C infection. *J Clin Virol* **44**:333, 2009

55. Boyvat A et al: Livedoid vasculopathy associated with heterozygous protein C deficiency. *Br J Dermatol* **143**:840, 2000
56. Hairston BR et al: Livedoid vasculopathy: Further evidence for procoagulant pathogenesis. *Arch Dermatol* **142**: 1413, 2006
57. Khenifer S et al: Livedoid vasculopathy: Thrombotic or inflammatory disease? *Clin Exp Dermatol* **35**(7):693-698, 2010
58. Matsumura Y et al: Sneddon syndrome with multiple cerebral infarctions 12 years after the onset of livedo vasculitis: A possible involvement of platelet activation. *J Dermatol* **28**:508, 2001
59. Francès C et al: Sneddon syndrome with or without antiphospholipid antibodies: A comparative study in 46 patients. *Medicine (Baltimore)* **78**:209, 1999
60. Kalashnikova LA et al: Antibodies to prothrombin in patients with Sneddon's syndrome. *Neurology* **53**:223, 1999
61. Jang K-A et al: Hypereosinophilic syndrome presenting as cutaneous necrotizing eosinophilic vasculitis and Raynaud's phenomenon complicated by digital gangrene. *Br J Dermatol* **143**:641, 2000
62. Chen K-R et al: Eosinophilic vasculitis in connective tissue disease. *J Am Acad Dermatol* **35**:173, 1996
63. D'Cruz DP et al: Autoantibodies in systemic lupus erythematosus and urticarial vasculitis. *J Rheumatol* **22**:1669, 1995
64. Rovel-Guitera P et al: IgA antineutrophil cytoplasmic antibodies in cutaneous vasculitis. *Br J Dermatol* **143**:99, 2000
65. Soter NA et al: Two distinct cellular patterns in cutaneous necrotizing angiitis. *J Invest Dermatol* **66**:344, 1976
66. Egan CA et al: IgA1 is the major IgA subclass in cutaneous blood vessels in Henoch-Schönlein purpura. *Br J Dermatol* **141**:859, 1999
67. Ong CS, Benson EM: Successful treatment of chronic leukocytoclastic vasculitis and persistent ulceration with intravenous immunoglobulin. *Br J Dermatol* **143**:447, 2000
68. Mang R, Ruzicka T, Stege H: Therapy for severe necrotizing vasculitis with infliximab. *J Am Acad Dermatol* **51**:321, 2004
69. Donnithorne KJ et al: Rituximab therapy for severe refractory chronic Henoch-Schönlein purpura. *J Pediatr* **155**:136, 2009
70. Chung L et al: Successful use of rituximab for cutaneous vasculitis. *Arch Dermatol* **142**:1407, 2006
71. Worm M, Sterry W, Kolde G: Mycophenolate mofetil is effective for maintenance therapy of hypocomplementaemic urticarial vasculitis. *Br J Dermatol* **143**:1324, 2000
72. Zeni P, Finger E, Scheinberg MA: Successful use of rituximab in a patient with recalcitrant livedoid vasculopathy. *Ann Rheum Dis* **67**:1055, 2008
73. Deng A et al: Livedoid vasculopathy associated with plasminogen activator inhibitor-1 promoter homozygosity (4G/4G) treated successfully with tissue plasminogen activator. *Arch Dermatol* **142**:1466, 2006
74. Juan W-H et al: Livedoid vasculopathy: Long-term follow-up results following hyperbaric oxygen therapy. *Br J Dermatol* **154**:251, 2006

