

## Chapter 188

# Superficial Fungal Infection

Stefan M. Schieke & Amit Garg

### REFERENCES

1. Aly R: Ecology and epidemiology of dermatophyte infections. *J Am Acad Dermatol* **31**:S21, 1994
2. Graser Y, Scott J, Summerbell R: The new species concept in dermatophytes—a polyphasic approach. *Mycopathologia* **166**:239, 2008
3. Greer DL: An overview of common dermatophytes. *J Am Acad Dermatol* **31**:S112, 1994
4. Chastain MA, Reed RJ, Pankey GA: Deep dermatophytosis: Report of 2 cases and review of the literature. *Cutis* **67**:457, 2001
5. Tsang P, Hopkins T, Jimenez-Lucho V: Deep dermatophytosis caused by *Trichophyton rubrum* in a patient with AIDS. *J Am Acad Dermatol* **34**:1090, 1996
6. Johnson RA: Dermatophyte infections in human immune deficiency virus (HIV) disease. *J Am Acad Dermatol* **43**:S135, 2000
7. Havlickova B, Czaika VA, Friedrich M: Epidemiological trends in skin mycoses worldwide. *Mycoses* **51**(Suppl 4):2, 2008
8. Foster KW, Ghannoum MA, Elewski BE: Epidemiologic surveillance of cutaneous fungal infection in the United States from 1999 to 2002. *J Am Acad Dermatol* **50**:748, 2004
9. Ginter-Hanselmayer G et al: Epidemiology of tinea capitis in Europe: Current state and changing patterns. *Mycoses* **50**(Suppl 2):6, 2007
10. Seebacher C, Bouchara JP, Mignon B: Updates on the epidemiology of dermatophyte infections. *Mycopathologia* **166**:335, 2008
11. Magill SS et al: Isolation of *Trichophyton violaceum* and *Trichophyton soudanense* in Baltimore, Maryland. *J Clin Microbiol* **45**:461, 2007
12. Kaufman G et al: Infection stages of the dermatophyte pathogen *Trichophyton*: Microscopic characterization and proteolytic enzymes. *Med Mycol* **45**:149, 2007
13. Garg AP, Muller J: Fungitoxicity of fatty acids against dermatophytes. *Mycoses* **36**:51, 1993
14. Treat J et al: Growth inhibition of *Trichophyton* species by *Pseudomonas aeruginosa*. *Arch Dermatol* **143**:61, 2007
15. Staib P et al: Differential gene expression in the pathogenic dermatophyte *Arthroderma benhamiae* in vitro versus infection. *Microbiology* **156**(Pt 3):884-895, 2010
16. Baldo A et al: Secreted subtilisin Sub3 from *Microsporum canis* is required for adherence to but not for invasion of the epidermis. *Br J Dermatol* **162**(5):990-997, 2010
17. Baeza LC et al: cDNA representational difference analysis used in the identification of genes expressed by *Trichophyton rubrum* during contact with keratin. *Microbes Infect* **9**:1415, 2007
18. Monod M et al: Secreted proteases from pathogenic fungi. *Int J Med Microbiol* **292**:405, 2002
19. Blake JS et al: An immunoinhibitory cell wall glycoprotein (mannan) from *Trichophyton rubrum*. *J Invest Dermatol* **96**:657, 1991
20. Dahl MV: Dermatophytosis and the immune response. *J Am Acad Dermatol* **31**:S34, 1994
21. Jensen JM et al: Barrier function, epidermal differentiation, and human beta-defensin 2 expression in tinea corporis. *J Invest Dermatol* **127**:1720, 2007
22. Shiraki Y et al: Cytokine secretion profiles of human keratinocytes during *Trichophyton tonsurans* and *Arthroderma benhamiae* infections. *J Med Microbiol* **55**:1175, 2006
23. Tani K et al: The effect of dermatophytes on cytokine production by human keratinocytes. *Arch Dermatol Res* **299**:381, 2007
24. Leibovici V et al: Imbalance of immune responses in patients with chronic and widespread fungal skin infection. *Clin Exp Dermatol* **20**:390, 1995
25. Sato K et al: Dectin-2 is a pattern recognition receptor for fungi that couples with the Fc receptor gamma chain to induce innate immune responses. *J Biol Chem* **281**:38854, 2006
26. Robinson MJ et al: Dectin-2 is a Syk-coupled pattern recognition receptor crucial for Th17 responses to fungal infection. *J Exp Med* **206**:2037, 2009
27. Glocker EO et al: A homozygous CARD9 mutation in a family with susceptibility to fungal infections. *N Engl J Med* **361**:1727, 2009

28. Panasiti V et al: Comparison of diagnostic methods in the diagnosis of dermatomycoses and onychomycoses. *Mycoses* **49**:26, 2006
29. Weinberg JM et al: Comparison of diagnostic methods in the evaluation of onychomycosis. *J Am Acad Dermatol* **49**:193, 2003
30. Shy R: Tinea corporis and tinea capitis. *Pediatr Rev* **28**:164, 2007
31. Sharma V et al: Scalp colonization by *Trichophyton tonsurans* in an urban pediatric clinic - asymptomatic carrier state. *Arch Dermatol* **124**:1511, 1988
32. Patel GA, Schwartz RA: Tinea capitis: Still an unsolved problem? *Mycoses* **54**(3):183–188, 2011
33. Howard R, Frieden IJ: Tinea capitis: New perspectives on an old disease. *Semin Dermatol* **14**:2, 1995
34. Arenas R, Toussaint S, Isa-Isa R: Kerion and dermatophytic granuloma. Mycological and histopathological findings in 19 children with inflammatory tinea capitis of the scalp. *Int J Dermatol* **45**:215, 2006
35. Smith ML: Tinea capitis. *Pediatr Ann* **25**:101, 1996
36. Langley JB: Fungal diseases. In: *Lever's Histopathology of the Skin*. edited by Elder D. Philadelphia: Lippincott; 1997, p. 517
37. Imamura S, Tanaka M, Watanabe S: Use of immunofluorescence staining in kerion. *Arch Dermatol* **111**:906, 1975
38. Khan KA, Anwar AA: Study of 73 cases of tinea capitis and tinea favosa in adults and adolescents. *J Invest Dermatol* **51**:474, 1968
39. Morar N et al: Tinea capitis in Kwa-Zulu Natal, South Africa. *Pediatr Dermatol* **21**:444, 2004
40. Gargoom AM et al: Tinea capitis in Benghazi, Libya. *Int J Dermatol* **39**:263, 2000
41. Venugopal PV, Venugopal TV: Tinea capitis in Saudi Arabia. *Int J Dermatol* **32**:39, 1993
42. Rippon JW: Dermatophytosis and dermatomycosis. In: *Medical Mycology: Pathogenic Fungi and the Pathogenic Actinomycetes*, edited by Rippon JW. Philadelphia: Saunders; 1988, p. 169
43. Besbes M et al: Favus due to *Trichophyton mentagrophytes* var. *quinckeanum*. *Mycoses* **46**:358, 2003
44. Rebell G, Zaias N: Introducing the syndromes of human dermatophytosis. *Cutis* **67**:6, 2001
45. Taplin D: Dermatophytosis in Vietnam. *Cutis* **67**:19, 2001
46. Adams BB: Tinea corporis gladiatorum. *J Am Acad Dermatol* **47**:286, 2002
47. Elgart ML: Tinea incognito: An update on Majocchi granuloma. *Dermatol Clin* **14**:51, 1996
48. Daniel CR 3rd et al: Two feet-one hand syndrome: A retrospective multicenter survey. *Int J Dermatol* **36**:658, 1997
49. Neri I et al: Bullous tinea pedis in two children. *Mycoses* **47**:475, 2004
50. Seeburger J, Scher RK: Long-term remission of two feet-one hand syndrome. *Cutis* **61**:149, 1998
51. Grappel SF, Bishop CT, Blank F: Immunology of dermatophytes and dermatophytosis. *Bacteriol Rev* **38**:222, 1974
52. Kaaman T, Torssander J: Dermatophytid—a misdiagnosed entity? *Acta Derm Venereol* **63**:404, 1983
53. Veien NK, Hattel T, Laurberg G: Plantar *Trichophyton rubrum* infections may cause dermatophytids on the hands. *Acta Derm Venereol* **74**:403, 1994
54. Gianni C, Betti R, Crosti C: Psoriasiform id reaction in tinea corporis. *Mycoses* **39**:307, 1996
55. Calista D, Schianchi S, Morri M: Erythema nodosum induced by kerion celsi of the scalp. *Pediatr Dermatol* **18**:114, 2001
56. Weary PE, Guerrant JL: Chronic urticaria in association with dermatophytosis. Response to the administration of griseofulvin. *Arch Dermatol* **95**:400, 1967
57. Gupta AK et al: Prevalence and epidemiology of unsuspected onychomycosis in patients visiting dermatologists' offices in Ontario, Canada—a multicenter survey of 2001 patients. *Int J Dermatol* **36**:783, 1997
58. Ghannoum MA et al: A large-scale North American study of fungal isolates from nails: The frequency of onychomycosis, fungal distribution, and antifungal susceptibility patterns. *J Am Acad Dermatol* **43**:641, 2000
59. Lange M et al: Onychomycosis is no longer a rare finding in children. *Mycoses* **49**:55, 2006
60. Svejgaard EL, Nilsson J: Onychomycosis in Denmark: Prevalence of fungal nail infection in general practice. *Mycoses* **47**:131, 2004
61. Szepletowski JC et al: Factors influencing coexistence of toenail onychomycosis with tinea pedis and other dermatomycoses: A survey of 2761 patients. *Arch Dermatol* **142**:1279, 2006
62. Effendy I et al: Epidemiology and clinical classification of onychomycosis. *J Eur Acad Dermatol Venereol* **19**(Suppl 1):8, 2005

63. Gupta AK et al: Prevalence and epidemiology of onychomycosis in patients visiting physicians' offices: A multicenter Canadian survey of 15,000 patients. *J Am Acad Dermatol* **43**:244, 2000
64. Prose NS, Abson KG, Scher RK: Disorders of the nails and hair associated with human immunodeficiency virus infection. *Int J Dermatol* **31**:453, 1992
65. Zaias N: Onychomycosis. *Arch Dermatol* **105**:263, 1972
66. Summerbell RC et al: Onychomycosis: A critical study of techniques and criteria for confirming the etiologic significance of nondermatophytes. *Med Mycol* **43**:39, 2005
67. Scher RK, Daniel CR. *Nails: Therapy, Diagnosis, Surgery*. Philadelphia: Saunders; 1997
68. Roberts BJ, Friedlander SF: Tinea capitis: A treatment update. *Pediatr Ann* **34**:191, 2005
69. Elewski BE: Treatment of tinea capitis: Beyond griseofulvin. *J Am Acad Dermatol* **40**:S27, 1999
70. Elewski BE et al: Terbinafine hydrochloride oral granules versus oral griseofulvin suspension in children with tinea capitis: Results of two randomized, investigator-blinded, multicenter, international, controlled trials. *J Am Acad Dermatol* **59**:41, 2008
71. Gupta AK, Cooper EA: Update in antifungal therapy of dermatophytosis. *Mycopathologia* **166**:353, 2008
72. Pomeranz AJ, Sabnis SS: Tinea capitis: Epidemiology, diagnosis and management strategies. *Paediatr Drugs* **4**:779, 2002
73. Gupta AK, Chaudhry M, Elewski B: Tinea corporis, tinea cruris, tinea nigra, and piedra. *Dermatol Clin* **21**:395, 2003
74. Crawford F et al: Extracts from "Clinical evidence": Athlete's foot and fungally infected toenails. *BMJ* **322**:288, 2001
75. Lebowitz M et al: Efficacy and safety of terbinafine 1% solution in the treatment of interdigital tinea pedis and tinea corporis or tinea cruris. *Cutis* **67**:261, 2001
76. Gupta AK et al: Itraconazole for the treatment of tinea pedis: A dosage of 400 mg/day given for 1 week is similar in efficacy to 100 or 200 mg/day given for 2 to 4 weeks. *J Am Acad Dermatol* **36**:789, 1997
77. Gupta AK, Joseph WS: Ciclopirox 8% nail lacquer in the treatment of onychomycosis of the toenails in the United States. *J Am Podiatr Med Assoc* **90**:495, 2000
78. Crawford F, Hollis S: Topical treatments for fungal infections of the skin and nails of the foot. *Cochrane Database Syst Rev* CD001434, 2007
79. Crawford F et al: Oral treatments for toenail onychomycosis: A systematic review. *Arch Dermatol* **138**:811, 2002
80. de Berker D: Clinical practice. Fungal nail disease. *N Engl J Med* **360**:2108, 2009
81. Gupta AK et al: The use of itraconazole to treat cutaneous fungal infections in children. *Dermatology* **199**:248, 1999
82. Evans EG, Sigurgeirsson B: Double blind, randomised study of continuous terbinafine compared with intermittent itraconazole in treatment of toenail onychomycosis. The LION Study Group. *BMJ* **318**:1031, 1999
83. Sigurgeirsson B et al: Long-term effectiveness of treatment with terbinafine vs itraconazole in onychomycosis: A 5-year blinded prospective follow-up study. *Arch Dermatol* **138**:353, 2002
84. Baran R: Topical amorolfine for 15 months combined with 12 weeks of oral terbinafine, a cost-effective treatment for onychomycosis. *Br J Dermatol* **145**(Suppl 60):15, 2001
85. Gupta AK: Ciclopirox topical solution, 8% combined with oral terbinafine to treat onychomycosis: A randomized, evaluator-blinded study. *J Drugs Dermatol* **4**:481, 2005
86. Ramsewak RS et al: In vitro antagonistic activity of monoterpenes and their mixtures against 'toe nail fungus' pathogens. *Phytother Res* **17**:376, 2003
87. Pinto E et al: Antifungal activity of the essential oil of *Thymus pulegioides* on *Candida*, *Aspergillus* and dermatophyte species. *J Med Microbiol* **55**:1367, 2006
88. Schwartz RA: Superficial fungal infections. *Lancet* **364**:1173, 2004
89. Vanvelsor H, Singletary H: Tinea nigra palmaris. A report of 15 cases from coastal north carolina. *Arch Dermatol* **90**:59, 1964
90. Burke WA: Tinea nigra: Treatment with topical ketoconazole. *Cutis* **52**:209, 1993
91. Shannon PL et al: Treatment of tinea nigra with terbinafine. *Cutis* **64**:199, 1999
92. Coimbra Junior CE, Santos RV: Black piedra among the Zoro Indians from Amazonia (Brazil). *Mycopathologia* **107**:57, 1989
93. Kalter DC et al: Genital white piedra: Epidemiology, microbiology, and therapy. *J Am Acad Dermatol* **14**:982, 1986

