

# Chapter 203

## Lymphogranuloma Venereum

Rim S. Ishak & Samer H. Ghosn

### REFERENCES

1. Memish ZA, Osoba AO: International travel and sexually transmitted diseases. *Travel Med Infect Dis* 4(2):86-93, 2006
2. Goeman J, Piot P: The epidemiology of sexually transmitted diseases in Africa and Latin America. *Semin Dermatol* 9(2):105-108, 1990
3. Simms I et al: Lymphogranuloma venereum in Australia. *Sex Health* 3(3):131-133, 2006
4. Centers for Disease Control and Prevention (CDC): Lymphogranuloma venereum among men who have sex with men—Netherlands, 2003–2004. *MMWR Morb Mortal Wkly Rep* 53(42):985-988, 2004
5. Nieuwenhuis RF et al: Resurgence of lymphogranuloma venereum in Western Europe: An outbreak of Chlamydia trachomatis serovar I2 proctitis in The Netherlands among men who have sex with men. *Clin Infect Dis* 39(7):996-1003, 2004
6. Sethi G et al: Lymphogranuloma venereum presenting as genital ulceration and inguinal syndrome in men who have sex with men in London, UK. *Sex Transm Infect* 85(3):165-170, 2009
7. Stark D et al: Lymphogranuloma venereum in Australia: Anorectal Chlamydia trachomatis serovar L2b in men who have sex with men. *J Clin Microbiol* 45(3):1029-1031, 2007
8. Blank S, Schillinger JA, Harbatkin D: Lymphogranuloma venereum in the industrialised world. *Lancet* 365(9471):1607-1608, 2005
9. Meyer T et al: Repeated detection of lymphogranuloma venereum caused by Chlamydia trachomatis L2 in homosexual men in Hamburg. *Sex Transm Infect* 81(1):91-92, 2005
10. Kropp RY, Wong T: Emergence of lymphogranuloma venereum in Canada. *CMAJ* 172(13):1674-1676, 2005
11. French P, Ison CA, Macdonald N: Lymphogranuloma venereum in the United Kingdom. *Sex Transm Infect* 81(2):97-98, 2005
12. Pages F et al: Conjugal Nicolas and Favre disease. *Bull Soc Fr Dermatol Syphiligr* 71:695-698, 1964
13. Stein RO: Conjugal lymphogranulomatosis inguinalis. *Z Haut Geschlechtskr* 9(5):208-215, 1950
14. Hamill M et al: The clinical manifestations of anorectal infection with lymphogranuloma venereum (LGV) versus non-LGV strains of Chlamydia trachomatis: A case-control study in homosexual men. *Int J STD AIDS* 18(7):472-475, 2007
15. Bauwens JE et al: Epidemic Lymphogranuloma venereum during epidemics of crack cocaine use and HIV infection in the Bahamas. *Sex Transm Dis* 29(5):253-259, 2002
16. Ward H et al: The prevalence of lymphogranuloma venereum infection in men who have sex with men: Results of a multicentre case finding study. *Sex Transm Infect* 85(3):173-175, 2009
17. Kapoor S: Re-emergence of lymphogranuloma venereum. *J Eur Acad Dermatol Venereol* 22(4):409-416, 2008
18. Wang SP et al: Immunotyping of Chlamydia trachomatis with monoclonal antibodies. *J Infect Dis* 152(4):791-800, 1985
19. Spaargaren J et al: Slow epidemic of lymphogranuloma venereum L2b strain. *Emerg Infect Dis* 11(11):1787-1788, 2005
20. Geisler WM et al: The relationship of serovar to clinical manifestations of urogenital Chlamydia trachomatis infection. *Sex Transm Dis* 30(2):160-165, 2003
21. Marchand C et al: Anal lymphogranuloma venereum with erythema nodosa. Apropos of a case. *Ann Dermatol Venereol* 114(1):65-69, 1987
22. Sturm PD et al: Molecular diagnosis of lymphogranuloma venereum in patients with genital ulcer disease. *J Clin Microbiol* 43(6):2973-2975, 2005
23. Bowie WR: Nongonococcal urethritis and lymphogranuloma venereum. *Cutis* 33(1):97-100, 103-104, 109-110, 1984
24. Sonck C: On the occurrence of solar dermatitis in lymphogranuloma inguinale. *Acta Derm Venereol (Stockh)* 20:529, 1939
25. Franceschetti A, Mach R, Chanal G: Two cases of venereal lymphogranulomatosis with iritis and arthralgia. *Praxis* 40(2):22-25, 1951

26. Myhre EB, Mardh PA: Unusual manifestations of Chlamydia trachomatis infections. *Scand J Infect Dis Suppl* 32:122-126, 1982
27. Schachter J, Osoba AO: Lymphogranuloma venereum. *Br Med Bull* 39(2):151-154, 1983
28. Aggarwal K, Jain VK, Gupta S: Bilateral groove sign with penoscrotal elephantiasis. *Sex Transm Infect* 78(6):458, 2002
29. Van der Bij AK et al: Diagnostic and clinical implications of anorectal lymphogranuloma venereum in men who have sex with men: A retrospective case-control study. *Clin Infect Dis* 42(2):186-194, 2006
30. Ward H et al: Lymphogranuloma venereum in the United Kingdom. *Clin Infect Dis* 44(1):26-32, 2007
31. White JA: Manifestations and management of lymphogranuloma venereum. *Curr Opin Infect Dis* 22(1):57-66, 2009
32. Hopsu-Havu VK, Sonck CE: Infiltrative, ulcerative, and fistular lesions of the penis due to lymphogranuloma venereum. *Br J Vener Dis* 49(2):193-202, 1973
33. Kumaran MS et al: Saxophone penis revisited. *Int J STD AIDS* 17(1):65-66, 2006
34. Trebing D et al: Tumorous extragenital manifestation of lymphogranuloma venereum. *J Dtsch Dermatol Ges* 3(6):445-447, 2005
35. Thorsteinsson SB et al: Lymphogranuloma venereum. A cause of cervical lymphadenopathy. *JAMA* 235(17):1882, 1976
36. Watson DJ, Parker AJ, Macleod TI: Lymphogranuloma venereum of the tonsil. *J Laryngol Otol* 104(4):331-332, 1990
37. Andrada MT, Dhar JK, Wilde H: Oral lymphogranuloma venereum and cervical lymphadenopathy. Case report. *Mil Med* 139(2):99-101, 1974
38. Albay DT, Mathisen GE: Head and neck manifestations of lymphogranuloma venereum. *Ear Nose Throat J* 87(8):478-480, 2008
39. Buus DR et al: Lymphogranuloma venereum conjunctivitis with a marginal corneal perforation. *Ophthalmology* 95(6):799-802, 1988
40. Bernstein DI et al: Mediastinal and supraclavicular lymphadenitis and pneumonitis due to Chlamydia trachomatis serovars L1 and L2. *N Engl J Med* 311(24):1543-1546, 1984
41. Dangor Y et al: Accuracy of clinical diagnosis of genital ulcer disease. *Sex Transm Dis* 17(4):184-189, 1990
42. Chen CY et al: A real-time quadruplex PCR assay for the diagnosis of rectal lymphogranuloma venereum and non-lymphogranuloma venereum Chlamydia trachomatis infections. *Sex Transm Infect* 84(4):273-276, 2008
43. Chen JC, Stephens RS: Chlamydia trachomatis glycosaminoglycan-dependent and independent attachment to eukaryotic cells. *Microb Pathog* 22(1):23-30, 1997
44. Chen JC, Zhang JP, Stephens RS: Structural requirements of heparin binding to Chlamydia trachomatis. *J Biol Chem* 271(19):11134-11140, 1996
45. Herrmann B et al: Differentiation of Chlamydia spp. by sequence determination and restriction endonuclease cleavage of RNase P RNA genes. *J Clin Microbiol* 34(8):1897-1902, 1996
46. Van Dyck E, Piot P: Laboratory techniques in the investigation of chancroid, lymphogranuloma venereum and donovanosis. *Genitourin Med* 68(2):130-133, 1992
47. Clad A et al: Detection of seroconversion and persistence of Chlamydia trachomatis antibodies in five different serological tests. *Eur J Clin Microbiol Infect Dis* 19(12):932-937, 2000
48. Viravan C et al: A prospective clinical and bacteriologic study of inguinal buboes in Thai men. *Clin Infect Dis* 22(2):233-239, 1996
49. Sonck CE et al: Autoimmune serum factors in active and inactive lymphogranuloma venereum. *Br J Vener Dis* 49(1):67-68, 1973
50. Greaves AB: The frequency of lymphogranuloma venereum in persons with perirectal abscesses, fistulae in Ano, or both. With particular reference to the relationship between perirectal abscesses of lymphogranuloma origin in the male and inversion. *Bull World Health Organ* 29:797-801, 1963
51. Quinn TC et al: Chlamydia trachomatis proctitis. *N Engl J Med* 305(4):195-200, 1981
52. Fleming DT, Wasserheit JN: From epidemiological synergy to public health policy and practice: The contribution of other sexually transmitted diseases to sexual transmission of HIV infection. *Sex Transm Infect* 75(1):3-17, 1999
53. Senitzer D et al: Infectious antecedent of immunoblastic lymphoma. Progressive immunosuppression in a patient with lymphogranuloma venereum. *Am J Med* 78(1):163-167, 1985
54. El Karoui K et al: Reactive arthritis associated with L2b lymphogranuloma venereum proctitis. *Sex Transm Infect* 85(3):180-181, 2009

55. Vall-Mayans M, Caballero E, Sanz B: The emergence of lymphogranuloma venereum in Europe. *Lancet* **374**(9686):356, 2009
56. Nieuwenhuis RF et al: Unusual presentation of early lymphogranuloma venereum in an HIV-1 infected patient: Effective treatment with 1 g azithromycin. *Sex Transm Infect* **79**(6):453-455, 2003
57. Workowski KA, Berman SM: Centers for Disease Control and Prevention sexually transmitted diseases treatment guidelines. *Clin Infect Dis* **44**(Suppl 3):S73-S76, 2007

