

Chapter 208

Scabies, Other Mites, and Pediculosis

Craig N. Burkhart & Craig G. Burkhart

REFERENCES

1. Burkhart CG: Scabies: An epidemiologic reassessment. *Ann Intern Med* **98**:498-503, 1983
2. Mellanby K: *Scabies*, 2nd edition. Hampton, England, E.W. Classey Ltd, 1972
3. Carslow RW, Dobson RM, Hook AJK: Mites in the environment of cases of Norwegian scabies. *Br J Dermatol* **92**:333-337, 1975
4. Estes SA, Arlian L: Survival of *Sarcoptes scabiei*. *J Am Acad Dermatol* **5**:343-345, 1981
5. Arlian LG, Estes SA, Vyszynski-Moher DL: Prevalence of *Sarcoptes scabiei* in the environment of scabietic patients. *J Am Acad Dermatol* **21**:806-811, 1988
6. Arlian LG, Runyan RA, Achar S: Survival and infestivity of *Sarcoptes scabiei* var *canis* and var *hominis*. *J Am Acad Dermatol* **11**:210-215, 1984
7. Burgess I: *Sarcoptes scabiei* and scabies. *Adv Parasitol* **33**:235-293, 1994
8. Fimiani M et al: The behaviour of *Sarcoptes scabiei* in the skin. *J Invest Dermatol* **107**:659, 1996
9. Bergstrom FC et al: Scabies mite inactivated serine protease paralogs inhibit the human complement system. *J Immunol* **182**:7809-7817, 2009
10. Prins C, Stucki L, French L: Dermoscopy for the *in vivo* detection of *Sarcoptes scabiei*. *Dermatology* **208**:241-243, 2004
11. Argenziano G, Fabbrocini G, Delfino M: Epiluminescence microscopy. A new approach to *in vivo* detection of *Sarcoptes scabiei*. *Arch Dermatol* **133**:751-753, 1997
12. van der Heijden HM, Rambags PG, Elbers AR: Validation of ELISAs for the detection of antibodies to *Sarcoptes scabiei* in pigs. *Vet Parasitol* **89**:95-107, 2000
13. Wong MM et al: The presence of cutaneous antibodies in scabies. *J Invest Dermatol* **129**:S17, 2009
14. Bornhovd E et al: Bullous scabies and scabies-triggered bullous pemphigoid. *Hautarzt* **52**:56-61, 2001
15. Anonymous: Labeling changes for Lindane. *FDA Consum* **37**:6, 2003
16. FDA Public Health Advisory: *Safety of Topical Lindane Products for the Treatment of Scabies and Lice*. Center for Drug Evaluation and Research, <http://www.fda.gov/cder/drug/infopage/lindane/default.htm>, accessed Jun 5, 2003
17. California Department of Health Services: *State Health Director Offers Tips for Protecting Children From Head Lice*. Sacramento, California Dept of Health Services; Oct 10, 2000. News Release No. 54-00
18. Burkhart CG, Burkhart CN: Safety and efficacy of pediculicides for head lice. *Expert Opin Drug Saf* **5**:169-176, 2006
19. Pasay C et al: The effect of insecticide synergists on the response of scabies mites to pyrethroid acaricides. *PLoS Negl Trop Dis* **3**:e354, 2009
20. Pruksachatkunakorn C, Damrongsak M, Sinthupuan S: Sulfur for scabies outbreaks in orphanages. *Pediatr Dermatol* **19**:448-453, 2002
21. Diaz M, Cazorla D, Acosta M: Efficacy, safety, and acceptability of precipitated sulphur petrolatum for topical treatment of scabies at the city of Coro, Falcon State, Venezuela. *Rev Invest Clin* **56**:615-622, 2004
22. Campbell WC: *Ivermectin and Abamectin*. New York, Springer-Verlag, 1989, pp. 149-161, 215-229
23. Burkhart CN: Ivermectin: An assessment of its pharmacology, microbiology, and safety. *Vet Human Toxicol* **42**:30-35, 2000
24. Meinking TL, Taplin D, Hermida JL: The treatment of scabies with ivermectin. *N Engl J Med* **333**:26-30, 1996
25. Aubin F, Humbert P: Ivermectin for crusted (Norwegian) scabies. *N Engl J Med* **332**:1995, 1995
26. Marty P, Gari-Toussaint M, LeFichoux Y: Efficacy of ivermectin in the treatment of an epidemic of *Sarcoptes scabiei*. *Ann Trop Med Parasitol* **88**:433, 1994
27. Grob M, Dorn K, Lautenschlager S: Grain mites: A small epidemic caused by *Pyemotes* species. *Hautarzt* **49**:838-843, 1998
28. Kunkle GA, Greiner EC: Dermatitis in horses and man caused by the straw itch mite. *J Am Vet Med Assoc* **181**:467-469, 1982

29. Elston DM: What's eating you? Chiggers. *Cutis* 77:350-352, 2006
30. Jeong SK, Kim HJ, Youm JK: Mite and cockroach allergens activate protease-activated receptor 2 and delay epidermal permeability barrier recovery. *J Invest Dermatol* 128:1930-1939, 2008
31. Bussmann C et al: Does allergen-specific immunotherapy represent a therapeutic option for patients with atopic dermatitis? *J Allergy Clin Immunol* 118:1292-1298, 2006
32. Mumcuoglu KY, Klaus S, Kafka D: Clinical observation related to head lice infestation. *J Am Acad Dermatol* 25:248-251, 1991
33. Carter D: 1990 *Insect egg glue*. Ph.D. Thesis, Department of Applied Biology, Cambridge University
34. Burkhart CN: Fomite transmission with head lice: A continuing controversy. *Lancet* 361:99-100, 2003
35. Takano-Lee M et al: Transmission potential of the human head louse, *Pediculus capitis*. *Int J Dermatol* 44:811-816, 2005
36. Burkhart CN, Burkhart CG: Fomite transmission in head lice. *J Am Acad Dermatol* 56:1044-1047, 2007
37. Burgess IF: Human lice and their management. *Adv Parasitol* 36:271-342, 1995
38. Mauder JW: An update on head lice. *Health Visit* 66:317-318, 1993
39. Speare R, Cahill C, Thomas G: Head lice on pillows, and strategies to make a small risk even less. *Int J Dermatol* 42:626-629, 2003
40. Burkhart CN et al: Molecular composition of the louse sheath. *J Parasitol* 85:559-561, 1999
41. Burkhart CN: *Nit Sheath and Bacterial Symbiotes of the Human Head Louse (Pediculus Humanus Capitis)* [Master's Thesis]. Toledo, OH, Medical College of Ohio, 2003
42. Burkhart CN, Burkhart CG, Pchalak I: The adherent cylindrical nit structure and its chemical denaturation in vitro: An assessment with therapeutic implication for head lice. *Arch Pediatr Adolesc Med* 152:711-712, 1998
43. Dodd C: Treatment of head lice: Choice of treatment will depend on local patterns of resistance. *BMJ* 323(7321):1084, 2001
44. Roberts RJ et al: Comparison of wet combing with malathion for treatment of head lice in the UK: A pragmatic randomized controlled trial. *Lancet* 356:540-544, 2000
45. Jahnke C et al: Accuracy of diagnosis of pediculosis capitis: Visual inspection vs wet combing. *Arch Dermatol* 145:309-313, 2009
46. Fournier A: Human pathogens in body and head lice. *Emerg Infect Dis* 8:1515-1518, 2002
47. Robinson B: Potential role of head lice, *Pediculus humanus capitis*, as vectors of *Rickettsia prowazekii*. *Parasitol Res* 90:209-211, 2003
48. Weyer KF: Biological relationships between lice and microbial agents. *Annu Rev Entomol* 5:405-420, 1960
49. Frankowski BL, Weiner LB, Committee on School Health the Committee on Infectious Diseases. American Academy of Pediatrics: Head Lice. *Pediatrics* 110(3):638-643, 2002
50. Grayson ML: The treatment triangle for staphylococcal infections. *N Engl J Med* 355(7):724-727, 2006
51. Meinking TL et al: Comparative in vitro pediculicidal efficacy of treatments in a resistant head lice population in the United States. *Arch Dermatol* 138:220-224, 2002
52. Meinking TL et al: Comparative efficacy of treatments for pediculosis capitis infestations. *Arch Dermatol* 122:267-271, 1986
53. Meinking TL, Entzel P, Villar ME: Comparative efficacy of treatments for pediculosis capitis infestations: Update 2000. *Arch Dermatol* 137(3):287-292, 2001
54. Downs AMR, Stafford KA, Hunt LP: Widespread insecticide resistance in head lice to the over-the-counter pediculicides in England and the emergence of carbaryl resistance. *Br J Dermatol* 146:88-89, 2002
55. Burkhart CN, Burkhart CG: Topical pyrethroids: Assessment of function and efficacy in head lice. *Int J Pediatr* 17:209-212, 2002
56. Chosidow O, Chastang C, Brue C: Controlled study of malathion and d-phenothrin lotions for *Pediculus humanus var capitis*-infested school children. *Lancet* 344:1724-1727, 1994
57. Meinking TL, Serrano L, Hard B: Comparative in vitro pediculocidal efficacy of treatments in a resistant head lice population. *Arch Dermatol* 138:220-224, 2002
58. Meinking TL et al: Efficacy of a reduced application time of Ovide lotion (0.5% malathion) compared to Nix crème rinse (1% permethrin) for the treatment of head lice. *Ped Dermatol* 21:670-674, 2004

59. Burgess IF, Brown CM, Peck S: Head lice resistant to pyrethroid insecticides in Britain. *Br Med J* **311**:752, 1995
60. Downs AMR, Stafford KA, Coles GC: Head lice: Prevalence in school children and insecticide resistance. *Parasitol Today* **15**:1-5, 1999
61. Bailey AM, Procive P: Persistent head lice following multiple treatments: Evidence for insecticide resistance in *Pediculus humanus capitis*. *Australas J Dermatol* **42**:146-149, 2001
62. Downs AMR, Stafford KA, Hunt LP: Widespread insecticide resistance in head lice to the over-the-counter pediculicides in England and the emergence of carbaryl resistance. *Br J Dermatol* **146**:88-89, 2002
63. Mumcuoglu KY, Hemingway J, Miller J: Permethrin resistance in the head louse *Pediculus capitis* from Israel. *Med Vet Entomol* **9**:427-432, 1995
64. Rupes V, Moravek J, Shmela J: A resistance of head lice, *Pediculus capitis*, to permethrin in the Czech Republic. *Cent Eur J Pub Health* **3**:30-32, 1995
65. Yoon YS et al: Resistance and cross-resistance to insecticides in human head lice from Florida and California. *Pestic Biochem Physiol* **80**:192-201, 2004
66. Chosidow O et al: Oral ivermectin versus malathion lotion for difficult-to-treat head lice. *N Engl J Med* **362**:896-905, 2010
67. Burkhart CN, Burkhart CG: Recommendation to standardize pediculicidal and ovicidal testing for head lice (Anoplura: Pediculidae). *J Med Entomol* **38**(2):127-129, 2001
68. Burkhart CG, Burkhart CN: Asphyxiation of lice with topical agents, not a reality ...yet. *J Am Acad Dermatol* **54**:721-722, 2006
69. Narahashi T: Neuronal ion channels as the target sites of insecticides. *Pharmacol Toxicol* **79**:1-14, 1996
70. Adams ME, Miller TA: Neural and behavioral correlates of pyrethroid and DDT type poisoning in the house fly *Musca domestica*. *Pestic Biochem Physiol* **13**:137-147, 1980
71. World Health Organization. Instructions for determining the susceptibility or resistance of body lice and head lice to insecticides. *WHO/VBC* **81**:808, 1981
72. Sasaki T et al: First molecular evidence of *Bartonella quintana* in *Pediculus humanus capitis* (Phthiraptera: Pediculidae) collected from Nepalese children. *J Med Entomol* **43**:110-112, 2006
73. Bonilla DL et al: *Bartonella quintana* in body lice and head lice from homeless persons, San Francisco, California, USA. *Emerg Infect Dis* **15**:912-915, 2009
74. Fang R, Houhamdi L, Raoult D: Detection of *Rickettsia prowazekii* in body lice and their feces by using monoclonal antibodies. *J Clin Microbiol* **40**:3358-3363, 2002
75. Houhamdi L et al: An experimental model of human body louse infection with *Rickettsia prowazekii*. *J Infect Dis* **186**:1639-1646, 2002
76. Raoult D, Roux V: The body louse as a vector of reemerging human diseases. *Clin Infect Dis* **29**:888-911, 1999
77. Alcantara V et al: Molecular detection of *Bartonella quintana* in human body lice from Mexico City. *Clin Microbiol Infect* **15**:93-94, 2009
78. Burkhart CG, Burkhart CN: Oral ivermectin for *Phthirus pubis*. *J Am Acad Dermatol* **51**:1038, 2004
79. Kalter DC, Sperber J, Rosen T: Treatment of pediculosis pubis: clinical comparison of efficacy and tolerance of 1% lindane shampoo vs. 1% permethrin crème rinse. *Arch Dermatol* **123**:1315-1319, 1987
80. Speare R, Koehler JM: A case of pubic lice resistant to pyrethrins. *Aust Fam Physician* **30**:572-574, 2001
81. Burkhart CG, Burkhart CN: Oral ivermectin therapy for *Phthiriasis palpebrarum*. *Arch Ophthalmol* **118**:134-135, 2000

