

Chapter 251

Ablative Lasers, Chemical Peels, and Dermabrasion

Elizabeth L. Tanzi & Tina S. Alster

REFERENCES

1. Taylor CR et al: Photoaging/photodamage and photoprotection. *J Am Acad Dermatol* **22**:1-15, 1990
2. Lavker RM: Cutaneous aging: chronological versus photoaging. In: *Photodamage*, edited by BA Gilchrist. Cambridge, MA, Blackwell Science, 1995, pp. 123-135
3. Alster TS: Cutaneous resurfacing with CO₂ and erbium:YAG lasers: preoperative, intraoperative, and postoperative considerations. *Plast Reconstr Surg* **103**:619-632, 1999
4. Alster TS, Garg S: Treatment of facial rhytides with a high-energy pulsed carbon dioxide laser. *Plast Reconstr Surg* **98**:791-794, 1996
5. Alster TS, Lupton JR: An overview of cutaneous laser resurfacing. *Clin Plast Surg* **28**:37-52, 2001
6. Alster TS, Nanni CA, Williams CM: Comparison of four carbon dioxide resurfacing lasers: a clinical and histopathologic evaluation. *Dermatol Surg* **25**:153-159, 1999
7. Bernstein LJ et al: The short- and long-term side effects of carbon dioxide laser resurfacing. *Dermatol Surg* **23**:519-525, 1997
8. Alster TS, Tanzi EL: Complications in laser and light surgery. In: *Laser Skin Surgery*, vol. 2, edited by DB Goldberg. Philadelphia, Elsevier, Inc., 2005, pp. 103-118
9. Alster TS, Lupton JR: Are all infrared lasers equally effective in skin rejuvenation. *Semin Cutan Med Surg* **21**:274-279, 2002
10. Tanzi EL, Williams CM, Alster TS: Treatment of facial rhytides with a nonablative 1450-nm diode laser: a controlled clinical and histologic study. *Dermatol Surg* **29**:124-129, 2003
11. Zelickson B et al: Pulsed dye laser therapy for sun damaged skin. *Lasers Surg Med* **25**:229-236, 1999
12. Zelickson B, Kist D: Effect of pulse dye laser and intense pulsed light source on the dermal extracellular matrix remodeling. *Lasers Surg Med* **12**:68, 2000
13. Goldberg DJ, Cutler KB: Nonablative treatment of rhytids with intense pulsed light. *Lasers Surg Med* **26**:196-200, 2000
14. Bitter PH: Noninvasive rejuvenation of photodamaged skin using serial, full-face intense pulsed light treatments. *Dermatol Surg* **26**:835-843, 2000
15. Weiss RA, Weiss MA, Beasley KL: Rejuvenation of photoaged skin: 5 years results with intense pulsed light of the face, neck, and chest. *Dermatol Surg* **28**:1115-1119, 2002
16. Goldberg DJ, Whitworth J: Laser skin resurfacing with the Q-switched Nd:YAG laser. *Dermatol Surg* **23**:903-906, discussion p. 906-907, 1997
17. Goldberg DJ, Metzler C: Skin resurfacing utilizing a low-fluence Nd:YAG laser. *J Cutan Laser Ther* **1**:23-27, 1999
18. Lee MW: Combination visible and infrared lasers for skin rejuvenation. *Semin Cutan Med Surg* **21**:288-300, 2002
19. Menaker GM et al: Treatment of facial rhytids with a nonablative laser: a clinical and histologic study. *Dermatol Surg* **25**:440-444, 1999
20. Goldberg DJ: Nonablative subsurface remodeling: clinical and histologic evaluation of a 1320 nm Nd:YAG laser. *J Cutan Laser Ther* **1**:153-157, 1999
21. Goldberg DJ: Full-face nonablative dermal remodeling with a 1320 nm Nd:YAG laser. *Dermatol Surg* **26**:915-918, 2000
22. Trelles MA, Allones I, Luna R: Facial rejuvenation with a nonablative 1320 nm Nd:YAG laser. A preliminary clinical and histologic evaluation. *Dermatol Surg* **27**:111-116, 2001
23. Fatemi A, Weiss MA, Weiss RA: Short-term histologic effects of nonablative resurfacing: Results with a dynamically cooled millisecond-domain 1320 nm Nd:YAG laser. *Dermatol Surg* **28**:172-176, 2002
24. Hardaway CA, Ross EV: Nonablative laser skin remodeling. *Dermatol Clin* **20**:97-111, 2002

25. Goldberg DJ, Rogachefsky AS, Silapunt S: Nonablative laser treatment of facial rhytides: A comparison of 1450nm diode laser treatment with dynamic cooling as opposed to treatment with dynamic cooling alone. *Lasers Surg Med* **30**:79-81, 2002
26. Hardaway CA, Ross EV, Paithankar DY: Non-ablative cutaneous remodeling with a 1.45 micron mid-infrared diode laser: phase II. *J Cosmet Laser Ther* **4**:9-14, 2002
27. Lupton JR, Williams CM, Alster TS: Nonablative laser skin resurfacing using a 1540nm erbium glass laser: A clinical and histologic analysis. *Dermatol Surg* **28**:833-835, 2002
28. Mordon S et al: In vivo experimental evaluation of nonablative skin remodeling using a 1.54um laser with surface cooling. *Lasers Surg Med* **27**:1-9, 2000
29. Fournier N et al: Nonablative remodeling: a 14-month clinical ultrasound imaging and profilometric evaluation of a 1540 nm Er:Glass laser. *Dermatol Surg* **28**:926-931, 2002
30. Huzaira M et al: Intradermal focusing of near-infrared optical pulses: a new approach for non-ablative laser therapy. *Lasers Surg Med* **15**(Suppl):66, 2003
31. Manstein D et al: Fractional photothermolysis: a new concept for cutaneous remodeling using microscopic patterns of thermal injury. *Lasers Surg Med* **34**:426-438, 2004
32. Alexiades-Armenakas MR, Dover JS, Arndt KA: The spectrum of laser skin resurfacing: non-ablative, fractional, and ablative laser resurfacing. *J Am Acad Dermatol* **58**:719-777, 2008
33. Alster TS, Tanzi EL, Lazarus M: The use of fractional photothermolysis in the treatment of atrophic acne scars. *Dermatol Surg* **33**:295-299, 2007
34. Wanner M, Tanzi EL, Alster TS: Fractional photothermolysis: treatment of facial and nonfacial cutaneous photodamage with a 1550 nm erbium-doped fiber laser. *Dermatol Surg* **33**:23-28, 2007
35. Weiss RA et al: Prospective clinical evaluation of 1440 nm laser delivered by microarray for treatment of photoaging and scars. *J Drugs Dermatol* **5**:740-744, 2006
36. Lloyd JR. Effect of fluence on efficacy using the 1440nm laser with CAP technology for the treatment of rhytids. *Lasers Surg Med* **40**:387-389, 2008
37. Kouba DJ, Fincher EF, May RL: Nevus of Ota successfully treated by fractional photothermolysis using a fractionated 1440nm Nd:YAG laser. *Arch Dermatol* **144**:156-158, 2008
38. Graber EM, Tanzi EL, Alster TS: Side effects and complications of fractional laser photothermolysis: experience with 961 treatments. *Dermatol Surg* **4**:301-307, 2008
39. Metelitsa AI, Alster TS: Fractionated laser skin resurfacing treatment complications: a review. *Dermatol Surg* **36**:299-306, 2010
40. Tierney EP, Kouba DJ, Hanke CW: Review of fractional photothermolysis: treatment indications and efficacy. *Dermatol Surg* **5**:1445-1461, 2009
41. Geronemus R: Fractional photothermolysis: current and future applications. *Lasers Surg Med* **38**:169-176, 2006
42. Brightman LA et al: Ablative and fractional ablative lasers. *Dermatol Clin* **27**:479-489, 2009
43. Hunzeker CM, Weiss ET, Geronemus RG: Fractionated carbon dioxide laser resurfacing: our experience with more than 2000 treatments. *Aesthet Surg J* **29**(4):317-322, 2009
44. West TB, Alster TS: Effect of pretreatment on the incidence of hyperpigmentation following cutaneous CO₂ laser resurfacing. *Dermatol Surg* **25**:15-17, 1999
45. Hevia O, Nemeth AJ, Taylor JR: Tretinoin accelerates healing after trichloroacetic acid chemical peel. *Arch Dermatol* **127**:678-682, 1991
46. Alster TS: Preoperative preparation for CO₂ laser resurfacing. In: *Skin Resurfacing*, edited by WP Coleman, N Lawrence. Baltimore, Williams & Wilkins, 1998, pp. 171-179
47. Walia S, Alster TS: Cutaneous CO₂ laser resurfacing infection rate with and without prophylactic antibiotics. *Dermatol Surg* **25**:857-861, 1999
48. Shapshay SM et al: Removal of rhinophyma with the carbon dioxide laser. A preliminary report. *Arch Otolaryngol* **106**:257-259, 1980
49. Dufresne RG et al: Carbon dioxide laser treatment of chronic actinic cheilitis. *J Am Acad Dermatol* **19**:876-878, 1988
50. Alster TS, Kauvar ANB, Geronemus RG: Histology of high-energy pulsed CO₂ laser resurfacing. *Semin Cutan Med Surg* **15**:189-193, 1996
51. Tanzi EL, Lupton JR, Alster TS: Review of lasers in dermatology: four decades of progress. *J Am Acad Dermatol* **49**:1-31, 2003
52. Lanzafame RJ et al: Comparisons of continuous-wave, chop wave, and superpulsed laser wounds. *Lasers Surg Med* **8**:119-124, 1988
53. Anderson RR, Parrish JA: Selective photothermolysis: precise microsurgery by selective absorption of pulsed radiation. *Science* **22**:524-527, 1983

54. Walsh JT, Deutsch TF: Pulsed CO₂ laser tissue ablation: measurement of the ablation rate. *Lasers Surg Med* 8:264-275, 1988
55. Fitzpatrick RE, Ruiz-Esparza J, Goldman MP: The depth of thermal necrosis using the CO₂ laser: a comparison of the superpulsed mode and conventional mode. *J Dermatol Surg Oncol* 17:340-344, 1991
56. Stuzin JM et al: Histologic effects of the high-energy pulsed CO₂ laser on photo-aged facial skin. *Plast Reconstr Surg* 99:2036-2050, 1997
57. Walsh JT et al: Pulsed CO₂ laser tissue ablation: effect of tissue type and pulse duration on thermal damage. *Lasers Surg Med* 8:108-118, 1988
58. Walsh JT, Flotte TJ, Deutsch TF: Er:YAG laser ablation of tissue: effect of pulse duration and tissue type on thermal damage. *Lasers Surg Med* 9:327-337, 1989
59. Ross EV, Anderson RR: The erbium laser in skin resurfacing. In: *Cosmetic Laser Surgery*, 2nd edition, edited by TS Alster, DB Apfelberg. New York, John Wiley, 1999, pp. 57-84
60. Alster TS: Clinical and histologic evaluation of six erbium:YAG lasers for cutaneous resurfacing. *Lasers Surg Med* 24:87-92, 1999
61. Hibst R, Kaufmann R: Effects of laser parameters on pulsed ErYAG laser ablation. *Lasers Med Science* 6:391-397, 1991
62. Hohenleutner U et al: Fast and effective skin ablation with an Er:YAG laser: determination of ablation rates and thermal damage zones. *Lasers Surg Med* 20:242-247, 1997
63. Alster TS, Lupton JR: Erbium:YAG cutaneous laser resurfacing. *Dermatol Clin* 19:453-466, 2001
64. Khatri KA et al: Comparison of erbium:YAG and carbon dioxide lasers in resurfacing of facial rhytides. *Arch Dermatol* 135:391-397, 1999
65. Sapijaszko MJA, Zachary CB: Er:YAG laser skin resurfacing. *Dermatol Clin* 20:87-96, 2002
66. Tanzi EL, Alster TS: Side effects and complications of variable-pulsed erbium:yttrium-aluminum-garnet laser skin resurfacing: extended experience with 50 patients. *Plast Reconstr Surg* 111:1524-1529, 2003
67. Pozner JM, Goldberg DJ: Histologic effect of a variable pulsed Er:YAG laser. *Dermatol Surg* 26:733-736, 2000
68. Ross EV et al: Use of a novel erbium laser in a Yucatan minipig: a study of residual thermal damage (RTD), ablation, and wound healing as a function of pulse duration. *Lasers Surg Med* 15:17, 1999
69. Fitzpatrick RE, Rostan EF, Marchell N: Collagen tightening induced by carbon dioxide laser versus erbium:YAG laser. *Lasers Surg Med* 27:395-403, 2000
70. Rohrer TE: Erbium:YAG laser resurfacing—experience of the first 200 cases. *Aesthet Dermatol Cosmet Surg* 1:19-30, 1999
71. Rostan EF, Fitzpatrick RE, Goldman MP: Laser resurfacing with a long pulse erbium:YAG laser compared to the 950 ms pulsed CO₂ laser. *Lasers Surg Med* 29:136-141, 2001
72. Gold MH: Update on fractional laser technology. *J Clin Aesthet Dermatol* 3:42-50, 2010
73. Waibel J et al: Preliminary observations on fractional ablative resurfacing devices: clinical impressions. *J Drugs Dermatol* 8:481-485, 2009
74. Kilmer SL et al: Full-face laser resurfacing using a supplemented topical anesthesia protocol. *Arch Dermatol* 139:1279-1283, 2003
75. Alster TS, Lupton JR: Evaluation of a novel topical anesthetic agent for cutaneous laser resurfacing: a randomized comparison study. *Dermatol Surg* 28:1004-1006, 2002
76. Bing J, McAuliff MS, Lupton JR: Regional anesthesia with monitored anesthesia care for dermatologic laser surgery. *Dermatol Clin* 20:123-134, 2002
77. Alster TS, Lupton JR: Prevention and treatment of side effects and complications of cutaneous laser resurfacing. *Plast Reconstr Surg* 109:308-316, 2002
78. Fitzpatrick RE, Smith SR, Sriprachya-anunt S: Depth of vaporization and the effect of pulse stacking with a high-energy, pulsed carbon dioxide laser. *J Am Acad Dermatol* 40:615-622, 1999
79. Ruback BW, Schroenrock LD: Histological and clinical evaluation of facial resurfacing using a carbon dioxide laser with the computer pattern generator. *Arch Otolaryngol Head Neck Surg* 123:929-934, 1997
80. David L, Ruiz-Esparza J: Fast healing after laser skin resurfacing: the minimal mechanical trauma technique. *Dermatol Surg* 23:359-361, 1997
81. Ruiz-Esparza J, Gomez JMB: Long-term effects of one general pass laser resurfacing: a look at dermal tightening and skin quality. *Dermatol Surg* 25:169-174, 1999
82. Alster TS, Hirsch RJ: Single-pass CO₂ laser skin resurfacing of light and dark skin: extended experience with 52 patients. *J Cosmet Laser Ther* 5:39-42, 2003

83. Tanzi EL, Alster TS: Single-pass carbon dioxide versus multiple-pass Er:YAG laser skin resurfacing: a comparison of postoperative wound healing and side-effect rates. *Dermatol Surg* **29**:80-84, 2003
84. Alster TS, Tanzi EL: Laser skin resurfacing: ablative and nonablative. In: *Surgery of the Skin*, edited by J Robinson et al. Philadelphia, Elsevier, 2005, pp. 611-624
85. Kono T et al: Prospective direct comparison study of fractional resurfacing using different fluences and densities for skin rejuvenation in Asians. *Lasers Surg Med* **39**:311-314, 2007
86. Lowe NJ et al: Skin resurfacing with the ultrapulse carbon dioxide laser: observations on 100 patients. *Dermatol Surg* **21**:1025-1029, 1995
87. Alster TS: Comparison of two high-energy, pulsed carbon dioxide lasers in the treatment of periorbital rhytides. *Dermatol Surg* **22**:541-545, 1996
88. Apfelberg DB: Ultrapulse carbon dioxide laser with CPG scanner for full-face resurfacing of rhytides, photoaging, and acne scars. *Plast Reconstr Surg* **99**:1817-1825, 1997
89. Lask G et al: Laser skin resurfacing with the Silk-Touch flashscanner for facial rhytides. *Dermatol Surg* **21**:1021-1024, 1995
90. Waldorf HA, Kauvar ANB, Geronemus RG: Skin resurfacing of fine to deep rhytides using a charge-free carbon dioxide laser in 47 patients. *Dermatol Surg* **21**:940-946, 1995
91. Ratner D et al: Pilot ultrastructural evaluation of human preauricular skin before and after high-energy pulsed carbon dioxide laser treatment. *Arch Dermatol* **134**:582-587, 1998
92. Ratner D et al: Cutaneous laser resurfacing. *J Am Acad Dermatol* **41**:365-389, 1999
93. Ross E et al: *In vivo* dermal collagen shrinkage and remodeling following CO₂ laser resurfacing. *Lasers Surg Med* **18**:38-43, 1996
94. Flor PJ, Spurr OK: Melting equilibrium for collagen fibers under stress: elasticity in the amorphous state. *J Am Chem Soc* **83**:1308, 1960
95. Flor PJ, Weaver ES: Helix coil transition in dilute aqueous collagen solutions. *J Am Chem Soc* **82**:4518, 1989
96. Alster TS: Commentary on: Increased smooth muscle actin, factor XIII a, and vimentin-positive cells in the papillary dermis of carbon dioxide laser-debrided porcine skin. *Dermatol Surg* **24**:155, 1998
97. Gotkin RH et al: Ablative skin resurfacing with a novel microablative CO₂ laser. *J Drugs Dermatol* **8**:138-144, 2009
98. Chapas AM et al: Successful treatment of acneiform scarring with CO₂ ablative fractional resurfacing. *Lasers Surg Med* **40**:381-386, 2008
99. Walgrave SE et al: Evaluation of a novel fractional resurfacing device for treatment of acne scarring. *Lasers Surg Med* **41**:122-127, 2009
100. Weiss ET et al: Successful treatment of atrophic postoperative and traumatic scarring with carbon dioxide ablative fractional resurfacing: quantitative volumetric scar improvement. *Arch Dermatol* **146**:133-140, 2010
101. Weiss ET, Geronemus RG: Combining fractional resurfacing + Q-switched ruby for tattoo removal. *Dermatol Surg* **37**(1):97-99, 2011
102. Lapidot M, Yagima Odo ME, Odo LM: Novel use of erbium:YAG (2940 nm) laser for fractional ablative photothermolysis in the treatment of photodamaged facial skin: a pilot study. *Dermatol Surg* **34**:1048-1053, 2008
103. Gold MH: Clinical evaluation of the SmartSkin fractional laser for the treatment of photodamage and acne scars. *J Drugs Dermatol* **8**:S4-S8, 2009
104. Nanni CA, Alster TS: Complications of carbon dioxide laser resurfacing: an evaluation of 500 patients. *Dermatol Surg* **24**:315-320, 1998
105. Alster TS, West TB: Effect of topical vitamin C on postoperative carbon dioxide resurfacing erythema. *Dermatol Surg* **24**:331-334, 1998
106. McDaniel DH et al: Accelerated laser resurfacing wound healing using a triad of topical antioxidants. *Dermatol Surg* **24**:661-664, 1998
107. Horton S, Alster TS: Preoperative and postoperative considerations for cutaneous laser resurfacing. *Cutis* **64**:399-406, 1999
108. Fisher AA: Lasers and allergic contact dermatitis to topical antibiotics, with particular reference to bacitracin. *Cutis* **58**:252-254, 1996
109. Sriprachya-anunt S et al: Infections complicating pulsed carbon dioxide laser resurfacing for photo-aged facial skin. *Dermatol Surg* **23**:527-536, 1997
110. Friedman PM, Geronemus RG: Use of the 308-nm excimer laser for postresurfacing leukoderma. *Arch Dermatol* **137**:824-825, 2001
111. Grimes PE et al: Laser resurfacing-induced hypopigmentation: histologic alteration and repigmentation with topical photochemotherapy. *Dermatol Surg* **27**:515-520, 2001

112. Glaich AS et al: Fractional resurfacing for the treatment of hypopigmented scars: a pilot study. *Dermatol Surg* **33**:289-294, 2007
113. Alster TS, Nanni CA: Pulsed-dye laser treatment of hypertrophic burn scars. *Plast Reconstr Surg* **102**:2190-2195, 1998
114. Ross VE et al: One-pass CO₂ versus multiple-pass Er:YAG laser resurfacing in the treatment of rhytides: a comparison side-by-side study of pulsed CO₂ and Er:YAG lasers. *Dermatol Surg* **27**:709-715, 2001
115. Zachary CB: Modulating the Er:YAG laser. *Lasers Surg Med* **26**:223-226, 2002
116. Tanzi EL, Alster TS: Effect of a semioclusive silicone-based dressing after ablative laser resurfacing of facial skin. *Cosmet Dermatol* **16**:13-16, 2003
117. Batra RS et al: Evaluation of a silicone occlusive dressing after laser skin resurfacing. *Arch Dermatol* **137**:1317-1321, 2001
118. Fabbrocini G, Pia De Padova M, Tosti A: Chemical peels: what's new and what isn't new but still works well. *Facial Plast Surg* **25**:329-336, 2009
119. Fulton JE, Porumb S: Chemical peels: their place within the range of resurfacing techniques. *Am J Clin Dermatol* **5**:179-87, 2004
120. Cox SE, Butterwick KJ: Chemical peels. In: *Surgery of the Skin*, edited by J Robinson et al. Philadelphia, Elsevier, 2005, pp. 463-480
121. Brody HJ: Skin resurfacing: Chemical peels. In: *Fitzpatrick's Dermatology in General Medicine*, 6th edition, edited by IM Freedberg et al. New York, McGraw-Hill, 2003
122. Matarasso SL, Glogau RG: Chemical face peels. *Dermatol Clin* **9**:131-150, 1991
123. Monheit GD: The Jessner's-trichloroacetic acid peel: an enhanced medium-depth chemical peel. *Dermatol Clin* **13**:277-283, 1995
124. Monheit GD: Chemical peels. *Skin Therapy Lett* **9**:6-11, 2004
125. Monheit GD, Chastain MA: Chemical peels. *Facial Plast Surg Clin North Am* **9**:239-255, 2001
126. Kligman AM, Baker TJ, Gordon HL: Long-term histologic follow-up of phenol face peels. *Plast Reconstr Surg* **75**:652-659, 1985
127. Brown AM, Kaplan LM, Brown ME: Phenol induced histological skin changes: hazards, techniques, and uses. *Br J Plast Surg* **13**:158-169, 1960
128. Mosienko P, Baker TJ: Chemical peel. *Clin Plast Surg* **5**:79-96, 1978
129. Brody HJ: Complications of chemical resurfacing. *Dermatol Clin* **19**:427-438, 2001
130. Kurtin A: Surgical planing of the skin. *Arch Derm Syphilol* **68**:389, 1953
131. Yarborough JM Jr: Ablation of facial scars by programmed dermabrasion. *J Dermatol Surg Oncol* **14**:292-294, 1988
132. Mandy SH, Monheit GD: Dermabrasion and chemical peels. In: *Facial Plastic and Reconstructive Surgery*, edited by ID Papel. New York, Thieme Medical Publishing, 2002, pp. 223-240
133. Spencer JM, Harmon CB: Microdermabrasion and dermabrasion. In: *Surgery of the Skin*, edited by J Robinson et al. Philadelphia, Elsevier, 2005, pp. 611-624
134. Yarborough JM Jr: Dermabrasion by wire brush. *J Dermatol Surg Oncol* **13**:610-615, 1987
135. Rubenstein R et al: Atypical keloids after dermabrasion of patients taking isotretinoin. *J Am Acad Dermatol* **15**:280-285, 1986
136. Bagatin E et al: Dermabrasion for acne scars during treatment with oral isotretinoin. *Dermatol Surg* **36**:48-498, 2010
137. Pinski J: Dressings for dermabrasion: occlusive dressings and wound healing. *Cutis* **37**:471, 1986

