

## Chapter 252

# Cosmetic Applications of Nonablative Lasers and Other Light Devices

Elliot T. Weiss, Anne M. Chapas,  
& Roy G. Geronemus

10. Ueda S, Imayama S: Normal-mode ruby laser for treating congenital nevi. *Arch Dermatol* **133**:355, 1997

## REFERENCES

1. Anderson RR, Parrish JA: Selective photothermolysis: Precise microsurgery by selective absorption of pulsed radiation. *Science* **220**:524, 1983
2. Manstein D et al: Fractional photothermolysis: a new concept for cutaneous remodeling using microscopic patterns of thermal injury. *Lasers Surg Med* **34**(5):426-438, 2004
3. Zelickson BD et al: Pulsed dye laser therapy for sun damaged skin. *Lasers Surg Med* **25**:229, 1999
4. Weiss RA, Weiss MA, Beasley KL: Rejuvenation of photoaged skin: 5 years results with intense pulsed light of the face, neck, and chest. *Dermatol Surg* **28**:1115, 2002
5. Rokhsar CK, Lee S, Fitzpatrick RE: Review of photorejuvenation: devices, cosmeceuticals, or both. *Dermatol Surg* **31**:1166, 2005; discussion 1178
6. Fisher GH et al: Nonablative radiofrequency treatment of facial laxity. *Dermatol Surg* **31**:1237, 2005; discussion 1241
7. Grevelink JM et al: Undesirable side effects associated with treatment of tattoos and pigmented lesions with Q-switched lasers at 1064 and 694 nm—the MGH experience. *Lasers Surg Med* **131**:53, 1993
8. Anderson RR et al: Cosmetic tattoo ink darkening: a complication of Q-switched and pulsed-laser treatment. *Arch Dermatol* **129**:101, 1993
9. Trotter MJ et al: Localized chrysiasis induced by laser therapy. *Arch Dermatol* **131**:1411, 1995

